

The Iron Age

INDEX TO
READING MATTER
PAGE 32.

A Review of the Hardware, Iron and Metal Trades.

INDEX TO
ADVERTISEMENTS
PAGE 19.

Published every Thursday Morning by DAVID WILLIAMS, No. 83 Reade Street, New York. Entered at the Post Office, New York, as Second-Class Matter.

Vol. XXXVI: No. 15

New York, Thursday, October 8, 1885.

\$4.50 a Year, Including Postage.
Single Copies, Ten Cents.

The Relations Between Science and Industry.

Sir Lyon Playfair, president of the British Association, in his presidential address at the Aberdeen meeting, spoke as follows of the relations between science and industry:

When we examine the order of progress in the arts, even before they are illumined by science, their improvements seem to be the resultants of three conditions:

1. The substitution of natural forces for brute animal power, as when Hercules used the waters of the Alpheus to cleanse the Augean stables, or when a Kamchadal of Eastern Asia, who has been three years hollering out a canoe, finds that he can do it in a few hours by fire.

2. The economy of time, as when a calendering machine produces the same gloss to miles of calico that an African savage gives to a few inches by rubbing it with the shell of a snail; or the economy of production, as when steel pens, sold when first introduced at 1 shilling apiece, are now sold at 1 penny per dozen; or when steel rails, lately costing £45 per ton, can now be sold at £5.

3. Methods of utilizing waste products, or of endowing them with properties which render them of increased value to industry, as when waste scrap iron and the galls on the oak are converted into ink; or the badly-smelling waste of gas works is transformed into fragrant essences, brilliant dyes and fertilizing manure; or when the effete matter of animals or old bones is changed into lucifer matches.

All three results are often combined when a single end is obtained—at all events, economy of time and production invariably follows when natural forces substitute brute animal force. In industrial progress the sweat of the brow is lessened by the conceptions of the brain. How exultant is the old Greek poet, Antipater ("Analekta Veterum Græcorum," Epig. 39, vol. II, p. 119), when women are relieved of the drudgery of turning the grindstones for the daily supply of corn! "Women, you who have hitherto had to grind corn, let your arms rest for the future. It is no longer for you that the birds announce by their songs the dawn of the morning. Ceres has ordered the water nymphs to move the heavy millstones and perform your labor." Penelope had 12 slaves to grind corn for her small household. During the most prosperous time of Athens it was estimated that there were 20 slaves to each free citizen. Slaves are mere machines, and machines neither invent nor discover. The bondmen of the Jews, the helots of Sparta, the captive slaves of Rome, the serfs of Europe, and uneducated laborers of the present day, who are the slaves of ignorance, have added nothing to human progress. But as natural forces substitute and become cheaper than slave labor, liberty follows advancing civilization. Machines require educated superintendence. One shoe factory in Boston by its machines does the work of 30,000 shoemakers in Paris, who have still to go through the weary drudgery of mechanical labor. The steam-power of the world during the last 20 years has risen from 11,500,000 to 29,000,000 horse-power, or 125 per cent. Let me take a single example of how even a petty manufacture improved by the teachings of science affects the comforts and enlarges the resources of mankind.

When I was a boy the only way of obtaining a light was by the tinder-box, with its quadruple materials, flint and steel, burned rags or tinder, and a sulphur match. If everything went well, if the box could be found and the air was dry, a light could be obtained in two minutes; but very often the time occupied was much longer, and the process became a great trial to the serenity of temper. The consequence of this was that a fire or a burning lamp was kept alight through the day. Old Gerard, in his herbal, tells us how certain fungi were used to carry fire from one part of the country to the other. The tinder-box long held its position as a great discovery in the arts. The *pyricula ignifera* of the Romans appears to have been much the same implement, though a little ruder than the flint and steel which Philip the Good put into the collar of the Golden Fleece in 1429 as the representation of high knowledge in the progress of the arts. It continued to prevail till 1833, when phosphorus matches were introduced, though I have been amused to find that there are a few venerable ancients in London who still stick to the tinder-box, and for whom a few shops keep a small supply. Phosphorus was no new discovery, for it had been obtained by an Arabian called Bechel in the eighth century. However, it was forgotten, and was rediscovered by Brandt, who made it out of very stinking materials in 1669. Other discoveries had, however, to be made before it could be used for lucifer matches. The science of combustion was only developed on the discovery of oxygen a century later. Time had to elapse before chemical analysis showed the kind of bodies which could be added to phosphorus so as to make it ignite readily. So it was not till 1833 that matches became a partial success. Intolerably bad they then were, dangerously inflammable, horribly poisonous to the makers, and injurious to the lungs of the consumers. It required another discovery by Schrötter in 1845 to change poisonous wax into innocuous red-brick phosphorus in order that these defects might be remedied, and to give us the safety match of the

present day. Now, what have these successive discoveries in science done for the nation, in this single manufacture, by an economy of time! If before 1833 we had made the same demands for light that we now do, when we daily consume eight matches per head of the population, the tinder-box could have supplied the demand under the most favorable conditions by an expenditure of one-quarter of an hour. The lucifer match supplies a light in 15 seconds

led to the inventions of Watt, while that of the mechanical equivalent of heat by Joule has been the basis of the progressive improvements in the steam engine which enable power to be obtained by a consumption of fuel less than one-fourth the amount used 20 years ago. It may be that the engines of Watt and Stephenson will yield in their turn to more economical motors; still they have already expanded the wealth, resources and even the territories of England more than

to procure. Our not very distant descendants will have to face the problem, What will be the condition of England without coal! The answer to that question depends upon the intellectual development of the nation at that time. The value of the intellectual factor of production is continually increasing, while the values of raw material and fuel are lessening factors. It may be that when the dreaded time of exhausted fuel has arrived its importation from other coal-

interferes in its up-bringing, so as to insure it being a capable citizen. The processes of mind which produce a discovery or an invention are rarely associated in the same person, for, while the discoverer seeks to explain causes and the relations of phenomena, the inventor aims at producing new effects, or at least of obtaining them in a novel and efficient way. In this the inventor may sometimes succeed without much knowledge of science, though his labors are infinitely more productive when he understands the causes of the effects which he desires to produce.

Science has in the last 100 years altered altogether the old conditions of industrial competition. She has taught the rigid metals to convey and record our thoughts even to the most distant lands, and, within less limits, to reproduce our speech. This marvelous application of electricity has diminished the cares and responsibilities of Governments, while it has at the same time altered the whole practice of commerce. To England steam and electricity have been of incalculable advantage. The ocean, which once made the country insular and isolated, is now the very life-blood of England and of the greater England beyond the seas. As in the human body the blood bathes all its parts, and through its traveling corpuscles carries force to all its members, so in the body politic of England and its pelagic extensions steam has become the circulatory and electricity the nervous system. The colonies, being young countries, value their raw materials as their chief sources of wealth. When they become older they will discover it is not in these, but in the culture of scientific intellect, that their future prosperity depends. Older nations recognize this as the law of progress more than we do; or, as Jules Simon tersely puts it, "That nation which most educates her people will become the greatest nation, if not to-day, certainly to-morrow." Higher education is the condition of higher prosperity, and the nation which neglects to develop the intellectual factor of production must degenerate, for it cannot stand still. If we felt compelled to adopt the test of science given by Comte, that its value must be measured by fecundity, it might be prudent to claim industrial inventions as the immediate fruit of the tree of science, though the only fruit which the prolific tree has shed. But the test is untrue in the sense indicated, or rather the fruit, according to the simile of Bacon, is like the golden apples which Aphrodite gave to the suitor of Atalanta, who lagged in his course by stooping to pick them up, and so lost the race. The true cultivators of the tree of science must seek their own reward by seeing it flourish, and let others devote their attention to the possible practical advantages which may result from their labors.




Fig. 1.—Standard Derrick.




Fig. 2.—Perspective View of Conveying Plant.

COAL-HANDLING MACHINERY, BUILT BY THE STANDARD DERRICK AND CONVEYOR CO., CLEVELAND, OHIO.

on each occasion, or in two minutes for the whole day. Putting these differences into a year, the venerable ancients who still stick to his tinder-box would require to spend 90 hours yearly in the production of light, while the user of lucifer matches spends 12 hours; so that the latter has an economy of 78 hours yearly, or about 10 working days. Measured by cost of production at 1/6 daily, the economy of time represented in money to our population is £26,000,000 annually.

This is a curious instance of the manner in which science leads to economy of time and wealth even in a small manufacture. In larger industries the economy of time and labor produced by the application of scientific discoveries is beyond all measurement. Thus the discovery of latent heat by Black

all the battles fought by her soldiers or all the treaties negotiated by her diplomatists. The coal which has hitherto been the chief source of power probably represents the product of 5,000,000 or 6,000,000 years during which the sun shone upon the plants of the carboniferous period, and stored up its energy in this convenient form. But we are using this conserved force wastefully and prodigally, for, although horse-power in steam engines has so largely increased since 1864, two men only now produce what three men did at that date.

It is only 300 years since we became a manufacturing country. According to Professor Dewar, in less than 200 years more the coal of this country will be wholly exhausted, and in half that time will be difficult

fields, such as those of New South Wales, will be so easy and cheap that the increased technical education of our operatives may largely overbalance the disadvantages of increased cost in fuel. But this supposes that future Governments in England will have more enlightened views as to the value of science than past Governments have possessed. Industrial applications are but the overflowings of science welling over from the fullness of its measure. Few would ask now, as was constantly done a few years ago, "What is the use of an abstract discovery in science?" Faraday once answered this question by another, "What is the use of a baby?" Yet around that baby center all the hopes and sentiments of its parents, and even the interests of the State, which

Coal-Handling Machinery.

In view of the comparatively meager character of published particulars of coal-handling machinery, contributions to the literature of this subject cannot fail to prove welcome and to embrace points of special and general interest. Mr. A. N. Simmerly's hoisting and conveying plant, of which we present engravings in this issue, will accordingly, no doubt, be examined with attention, embodying, moreover, several novel features well worth considering. Figs. 1 and 2 of our illustrations show the derrick, buckets and cars in perspective, a special feature of the derrick being that the engine and hoisting machinery are firmly bolted to a solid iron bed plate, insuring against any racking or getting out of line. Being independent of the carriage, moreover, any difficulty which might result from settling of the dock is readily overcome. The hoisting and rotating gear has 216 square inches of friction surface, which, with the combined clutch and brake band, insures safety in operating. The construction of the buckets will be understood from Figs. 3 and 4, the former being an end elevation and the latter a side elevation, with part broken away so as to show the internal arrangement. The bucket is made of sheet metal and has a bottom inclining in opposite directions from a central line. Hinged doors are arranged upon opposite sides, the hinges being uppermost, and from each door curved links extend inward past each other, and are secured to cross-bars upon a rock shaft in such a manner that the points of connection, when the doors are closed, are in a position past the center of motion of the rock shaft. This position firmly locks the doors in place and avoids the necessity of any securing devices whatever, while the greater the pressure upon the doors the more firmly will they be locked, until a lever is operated to force the pivots upon the other side of the center, when the pressure upon the doors will open them.

The arrangement is very clearly shown in Fig. 3. A considerable percentage of loss is sustained in handling coal or ore, due to the breaking up of the material. This loss, where turning buckets are used, has been estimated at 18 per cent., and is due to the fact that the necessary room for turning the bucket gives more or less fall to the contents—say 6 or 7 feet. In Mr. Simmerly's construction the bucket may be lowered as far as desired, and by the proper manipulation of the lever the contents may be easily deposited without any appreciable damage. After the contents have been dropped the

(Concluded on page 7.)

ANSONIA BRASS AND COPPER CO.,
MANUFACTURERS OF
PURE COPPER WIRE,
For Electrical Purposes,
Bare and Covered.
O'NEIL'S PATENT PLANNISHED
COPPER.
Seamless Brass and
Copper Tubing,
Sheets, Bolts, Rods,
Wire, O'Neil's
Patent Nickel-
Plated Copper,
&c., &c.
—IN—
W. E. DODGE,
Pres't.
G. P. COWLES,
V.-P. and Treas.
A. A. COWLES,
Secretary.
*Ansonia Refined Ingot
Copper, Anchor Brand;*
LAKE INGOT COPPER.
19 & 21 CHURCH Street,
NEW YORK.

PHELPS, DODGE & CO.,

IMPORTERS OF

TIN PLATE

Roofing Plate, Sheet Iron, Copper,
Pig Tin, Wire, Zinc, &c.

MANUFACTURERS OF

COPPER AND BRASS.
CLIFF STREET, NEW YORK.

(Established 1802.)

SCOVILL MFG. COMPANY
WATERBURY, CONN.

Manufacturers of
BRASS—Sheet Brass, Brass Wire, Brass Tubing.
GERMAN SILVER—Sheet German Silver, German Silver
Wire, German Silver Tubing.
BUTT RINGS—Narrow, Middle, Broad, Desk, Ship,
Stop, Spring and Piano-Porte.
BUTTONS—Military, Naval, Livery, Society, Rail-
road, School, Lasting, Silk and Dress.
LAMP GOODS—German Student Lamps, Kerosene
Burners, Kerosene Lamps.
PHOTOGRAPHIC—Camera Boxes, Printing Frames,
Chemicals, Paper, Glass, &c.
Scovill's Patent Lock Box for Post Offices.
DEPOTS:
423 Broome Street, New York.
177 Devonshire Street, Boston.
183 Lake Street, Chicago.



Waterbury Brass Co.

ESTABLISHED 1845.

Sheet, Roll and Platers' Brass,
German Silver, Copper, Brass and
German Silver Wire, Brass and
Copper Tubing,

Copper Rivets and Burs,
Brass Kettles, Door Rail, Brass Tags, Per-
cussion Caps, Powder Flasks, Metallic
Eyelets, Shot Pouches, Tape Meas-
ures, &c., and small Brass Wares
of every description.

**Cartridge Metal in Sheets or
Shells a Specialty.**

Sole Agents for the CAPEWELL MFG. CO.'S
Line of Sporting Goods.

DEPOTS: 296 Broadway, New York. MILLS AT
125 Eddy St., Providence R. I. WATERBURY,
CONN.

THE

New Haven Copper Co.,

SOLE MAKERS OF

POLISHED COPPER

Under Patent of T. James, Sept. 12, 1876.

ALSO MANUFACTURERS AND
DEALERS IN

BRAZERS' & SHEATHING COPPER
Kettles, Bottoms, Bolts, Circles, &c.

ALSO MANUFACTURERS OF

Cast Steel Angers and Bits of Superior Quality.

294 Pearl St., NEW YORK.

DICKERSON, VAN DUSEN & CO.,

IMPORTERS OF

TIN PLATE, PIG TIN, SHEET IRON,

COPPER, WIRE, ZINC, ETC.,

29 and 31 Cliff St., cor. Fulton,
DICKERSON & CO., Liverpool. NEW YORK.

THE PLUME & ATWOOD MFG. CO.

MANUFACTURERS OF

Sheet and Roll Brass

AND
WIRE,

GERMAN SILVER AND GILDING METAL,
COPPER RIVETS AND BURS, COPPER
ELECTRICAL WIRE,

**Pins, Brass Butt Hinges, Jack
Chain, Kerosene Burners,
Lamp Trimmings, &c.**

18 MURRAY ST., NEW YORK,
71 PEARL ST., BOSTON,
115 LAKE ST., CHICAGO.

Rolling Mill, THOMASTON, CONN. | Factories,
WATERBURY, CONN.

BRIDGEPORT BRASS CO.

MANUFACTURERS OF

Sheet and Roll Brass,

BRASS AND COPPER WIRE AND TUBING,

SEAMLESS AND BRAZED TUBING, COPPER
AND IRON RIVETS,

Oilers and Cuspadors, Lanterns and Trimmings,
Clocks and Fly Fan Movements, Lamps and
Trimmings, Kerosene Burners,
Plumbers' Materials.

Particular attention paid to cutting out Blanks
and manufacturing Metal Goods.

MANUFACTORY, BRIDGEPORT, CONN. | WAREHOUSE,
19 Murray St., N. Y.

Holmes, Booth & Haydens,
WATERBURY CONN.

NEW YORK, BOSTON.

25 Park Place. 18 Federal St.

22 Murray St.

Manufacturers of all kinds of

Brass, Copper & German Silver,

ROLLED AND IN SHEETS.

Brass and Copper Wire, Tubing,

Copper Rivets and Burs.

BRASS AND IRON

JACK CHAIN, DOOR RAIL.

GERMAN SILVER SPOONS, SILVER-

PLATED FORKS AND SPOONS,

KEROSENE BURNERS, &c.

JOHN DAVOL & SONS,

AGENTS FOR

Brooklyn Brass & Copper Co.,

DEALERS IN

Ingot Copper, Spelter, Lead, Tin,

Antimony, Solder & Old Metals,
100 John Street, New York.

PASSAIC ZINC CO.

MANUFACTURERS OF

Pure Spelter

FOR

Cartridge Brass, Gas Fixtures, Bronzes

AND ALL FINE WORK.

Also for

GALVANIZERS AND BRASS FOUNDERS.

MANNING & SQUIER, Gen'l Agents,

111 LIBERTY ST. (3d Floor), NEW YORK.

GEO. W. PRENTISS & CO.,

HOLYOKE, MASS.

Manufacturers of

IRON WIRE,

Bright, Coppered, Annealed and Tin Plated. Also

GUN SCREW WIRE

Of all sizes, straightened and cut to order.

OLD COLONY RIVET CO.,

KINGSTON, MASS.

TINNERS AND ALL OTHER

NORWAY IRON

ALL LENGTHS & STYLES.

1/2 IN. DIAM. & SMALLER.

MANUFACTURERS OF

BEECHER & PECK,


MANUFACTURERS OF

DROP PRESSES,

DROP FORGINGS, &c.,

NEW HAVEN, CONN.

PHILIP L. MOEN, President and Treasurer. CHAS. F. WASHBURN, Vice-President and Secretary.
WASHBURN & MOEN MANUF'G CO.,
Established 1831. WORCESTER, MASS.




MANUFACTURERS OF
IRON and STEEL WIRE,

Patent Steel Barb Fencing, Patent Steel Wire Bale Ties.

WIRE RODS of all Grades: Round Iron, Rivet quality, 3/16 in. to 1/2 in., cut to any length. Owners and ex-
clusive Operators of the PATENT CONTINUOUS ROLLING MILL, producing Iron and Steel WIRE
in coils of 100 pounds, without heat or weld. Patent Galvanized Telegraph Wire, Market and Stone
Wire, Annealed Fence and Grape Wire in long lengths; Coppered Fall-Ball Wire; Rope, Bridge, Bolt, Screw,
Rivet, Buckle and Chain Wire. Wire for the manufacture of Card Clothing, Heddles, Reeds, &c. Piano-string
Covering Wire, Tinned Broom Wire and Tinned-plated Wire of all sizes. A specialty is made of Clock, Machin-
ery, Gun Screw and Spiral Spring Wire, and Refined Wire to Pattern for particular purposes, from selected
stamps of Norway Iron. Any grade of Wire furnished, Annealed, Bright, Polished, Coppered, Galvanized or
Tin Plated. Wire furnished, Straightened and Cut to any length. Steel Crinoline Wire, Patent Lined
finish. Unrivaled Steel Music Wire. Steel Wire for Springs, Needles and Drills. Market Steel Wire
kept in stock, all sizes.
WAREHOUSES: New York, 16 Cliff and 241 Pearl Sts.
Chicago, 107 and 109 Lake St.

Iron, Coal and Copper Mines
SUPPLIED WITH



WIRE CLOTH

OF ALL KINDS

BY

HOWARD & MORSE,

45 FULTON STREET, NEW YORK.

ABRAM S. HEWITT, Pres., WM. HEWITT, Vice-Pres., JAMES HALL, Treas., E. HANSON, Sec.

THE TRENTON IRON CO.,

MANUFACTURERS OF

IRON AND STEEL WIRE.



Plans and Estimates for Suspension Bridges Furnished on Application.

Works and Office, TRENTON, NEW JERSEY.

New York Office, COOPER, HEWITT & CO., 17 Barling Slip. Philadelphia Office, 21 N. Fourth St.

Chicago Office, 146 Lake Street.

WIRE ROPE
HAZARD MFG CO

WAREHOUSES: 87 Liberty St., New York. Wilkesbarre, Pa.

WORKS:

Broderick & Bascom Rope Co.,

WIRE ROPE
BRODERICK & BASCOM ROPE CO.

MANUFACTURERS OF IRON AND STEEL

WIRE ROPE,

704 & 706 N. Main St., - - - St. Louis, Mo.

A. LESCHEN & SONS,

Manufacturers of

WIRE ROPE

903 and 905 N. MAIN STREET, ST. LOUIS, MO. Correspondence invited.

W. S. ESTEY,

Manufacturer of

WIRE CLOTHS

Iron and Steel Locomotive Spark Wire Cloth. Riddles for Export and Foundry use. Coal
and Sand Screens. Iron Bolting Cloth. Wire Work of every description.

No. 71. FULTON ST., - NEW YORK.

IRON ROOFING
SIDING, CEILING,
ARCHES AND LATH.
CINCINNATI
CORRUGATING CO.
CINCINNATI, O.
SEND FOR ILLUSTRATED CATALOGUE.

THE SAMSON
is the Best, the Simple
and most Portable
WIRE
STRETCHER
in the Market.
Line of Draft direct: always Self-Adjust-
ing: Rigid Double Handle: Double Pawl:
it works at either end of the fence, at either
side of the post and either side up.
LIGHT, PORTABLE, SIMPLE, SURE.
For sale by all leading wholesale Jobbing
Hardware Houses and Barb Wire men in the
United States.
MANUFACTURED ONLY BY
SAMSON NOVELTY WORKS Nos. 14 & 16 Main St., De Kalb, Ills.
AND IN CANADA BY
BULLOCK HARDWARE CO., Otterville, Ontario.

Iowa Barb Wire Co., 98 Reade Street,
New York.

ESTABLISHED 1837. H. S. CHASE,
INCORPORATED 1876. Sec'y & Treas.

Waterbury Mfg. Co.,

WATERBURY, CONN.,

Brass Goods

THE WIRE GOODS CO., Worcester, Mass.

Bright Wire Goods, Mill Wire Goods, Belt Hooks, Double-Pointed Tacks and Staples, Wire
Picture Cord, Clothes Line Wire, Hand Rail Screws, &c., &c. Wires cut, bent, milled, straightened
and made to any desired shape. Orders solicited from the Trade for the full line of Screw
Eyes, &c., known as Hardware Wire Goods. Quality guaranteed the best in the market.
Special articles made to order.

A. W. PARMELEE, Pres't.

THE WIRE GOODS CO., Worcester, Mass.




O. LINDEMANN & CO.
Manufacturers of
annealed, Brass,
Fin Plated
and Wood
**BIRD
CAGES.**
Original inventors
and patentees of
Bright Metal Cages
constructed without
solder
254 Pearl St.,
NEW YORK.



CARY & MOEN,
MANUFACTURERS
STEEL WIRE for all purposes and STEEL SPRINGS of every description.
Market Steel Wire, Cr.oline Wire, Tempered and Covered.
Also PATENT TEMPERED STEEL FURNITURE SPRINGS, constantly on hand.
234, 236 and 238 West 29th Street, NEW YORK.




THE FRED. J. MEYERS MFG. CO.,
COVINGTON, KY., Manufacturers of
WIRE GOODS OF ALL KINDS.
SLAW and KRAUT CUTTERS.
Wrought-Iron Fencing, Cresting, Can
Openers, Mining Knives and
Hardware Specialties.
Send for Illustrated Catalogue and Price List.

**IRON AND BRASS RIVETS,
STUDS, PINS, SCREWS, &c.**
For Manufacturers of Light Hardware.
BLAKE & JOHNSON, WATERBURY, CONN.

WIRE WORKS CO.
SUCCESSORS TO W. S. TYLER,
MANUFACTURERS OF
STEEL WIRE CLOTH
Of Every Description,
for mining purposes. All meshes from a 2 to the
inch up to 100-mesh made and carried in stock.
W. S. TYLER, Pres. E. H. ALLEN, Sec. & Treas.
CLEVELAND, OHIO.



The illustration below shows a sample of
GAUTIER TOE CALK STEEL, with one end
bent over and flattened down cold, and a
piece of iron solidly welded to the Steel with
the use of sand only, and the other end ham-
mered to an edge and then hardened suffi-



ciently to cut glass. Similar samples can be
made by any blacksmith from this **GAUTIER
TOE CALK STEEL**. All sizes carried in stock.
**GAUTIER STEEL DEPARTMENT
of CAMBRIA IRON CO.,
Johnstown, Pa.,**

New York Office,
104 READE ST.

Chicago Office,
202 First Nat. Bank Building.
[No. 130.]

Philadelphia Office,
523 ARCH ST.



Estab'd 1818. Incorp'd 1874.
**THE
Gilbert & Bennett Mfg. Co**
WAREHOUSES:
42 CLIFF ST., NEW YORK,
228 LAKE ST., CHICAGO, ILLS.,
MANUFACTURERS OF
Iron & Galvanized Wire
Sieves and Wire Cloth.
Power Loom Painted and Galvan-
ized Window Screen Wire Cloth.
Galvanized Wire Cloth for Drying
Fruit, Ward's Galvanized Wire
Fence, Galvanized Twine,
Wire Poultry Netting.
Factories, Georgetown, Conn.

NIEN-TSI CHINESE LACQUER,

Manufactured by **ALBERT ASSMAN & SONS.**
A BRUSH OR DIP LACQUER. Will prevent Iron, Steel, Brass, Nickel, Copper, Silver, Bronze and all
compositions from corroding; also resists dampness, Kerosene Oil and Fly Specks.
Can be applied without heating Metal. Bronze Powders will Mix Readily with this Lacquer.

Sole Agents, **H. S. ALLEN & CO.,**

Sample and Prices sent on application. 112 JOHN STREET, NEW YORK.


GEO. B. TURRELL, Pres., 75 Chambers St., New York. DUNCAN K. MAJOR, Treas., Torrington, Conn.

UNION HARDWARE COMPANY,

ESTABLISHED 1864.

Torrington, Conn., U. S. A.

HIS CUT ILLUSTRATES
OUR LATEST STYLE
CLUB SKATES
For Rink and Private Use,
BOTH FOR LADIES AND
GENTLEMEN



Manufacturers of Ice and Roller Skates and Specialties in Hardware. Wood Turners, and Electro-platers
in Gold, Silver, Nickel and Brass.

ESTIMATES FURNISHED FOR WOOD TURNING AND PLATING ON APPLICATION.

LANE'S PATENT STEEL DOOR HANGER.

The most perfect Anti-Friction Hanger in the Market,

BECAUSE

It is made of steel throughout, except the wheel which has a
steel axle. It will not break. It is practically free from wear. It
is almost noiseless in action. It requires no oil. It has a broad
bearing on the door, and keeps in line. It is by far the most
durable. It may be used with any track. It is always in order.

LANE'S PATENT TRACK

Is made of steel and is easily put in position. Catches and holds
no snow or ice. Door hung thereon cannot jump the track. Is not
subject to decay. Requires no fitting, but is ready at once. May
be used with hangers of other manufacture.

Manufactured by **LANE BROS.,** Poughkeepsie, N. Y.

JOHN H. GRAHAM & CO., General Agents, 113 Chambers Street, NEW YORK.

DIEBEL MANUFACTURING CO.


N. E. Cor. 8d and Cumberland Sts., PHILADELPHIA, PA.

CHALLENGE EMERY GRINDERS, POLISHING MACHINES, COUNTER SHAFTS, HANGERS, &c.
Contractors and Builders of Light Machinery and Hardware Specialties.

**MOIL TEMPERED
JORGAN SPRING CO.**
WORCESTER,
MASS.



LUDLOW-SAYLOR WIRE CO.,
ST. LOUIS, MO.



WIRE, WIRE CLOTH, WIRE ROPE,
Counter Railings, Window Guards, Iron and Wire Fences,
Plain and Barbed Fencing Wire.

NATIONAL WIRE AND IRON CO.,
DETROIT, MICH.,
DRAWERS of Fine Brass and Copper Wire.
ALSO WEAVERS OF
BRASS and COPPER CLOTHS.


THOMPSON MCCOSH, President.

JOHN A. MCCOSH, Sec. and Treas.


BARB WIRE
LIFTER AND CARRIER.
NO DANGER OF CUT-
TING HANDS OR TEAR-
ING CLOTHES.
SAVES THE PRICE OF
THE LIFTER MANY
TIMES EVERY DAY.
Manufactured
Solely by
Hawkeye Steel Barb Fence Co., Burlington, Iowa.
Our Agents, John H. Graham & Co., 113 Chambers St., carry stock of our Lifters and will supply at Factory prices.




The above cut represents Preston's Patent Braided Cable Wire Fence Rail, manufactured by the
HOLLOW CABLE MFG. CO., Hornellsville, N. Y. We also manufacture extensively
four different sizes Wire Clothes Lines. Send for Circulars and Price Lists.
C. S. CHAMBERLAIN, 55 Dearborn St., Chicago, Ill.



THE BILLINGS & SPENCER CO.
HARTFORD, CONN.
MANUFACTURERS OF
SCREW PLATES AND
DIES MADE IN 5
THREADS FROM
TO 2 INCHES V
U.S. STANDARD AND
DROP FORGED
SIZES CUTTING
1/16 OF AN INCH
THREAD, ALSO
WHITWORTH THREAD
OF BAR STEEL.



WICKWIRE BROTHERS, CORTLAND, N. Y.,
MANUFACTURERS OF
WIRE CLOTH AND WIRE GOODS,
"CORTLAND"
WINDOW
SCREEN
WIRE CLOTH.
Dish Covers,
Corn Poppers,
Coal Sieves,
Flour Sieves,
Etc., Etc.



THE ATLANTA ENGINEERING CO.,
Engineers and Contractors for Steam Machinery. Atlanta, Ga.

COOK'S FRICTION
(is Foundry)
EMERY GRINDER.
Patent applied for.



This grinder has a 5-in. Emery and Corundum Wheel.
Runs easily to required speed, viz. 1700; is light, weigh-
ing but 4 lbs.; small, occupying but little room; can
be used wet or dry; is well made, the frame and wheel
of charcoal iron with a hard-rubber friction pulley
which can instantly be adjusted to any required ten-
sion; spindle, steel, and is just the article for grind-
ing house and shop tools of every description. For
price address
THE K. & W. MFG. CO., Chillicothe, O.
Chicago Office, 509 State Street.

WIRE NAIL MACHINES
(HARDMAN PATENT.)

Five Sizes for Making Nails
No. 28 to No. 0 Gauge any Re-
quired Length.

Thoroughly tested and in successful operation.
For prices and particulars address

**BIRMINGHAM IRON FOUNDRY,
BIRMINGHAM, CONN.**

PATENT OFFICE,

Roeder & Briesen,
82 and 84 Nassau St.,
NEW YORK.

PATENTS
Solicited promptly and at the lowest rates.

**"FLORENCE"
LAMP STOVE.**

Weight 45-4 lbs. No glass to break.
Will boil a quart of water quicker
than kindling can be found to gen-
erate a fire in a range. Sent to any
address in the U. S., express paid,
on receipt of \$1.50.



Pat. Nov. 14, 1884, & July 11, 1885.
WHAT!
that little
FLORENCE
HEATING STOVE
HEAT A ROOM?
CERTAINLY,
if you have done so.
Send for circulars, etc. to
FLORENCE MACHINE CO.,
FLORENCE, MASS.

OGDEN & WALLACE,
85, 87, 89 & 91 Elm St., New York.
Iron and Steel
Of every description kept in stock.
Agents for Park, Brother & Co.'s
BLACK DIAMOND STEEL.
All sizes of Cast and Machinery Steel constantly on hand.

PIERSON & CO.,
(Established 1790.)
IMPORTERS AND DEALERS IN
IRON and STEEL,
AND GENERAL COMMISSION MERCHANTS.
24, 26, 28 & 27 West Street, NEW YORK.

ABEEL BROS.,
IRON MERCHANTS,
190 SOUTH ST., NEW YORK.
363 WATER ST., NEW YORK.
"A. R. M. CO." SHAFTING.
ALSO GENERAL ASSORTMENT OF
"NORWAY," "ULSTER," "CATASAUQUA,"
REFINED AND COMMON IRON,
BAND, HOOP AND SCROLL IRON.
STEEL OF ALL KINDS.
TELEPHONE CALL, "NASSAU, 379."

A. R. WHITNEY & CO.,
MANUFACTURERS OF AND DEALERS IN
Iron and Steel

AGENCIES:
PORTAGE IRON CO., Limited, Merchant Iron and
Soft Steel.
NORWAY STEEL & IRON CO., Homogeneous
Steel Plates.
DAY STATE IRON CO., Tank, Boiler and Girder
Plates.
BRANDYWINE ROLLING MILL, Boiler Plates.
GLASGOW TUBE WORKS, Boiler Flues.
A. M. BYERS & CO., Wrought Iron Pipe.
CARNegie Bros. & Co., Limited, Iron and
Steel Beams, Channels, Shapes and Shafting.
H. P. NAIL CO.'S Steel Wire Nails.
THE CHESTER PIPE AND TUBE CO.
Plans and estimates furnished and contracts
made for erecting Iron Structures of every descrip-
tion. Books containing cuts of all iron made sent
on application by mail. Sample pieces at office.
Please address 55 Hudson St., New York.

BORDEN & LOVELL,
Commission Merchants,
70 & 71 West St.,
L. N. LOVELL,
C. A. GREENE,
H. L. FREEDLAND.
— NEW YORK.
AGENTS FOR THE SALE OF

Fall River Iron Co.'s Nails, Bands,
Hoops and Rods,
AND

Borden Mining Company's
CUMBERLAND COALS.
IMPORTED & AMERICAN
PIG IRON.

LAKE SUPERIOR CHARCOAL IRON,
For Malleable and Car-Wheel Purposes,
A SPECIALTY.

CHARLES HIMROD & CO.,
CHICAGO AND DETROIT.

WM. McFARLAND,
Iron and Brass Founder,
TRENTON, N. J.

Chilled Cast Wire Dies a Specialty.
Any size or style made at short notice.

ROEBUCK'S PATENT
WOOD AND RUBBER
WEATHER
STRIPS.
S. ROEBUCK, Sole Manufacturer,
164 Fulton Street, NEW YORK.

PASSAIC ROLLING MILL CO.
Manufacture and have always in stock
ROLLED IRON BEAMS,
Channels, Angles, Tees, Merchant Bars, Riveted Work,
Forgings, Eye Bars, &c.,
PATERSON, N. J.
Room 45, Astor House, New York.

CUT NAILS.
Hot Pressed Nuts, Bolts, Washers, &c.
DOVER IRON CO.'S
BOILER RIVETS,
Boiler Brace Jaws, Socket Bolts, &c.
FULLER BROTHERS & CO.,
139 Greenwich Street, New York.

Marshall Lefferts & Co.,
90 Beekman St., New York City,
MANUFACTURERS OF
Galvanized Sheet Iron,
Best Bloom, Best Refined and Common.
Galvanized Wire, Telegraph and Fence; Galvanized
Hoop and Band Iron, Galvanized Rod and Bar Iron,
Galvanized Nails, Galvanized Chain, Galvanized Iron
Pipe.

CORRUGATED SHEET IRON
For Roofing, &c., Galvanized, Plain or Painted.
Best Charcoal, Best Refined and Common
SHEET IRON.
PLATE AND TANK IRON,
C. No. 1, C. H. No. 1, C. H. No. 1 Flange, Best Flange,
Best Flange Fire Box, Circles.
ALL DESCRIPTIONS OF
IRON WORK GALVANIZED OR TINNED TO ORDER.
Price list and quotations sent upon application.

FOX & DRUMMOND,
Cast Iron Gas and Water Pipe,
2 to 48 Inches Diameter,
160 BROADWAY, NEW YORK.

JAMES WILLIAMSON & CO.,
SCOTCH AND AMERICAN

PIG IRON,
No. 63 Wall St., New York

DANIEL F. COONEY,
88 Washington St., New York,
IRON AND STEEL BOILER PLATES
GLASGOW IRON CO. PINE IRON WORKS.
ALLISON BOILER FLUES.

B. F. JUDSON,
Importer of and Dealer in
SCOTCH AND AMERICAN
Pig Iron,
WROUGHT & CAST SCRAP IRON,
OLD METALS.
457 & 459 Water St., NEW YORK.
233 & 235 South St., NEW YORK.

Planters' Hoe Handles
IN STOCK.
JOHN BROWER,
81 Murray Street.

CHAS. F. LOMBARD
Augusta, Ga.
MANUFACTURERS OF
GIN RIBS &
RAILROAD CASTINGS.

Howard, Childs & Co.,
Commission Merchants,
No. 514 Smithfield St., Pittsburgh, Pa.
Iron and Steel of all Descriptions,
Iron and Steel Nails, Heavy Hardware,
Coal Hods, Dripping Pans, &c.
Pittsburgh Manufactured Goods of all Kinds.
Correspondence solicited. Prices on application.

E. JENCKES MANFG. CO.,
PAWTUCKET, R. I.,
Bright Wire Goods, Belt Hooks,
SPRING PINS, KEYS AND COTTERS.
Best Wire Goods of all kinds a Specialty.
New York Office, 88 Chambers Street,
SAMUEL A. HAINES, Selling Agent.

OXFORD
IRON AND NAIL CO.,
Cut Nails
AND
SPIKES.

J. S. SCRANTON, Sales Agent,
81, 83 and 85 Washington Street,
NEW YORK.

JOHN J. HARRISON
(Successor to HARRISON & GILLOON).
IRON AND METAL DEALER,
558, 560, 562 WATER ST. & 302, 304, 306 CHERRY ST.
NEW YORK.
has on hand, and offers for sale, the following:
Scotch and American Pig Iron, Wrought, Cast and
Machinery Scrap Iron, Car Wheels, Axles and Heavy
Wrought Iron; also old Copper, Composition, Brass,
Lead, Pewter, Zinc, &c.

BURDEN'S
HORSE SHOES.
—
"Burden Best"
Iron
Boiler Rivets.


THE BURDEN IRON CO.
TROY, N. Y.

ULSTER
AND
BURDEN'S
H. B. & S. Bar Iron.
Also Best Grades of
American & English Refined Iron.
All sizes and shapes in stock.
EGLESTON BROS. & CO.,
166 South St., NEW YORK CITY.
267 Front St., NEW YORK CITY.

WILLIAM H. WALLACE & CO.,
Iron Merchants,
COR. ALBANY & WASHINGTON STS.,
NEW YORK CITY.
Wm. H. Wallace. Wm. Bispham. E. C. Wallace.



BOLT & RIVET CLIPPERS.
For cutting off the ends of Bolts and Rivets, on
carriages, wagons, harness, &c. Ask for them
where you buy your hardware, or send for circular
and price list.
CHAMBERS, BROTHER & CO.,
52nd St., Below LANCASTER AVE.,
PHILADELPHIA, PA.



R. D. WOOD & CO.,
PHILADELPHIA
Manufacturers of
Cast Iron Pipe
FOR WATER AND GAS,
LAMP POSTS, VALVES, ETC.
Mathew's Pat. Anti-Freezing Hydrants.
400 CHESTNUT STREET.

VARIETY METAL BOOM.
Iron Foundry and Machine Shop
STEAM HEATING BY DIRECT RADIATION
in all its Branches a Specialty. Brass and other
Metal Moulding, Casting and Finishing. Noiseless
Vertical Engines, Hydrants, Fire Plugs, &c.
FRAS. B. SANNAN,
Pottsville, Schuylkill Co., Pa.

W. D. WOOD & CO., L'd,
PITTSBURGH, PA.



MANUFACTURERS OF PATENT
Planished Sheet Iron.

Patented April 8th, 1873; Sept. 6th, 1873; Oct.
6th, 1874; Jan. 11, 1876; Oct. 17th, 1876; Jan.
11th, 1877; Feb. 6th, 1877; Dec. 10th, 1878;
Jan. 10th, 1882; Jan. 1st, 1884; Feb. 12th, 1884;
March 4th, 1884; Jan. 6th, 1885.

Guaranteed fully equal in all respects to the
IMPORTED RUSSIA IRON,
and at a less price.

ALSO
Common, Refined Charcoal and Junata
GRADES OF
BLACK SHEET IRON,
Smooth on both sides.

SYRACUSE
MALLEABLE IRON
WORKS,
SYRACUSE, - N. Y.

Mower and Reaper Castings and
Carriage Irons a Specialty.

W. B. BURNS, PROPRIETOR.

PENNSYLVANIA IRON WORKS
Everson, Hammond & Orr, Ltd.,
SECOND AVE., PITTSBURGH, PA.,
MANUFACTURERS OF

Light Sheet Iron.
ROOFING SHEET
of all grades a specialty.
Prices quoted promptly upon application.

CORRUGATED AND CRIMPED IRON ROOFING & SIDING,

Iron Buildings, Roofs, Shutters, Doors, Cornices,
Skylights, Bridges, &c.
MOSELEY IRON BRIDGE AND ROOF CO.,
3 Day Street, NEW YORK.

GEORGE WESTINGHOUSE, Jr., Pres. **JOHN CALDWELL, Treas.** **T. W. WELSH, Sup.**
H. H. WESTINGHOUSE, Gen'l Agt. **W. W. CARD, Secy.**

Westinghouse Air-Brake Co.
PITTSBURGH, PA. U. S. A.

MANUFACTURERS OF THE
WESTINGHOUSE AUTOMATIC BRAKE, Westinghouse Locomotive Driver
Brake, Vacuum Brakes (Westinghouse & Smith Patents).

WESTINGHOUSE FREIGHT BRAKE.

The Automatic Freight Brake is essentially the same apparatus as the Automatic Brake for
passenger cars, except that the various parts are so combined as to form practically one piece of
mechanism, and is sold at a very low price. The saving in accidents, flat wheels, brakemen's wages,
and the increased speed possible with perfect safety, will repay the cost of its application within
a very short time.

The "Automatic" has proved itself to be the most efficient Train and Safety Brake known. Its
application is instantaneous; it can be operated from any car in the train if desired, and should the
train separate, or hose or pipe fail, it applies automatically. A GUARANTEE is given customers
against loss from PATENT SUITS on the apparatus sold them.

The WESTINGHOUSE BRAKE is now fitted to upward of
15,000 ENGINES AND 80,000 CARS
and is adopted by the principal Railways in all parts of the world.

FULL INFORMATION FURNISHED ON APPLICATION.

LEECHBURG IRON WORKS.
KIRKPATRICK & CO., LIMITED
Manufacture of all Grades of
FINE SHEET IRONS,
(Refined, Cold Rolled, Show Card, Stamping, Tea Tray, Polished, Shovel, Ferrule Iron, &c.)
NATURAL GAS USED AS FUEL.
OFFICE, No. 143 First Ave., Pittsburgh, Pa. **WORKS, Leechburg, Pa.**

CLOSES ON OUTSIDE OF NOSE.
Only Double Ring Invented.
Champion Hog Ringer,
RINGS and HOLDER.
The only Ring that will effectively
keep Hogs from rooting. No sharp
points in the nose.
CHAMBERS, BERING & QUINLAN CO., Exclusive Manufacturers, Decatur, Ill.

THE JERSEY CITY GALVANIZING CO.,
MANUFACTURERS OF
GALVANIZED MATERIAL OF EVERY DESCRIPTION.
Galvanizing in All its Branches.
Galvanized Sheet Iron—Best Bloom, Best Refined, Common. Galvanized Round, Square, Band and
Hoop Iron, &c., &c.

All Sizes
of Corrugation
from
1½ to 5 inches.
All Gauges
and
Sizes
of Sheets.
Corrugated Sheet Iron a Specialty. Galvanized, Black and Painted. Iron Corrugated for the Trade
Estimates furnished on application.
WORKS: GREEN and BAY STREETS, JERSEY CITY, N. J. OFFICE AND WAREHOUSE, 98 JOHN STREET NEW YORK

JAMES P. WITHEROW,
Engineer & Contractor,

Lewis Block, PITTSBURGH, Pa.,
GENERAL AGENT FOR
WHITWELL FIRE-BRICK STOVES

AND
CLAPP-GRIFFITHS PATENTS FOR MANUFACTURE
OF SOFT STEEL,

specially adapted for A No. 1 Boiler Plates,
Boiler Rivets, Wire Rods, Stay Bolts,
Stamping Ware, Nail Plates, &c.

Will contract to completely erect, equip
and place in operation Blast Furnace Whit-
well Stoves and Steel Plants as above. As
I manufacture at our own works everything
appertaining to Blast Furnace and Steel
Works construction, can guarantee prompt-
ness and satisfaction.

WHEELING NAILS.
Laughlin Nail Co.,
W. K. ROSS,
SOLE AGENT,

97 Chambers Street, New York.
Manhattan Rolling Mill.

J. LEONARD,
445 to 451 West St., NEW YORK,
177 & 179 Bank St.,
MANUFACTURER OF
HORSE SHOE IRON,
Toe Calk Steel, Rods, Ovals, Half Ovals and Flats.

KEYSTONE ROLLING MILL, Limited
Manufacturers of
IRON,
Pittsburgh, Pa.

Bonnell, Botsford & Co.,
IRON, NAILS AND SPIKES
YOUNGSTOWN, OHIO.

WILLIAM R. HART & CO.,
AMERICAN AND FOREIGN
PIG IRON, SPIEGELEISEN,
STEEL BLOOMS, CROP ENDS,
TIN PLATES, &c.
No. 224 South Third St., Philadelphia.

HENRY LEVIS & CO.,
Manufacturers' Agents
For Iron and Steel Rails, Car Wheels, Boiler
and Sheet Iron and General
Railway Equipments.
Old Rails, Axles and Wheels bought and sold.
284 S. 4th St., Philadelphia.

Heavy Rails, Light Rails,
Railway Fastenings,
STREET RAILS.
Cambria Steel Rails.
ADDRESS
Cambria Iron Co.,
OFFICE, 218 South Fourth St., Philadelphia, Pa.
WORKS, Johnstown, Pennsylvania.

The Phoenix Iron Co.,
410 WALNUT ST., PHILADELPHIA,
Manufacturers of Wrought Iron
Beams, Deck Beams, Channels, Angle & Tee Bars,
STRAIGHT AND CURVED TO TEMPLATE,
Largely used in the construction of Iron Vessels, Buildings and Bridges.
Wrought Iron Roof Trusses, Girders and Joists, and all kinds of Iron Framing used in the construction of Fire-Proof Buildings: Patent Wrought Iron Columns, Weldless
Eye Bars, and Built-up Shapes for Iron Bridges.
REFINED BAR, SHAPING, and Every Variety of SHAPE IRON Made to order.
Plans and Specifications furnished. Address **DAVID REEVES, President.**
New York Agents, MILLIKEN & SMITH, 95 Liberty St.
Boston Agents, FRED. A. HOUDLETTE & CO., 19 Batterymarch St.

ALAN WOOD & CO.,
MANUFACTURERS OF
Patent Planished, Galvanized, Common, Best Refined, Cleaned and Charcoal Bloom
PLATE & SHEET IRON,
ALSO LIGHT PLATES AND SHEETS OF STEEL,
No. 519 Arch Street, Philadelphia, Pa.
Orders solicited especially for Corrugated, Gasholder, Pan and Elbow, Water Pipe, Smoke Stack,
Tank and Boat Iron; Last, Stamping, Ferrule Locomotive Headlight and Jacket Iron.

W. H. WALBAUM & CO.,
206 S. Fourth St., Philadelphia. 61 Pine St., New York.
NEW AND OLD RAILS, BLOOMS, BESSEMER PIG.
Crop Ends, Spiegeleisen, Iron Ores and Railroad Supplies Generally.
AGENTS IN THE UNITED STATES FOR
THE NORTH LONSDALE IRON & STEEL CO., Limited, Bessemer Pig Iron, brand "Ulverston;"
Malleable Pig Iron, brand "U. H. M."
MOSS BAY HEMATITE IRON & STEEL CO., Limited, Spiegeleisen, Crop Ends, &c.
Also for "Lora" Malleable Charcoal Pig Iron and N. B. ALLEN & CO.'S Dinas Fire Bricks.
Also Sole Agents for the WHITE RIVER MINING CO.'S Arkansas Manganese Ore, Guaranteed 50 per
cent. Metallic Manganese.

PENCOYD IRON WORKS,
A. & P. ROBERTS & CO.,
MANUFACTURERS OF
BEAMS, CHANNELS, DECK BEAMS, ANGLES, TEES,
PLATES, MERCHANT BAR.

SHAFTING AND ROLLED OR HAMMERED AXLES OF IRON OR STEEL.
Office, No. 26 S. Fourth St., Philadelphia. Agents for the sale of Glamorgan Pig Iron.

GORDON, STROBEL & LAUREAU,
ENGINEERS,
No. 226 Walnut St., Philadelphia, Pa.

BLAST FURNACE CONSTRUCTION,
STEEL WORKS CONSTRUCTION.

AGENCIES:
Fire Brick Hot Blast Stove Co., Krupp Gas Producer, Terrenoire
Steel Casting Process, Bell-Bros. Coal Washing Machines,
Krupp-Bell Dephosphorizing Process.
SPECIALTIES:
Gordon's Patent Improved Whitwell-Cowper Fire-Brick Stoves, Gordon's
Patent Stationary Converter, Laureau's Pitless Converter-House Sys-
tem, Bell Bros. Coal Washing Machines, Krupp Gas Producers,
Regenerative Heating and Melting Furnaces.

THE ALLENTOWN ROLLING MILLS,
MANUFACTURERS OF
Rails, Bars, Axles, Shafting, Fish Bars (Plain and Angle), Spikes,
Rivets, Bolts and Nuts, &c. Bridges and Turn-Tables.
General Office, 237 South Third St., Philadelphia. Works at Allentown, Pa.

J. W. PAXSON & CO., DEALERS IN
MOULDING SAND,
1021 North Delaware Ave., Philadelphia, Pa.



MANUFACTURERS
X MINERAL, CHARCOAL FACING, LEAD FACING,
XX MINERAL, ANTHRACITE FACING, RIDDLES, SHOVELS,
IXL FACING, SOAPSTONE, STEEL BRUSHES.

EDWARD J. ETTING,
IRON BROKER & COMMISSION MERCHANT,
222 S. THIRD ST., PHILADELPHIA, PA.
PIG, BAR AND RAILROAD IRON,
OLD RAILS, SCRAP, &c.
Agent for the
Mount Savage Fire Brick.
EXCLUSIVE AGENT FOR
LYNCHBURG IRON CO.,
LYNCHBURG, VA.,
Foundry and Forge Pig Iron.
STORAGE, WHARF AND YARD, Delaware Avenue,
above Callowhill St., connected by track with rail-
road. CASH ADVANCES MADE ON IRON.

JAS. G. LINDSAY. THOS. S. PARVIN.
LINDSAY, PARVIN & CO.,
Successors to LLOYD & LINDSAY,
328 Walnut Street, Philadelphia.
Iron Ship and Bridge Builders' Materials, Steel
and Iron Shapes and Bars, Sheet Iron, Sheet Steel,
Pig Iron, Muck Bars, Plate Girders for Bridges and
Buildings. Contracts placed for Iron Structures.

ETHELBERT WATTS & CO.,
Iron Brokers and Commission Merchants,
No. 390 So. Third Street, Philadelphia.
SALES AGENTS FOR
Pennsylvania and Virginia Pig Iron, "Corn-
wall," "Chester," and Other Iron Ores.
Dealers in Old Rails and Iron and Steel Scrap of all
kinds. Correspondence solicited.

L. & R. WISTER & CO.,
IRON COMMISSION MERCHANTS,
257 So. 4th St., Philadelphia.
AGENTS
Kemble and Norway Foundry and Forge Pig Iron.
Weybrooke C. B. Charcoal Pig Iron. Buchanan
Red Short Pig Iron.
DEALERS IN ALL KINDS OF SCRAP IRON.

MORRIS, WHEELER & CO.,
Iron, Steel and Nails.
WAREHOUSE & OFFICES, 16th & Market St., PHILA., PA.
SALES OFFICES, 400 Chestnut St., PHILA., PA.
New York Address, 14 CLIFF ST.

NORTH BROTHERS,
Iron Founders,
Light Castings a Specialty.
N. W. Cor. 23d and Race Streets,
PHILADELPHIA.
Correspondence solicited

Established 1847.
A. WHITNEY & SONS,
CAR WHEEL WORKS,
PHILADELPHIA.
Special Wheels for Furnace and Mine Cars.

PLYMOUTH ROLLING MILL CO., Conshohocken, PA.
MANUFACTURERS OF
Pig Iron, Foundry and Forge.
Puddled Bars, Special for Axles, Best Neutral and Common.
Particular attention given to Iron for Special Purposes.
Plate and Sheet Steel, Every description of Light Plates and Sheets of Steel.
Plate and Sheet Iron, Best Bloom, Tube, Cleaned, Best Refined, Skelp, Blue Annealed and Common.

TESTED CHAINS.
Bradlee & Co., Empire Chain Works,
816 Richmond St., Philadelphia.
Chains for Foundry Cranes and Slings.
'D. B. G.' Special Crane Chain.
Steel and Iron Dredging, Slope and Mining Chains.
Ship's Cables and Marine Railway Chains.

CUMBERLAND NAIL AND IRON CO.,
MANUFACTURERS OF
"CUMBERLAND" NAILS & WROUGHT IRON PIPE,
43 North Water St., and 44 North Delaware Ave., PHILADELPHIA.

J. Tatnall Lea & Co.,
Successors to CABEEN & CO.,
IRON COMMISSION MERCHANTS,
No. 400 Chestnut Street, Philadelphia.
BESSEMER, MILL AND FOUNDRY PIG IRON, SKELE IRON, MUCK AND SCRAP BARS, NATIVE
AND FOREIGN ORES. AGENTS FOR CONNELLSVILLE COKE.

LOCOMOTIVE AND CAR-WHEEL TIRES
Manufactured from the celebrated OTIS STEEL BRAND
STANDARD
Quality and efficiency fully guaranteed. Prices as low
as any of the same quality. We manufacture Heavy and
Light Forgings, Driving and Car Axles, Crank Pins, Piston
Rods, &c.
THE STANDARD STEEL WORKS,
Works at LEWISTOWN, PA.
Office: - - 220 S. 4th St., Philadelphia, Pa.

BOOTH, GARRETT & BLAIR,
ANALYTICAL AND CONSULTING CHEMISTS,
919 and 921 Chant St. 10th St. above Chestnut St., Philadelphia, Pa.
Established in 1856.
Analyses of Ores, Waters, Metals and Alloys of all kinds. A special department for the
ANALYSIS OF IRON AND STEEL,
fitted with all the apparatus and appliances for the rapid and accurate analysis of Iron, Steel, Iron
Ores, Slags, Limestones, Coals, Clays, Fire Sands, &c. Agents for sampling ores in New York and
Baltimore. Price lists on application.

JUSTICE COX, JR. CHARLES K. BARNES.
JUSTICE COX, JR., & CO.,
Agents for
Chickies, Conewago, Montgomery and Shenandoah
FOUNDRY AND FORGE
PIG IRON.
CARBON ROLLING MILL CO., Limited, Best Qual-
ity Muck Bar, CATASAGUA, SP. CO. S. Bar,
Angle, Skelp and Sheet Iron. Shenandoah
(Va.) Best Charcoal Blooms.
No. 224 So. Fourth St., Phila.

Jerome Keeley & Co.,
206 Walnut Place, Phila.,
Selling Agents for CHARCOAL and ANTHRACITE
BLOOMS, PIG IRON, BAR IRON, SHEET IRON,
STEEL AND IRON RAILS, IRON CLAD STEEL RAILS
and BARS, MAGNETIC and HEMATITE IRON ORES,
FIRE BRICK, COAL and COKE, MUCK BARS. Handle
Old Iron and Steel Rails, Scrap Iron, &c. Examine
and negotiate sales of Iron and Coal properties.

E. H. WILSON & CO.,
230 South Third Street, Philadelphia.
BROKERS AND DEALERS IN
IRON AND STEEL.
Correspondence solicited.

J. W. HOFFMAN & CO.,
IRON COMMISSION MERCHANTS,
308 South Fourth St., Philadelphia.
SELLING AGENTS.
FINE IRON WORKS, Fine Brand Plates; GLASGOW
IRON CO. Plates and Muck Bars; SP. CO. S. Bar &
IRON CO. (Limited), Siemens-Martin (Open-Hearth)
Steel, Universal and Sheared Plates, Angles and
Shapes.

JNO. L. HOGAN,
IRON COMMISSION MERCHANT,
216 SOUTH FOURTH ST., PHILA.
Pig Iron & Ores, Steel & Iron Blooms.
Agent for Briar Hill Iron and Coal Co.,
Youngstown Steel Co. Open Hearth Metal,
Charcoal Iron, Connelville Coke,
Old Rails, Scrap, &c.

ANDOVER PIG IRON,
FOR BEST MILL PRODUCTS.
Andover Chill Iron for Castings, &c.
Each pig marked exact chill depth $\frac{3}{4}$ inch to $\frac{1}{2}$
inch, A. Whitney & Son's standard test.
F. A. COMLY, Treas. J. WESLEY FULLMAN, Agent.
240 No. 3d St., Philadelphia.

J. J. MOHR,
430 Walnut St., PHILADELPHIA, PA.
Sole Agent for
Sheridan, Leesport, Temple, Lvnch-
burg, Millcreek and Mt. Laurel
FOUNDRY and FORGE PIG IRON,
CHARCOAL PIG IRON,
Also
WOODBRIDGE CLAY MINING CO.'S FIRE BRICK.

The First Trials of the Bessemer Process in Scotland.

A very early, but a very crude, trial of the Bessemer process was made in Scotland in the year 1857 by Mr. Thomas Jackson, at the Coats Iron Works, who describes it as follows:

"My attention was first drawn to the subject by drawings in the *Illustrated News*. From these drawings and accompanying letter-press we had the necessary apparatus fitted, and on a very simple plan. An old locomotive cylinder attached to the engine of the turning lathe served as a blast cylinder. The foundry cupola and Bessemer furnace were lengths of old boiler tube lined with brick and erected close together. The charges varied from 5 cwt. to 10 cwt.; the pig iron used, Eglington No. 1, in those days a very superior brand. From a charge of this iron drawn off in the state of refined metal, which was then puddled and rolled, and afterward re-rolled into merchant bars, the result was B-best iron. We had no difficulty in rolling the blooms obtained into the usual 3-inch by $\frac{3}{4}$ -inch rough bars, and these were piled and re-rolled into merchant bars, and from a piece of 3 inch by $\frac{3}{4}$ -inch a sheet was rolled out at Govan Bar Iron Works as thin as paper and pliable. So far as I am aware, no other iron was rolled successfully from the experiments conducted at that period here in Scotland. A piece of the above bar iron was analyzed by Dr. Penny, Professor of Chemistry in the Andersonian University, Glasgow, who duly reported that the substance was chemically pure iron, but commercially valueless, being what the workmen usually style 'burnt iron.' It seemed to be impossible to hit the point when the iron could be run from the converter to produce good malleable iron. I am writing from memory, and, although several notices were taken of these experiments, I can only find one contained in the *Journal of the Society of Arts*."


A paper describing this experiment was read before the Philosophical Society of Glasgow, by Mr. William Cocke, on February 11, 1857: "The experiments were conducted as nearly as possible according to the method described to the public by the patentee. The form of the Bessemer furnace was cylindrical, being 18 inches in diameter and with six tuyeres, each $\frac{3}{4}$ inch in diameter, entering almost on a level with the bottom of the furnace. The pig iron used was one of the best brands of the firm (Eglington), and No. 1, or softest, quality; the quantity operated on about 8 cwt. The pig iron, when melted in the ordinary foundry cupola, was run direct into the Bessemer furnace, which had been previously well heated. The blast was then applied, and, beginning at a pressure of 8 pounds, was raised during the process to 11 pounds, and afterward allowed to descend to 5 pounds. The appearance of the action going on was similar to that usually ascribed to it; and when, from the subsidence of the ebullition and the change of flame to a purple color, the process was deemed concluded, the metal was run into molds (18 x 4 x 4 inches). These blooms, after cooling, were reheated and rolled into bars, and these, cut up into equal lengths, were piled nine high, and again rolled into bars, the same mode having thus been pursued as that adopted to manufacture marketable iron. The iron was found quite unfit for commercial purposes from its brittleness. The percentage of loss was invariably much greater than by the old process, being as high as 17 per cent. above the usual waste."

It will be evident that in this trial the object aimed at was a mistaken one (they were really seeking to make a malleable iron), and also that the trial was scarcely on such a scale or conducted with such full information as was likely to lead to success. About the same time William Dixon, Limited, having entered into arrangements with Mr. Bessemer, made a more complete and systematic trial of the new process under the personal supervision of the inventor. A small but complete plant was erected, and operations conducted for some time, Scotch iron being used in the converter. Owing to the amount of phosphorus present, the resulting steel was unsatisfactory, and, as this could not be reduced when dealing with their own pig iron, the licensees abandoned the process, Mr. Bessemer returning the sum paid by them for their license.

An electric process of melting ore for production of alloys, bronzes and other metallic compounds has recently been brought out. For the purpose of illustrating the process, we will assume that aluminum bronze is to be made. The pulverized ore of aluminum is mixed with the broken carbon along with a pulverized ore of copper, and the charge of the mixed ores is packed between two carbon plates. If desired metallic copper may be used in place of the copper ore, in which case metallic copper is distributed in such a manner that it cannot short-circuit the current. When the current is passed through the core, the heat generated thereby melts the metallic copper or reduces the copper or other ore to metal, and the metallic copper takes up the aluminum as it is reduced from the aluminous ore. The product obtained at the close of the operation is an aluminum-copper alloy or aluminum bronze. This process has been patented by E. H. and A. H. Cowles, of Cleveland, Ohio.

A battery of boilers at the Solar Iron Works, Pittsburgh, exploded on Friday, injuring nearly a score of persons and killing two outright. Mr. Powers, the chief engineer, says the boilers and mud drums were inspected by the Hartford Insurance Co. two months ago, and were then pronounced safe, but it is pretty clear that the explosion was caused by corrosion. Some pieces of the drum that were picked up were not more than $\frac{1}{8}$ inch in thickness. A remarkable feature was the jamming of the mud drum's head against one of the engines situated a few yards distant. The burst iron, blown directly against the cylinder head of the engine, smashed it to pieces and blew the whole head inward. From this the steam rushed out with a loud, hissing sound. Machines and benches were thrown together in inextricable masses.

A. H. McNEAL,
BURLINGTON, - - NEW JERSEY.



CAST IRON PIPES
FOR WATER AND GAS.

ESTABLISHED IN 1848.

SINGER, NIMICK & CO., Ltd.,
PITTSBURGH, PA.,

MANUFACTURERS OF ALL KINDS OF
HAMMERED AND ROLLED

STEEL,

WARRANTED EQUAL TO ANY PRODUCED.

BEST REFINED TOOL CAST STEEL

For Edge and Turning Tools, Taps, Dies, Drills, Punches, Shear-Knives,
Cold-Chisels and Machinists' Tools generally.

SAW PLATES

For Circular, Mulay, Mill, Gang, Drag, Pit and Cross-Cut Saws.

Sheet Steel

For Springs, Billet Web and Hand Saws, Shovels, Cotton Gin Saws,
Stamping Cold, &c., &c.

SIEMENS-MARTIN (Open-Hearth) PLATE STEEL

For Boilers, Fire Boxes, Smoke-Stacks, Tanks, &c.

All our Plate and Sheet Steel being rolled by a Patented Improvement, is unequalled for
surface finish and exactness of gauge.

ROUND MACHINERY CAST STEEL

For Shafting, Spindles, Rollers, &c., &c.

File, Fork, Hoe, Rake, R. R. Frog, Toe-Calk, Sleigh-Shoe and Tire Steel, &c.;
Cast and German Spring and Plow Steel.

"Iron Center" Cast Plow Steel. Finished Rolling Plow Coulters, with Patent Screw Hubs
"Soft Steel Center" Cast Plow Steel. Agricultural Steel cut to any pattern desired. [attached].
"Solid Soft Center" Cast Plow Steel. Steel Forgings made to order.

Represented a 248 Pearl and 18 Cliff Sts., New York, by

HOGAN & SON, General Agents for Eastern and New England States.

HOGAN & MCGARGO, 417 Commerce St., Philadelphia, and FULLER, DANA & FITZ, 110 North St., Boston.



FRANKFORD STEEL COMPANY,
FRANKFORD, PHILA., PA.,

STEEL RAILROAD AND MACHINE FORGINGS,
SOLID CRUCIBLE STEEL CASTINGS

Best Grades of Tool and Machinery Steel.

Light Steel Rails,

40 lbs., 35 lbs., 30 lbs., 25 lbs., 20 lbs. and 16 lbs. per yard.

APPROVED PATTERNS,

For Mine, Lumber and Narrow-Gauge Railroads.

ALSO SPLICE PLATES, SPIKES, SWITCHES, FROGS, &c., &c.

PENNSYLVANIA STEEL CO. { 208 So. 4th Street, Philadelphia,
or Steelton, Dauphin Co., Pa.,
or 160 Broadway, New York.

TOWER'S (Donohue's Patent) ENGINEER'S WRENCH.



Combined Nut and Pipe Wrench. The
Strongest Wrench Made.

TOWER & LYON, 96 Chambers Street, NEW YORK, U. S. A.

Established 1861.
THOMAS C. BURROWS,
Agent for Jersey City Steel Company,
Manufacturers of **STEEL** Of All Descriptions.
WAREHOUSE, 99 and 101 JOHN ST., NEW YORK.

CALUMET IRON & STEEL CO.,

MANUFACTURERS OF

OPEN HEARTH STEEL, PIG METAL,

MERCHANT BAR, IRON AND NAILS,

SIEMENS OPEN HEARTH STEEL CASTINGS FOR
RAILROAD, MACHINERY AND AGRI-
CULTURAL PURPOSES.

Offices, First National Bank Building, Chicago, Ill.

C. R. CUMMINGS, President. } Works at Cummings,
D. C. BRADLEY, Vice-Pres. and Gen'l Man. }
J. M. BROWN, Sec'y & Treas. } Cook County, Ill.

STANDARD STEEL CASTING CO.,

THURLOW, PA.,

Open Hearth and Crucible

STEEL CASTINGS.

QUALITY EQUAL TO STEEL FORGINGS.

Can be Bent, Welded or Forged.

STEEL INGOTS, Best Stock, Furnished to Order.

Ship Patterns direct to Thurlow, Pa., via P. W. & B. R. R., or via P. & R. R. R.

We are prepared to make all kinds of Heavy or Medium Weight

STEEL CASTINGS

FROM

OPEN HEARTH METAL.

We wish to give special attention to making Cast Steel Rolls of all sizes, Mill
Gearing wherever Cast Steel is suitable. Also Cranks, Cross Heads, Shafts,
&c., for Steam and Blowing Engine construction.

Being desirous of securing a share of public patronage, we will endeavor to make our
product equal in quality to any in the market.

MACKINTOSH, HEMPHILL & CO., Limited,
PITTSBURGH, PA.

HICKS & DICKEY,

413 Commerce Street, Phila., Pa.,

IRON AND STEEL.

Steel and Iron Boiler Plate and Sheet Iron. Special

Brands of Refined Iron. Iron and Steel Forgings

and Steel Castings. Crown Tool Steel, Hartman

Machinery, Spring, Tire and Plow Steel.

GENERAL RAILROAD SUPPLIES.

129 & 131 So. Clinton St., **KNISELY & MILLER,** Chicago, Illinois.

MANUFACTURERS OF


CORRUGATED IRON,

PAINTED
OR
GALVANIZED,

STRAIGHT
OR
CURVED.

THREE SIZES OF CORRUGATION.

We carry at all times a large stock from which we can fill orders promptly. Send for Catalogue and Prices



FARLEY & HOFMAN,

ROCHESTER SHOW CASE WORKS,

Manufacturers of SHOW CASES of every description. Agents wanted in principal cities.
Branch stores, 30 and 41 West Broadway, New York; 677 Broadway, Albany, N. Y. Catalogues sent
on application. Mention The Iron Age.

Office and Factory, 280 State St., Rochester, N. Y.



The Woodruff's Patent Celebrated American Suspend-
ing Eave Trough Hanger. The Best in the World,
And Putley for Hoisting Trough. "Little Giant" Com-
bined Shear and Punch. Manufactured by Geo. W.
Heartley, Toledo Spring and Variety Works, 300 St.
Clair St., Toledo, Ohio.

BUFFALO HAMMER COMPANY

BUFFALO, N. Y.

MANUFACTURERS OF

Solid Steel Hammers

Forged From The Best Crucible Steel.

All Hammers Fully Warranted.

DROP FORGINGS A SPECIALTY.

SAW' L. A. HAYNES, General Sales Agent,

35 Chambers St., - New York City.

WROUGHT IRON

Boiler Tubes,

Steam, Gas and Water Pipe.

Oil Well Tubing, Casing and

LINE PIPE.

Cotton Presses, Forgings,

Rolling Mill and General

Machinery.

READING IRON WORKS,

261 S. Fourth St., Philadelphia.



FRANKLIN S. MILES,
Manufacturer of
Brass, Iron, Steel and German Silver
SCREWS,
205 Quarry St., Philadelphia.

**The Common Sense Sash Holder
and Lock Combined.**

PATENTED MARCH 6th, 1883.



Circular with price list mailed on application.

H. A. WILLES,

MANUFACTURER AND DEALER IN HARDWARE

SPECIALTIES AND OIL AND GAS STOVES,

727 Market Street, PHILADELPHIA, PA.

**LOVELL ALL CLAMP
ROLLER SKATE!**

We Challenge the World to Produce its Equal.
Sample Pair sent postpaid on receipt of price.




PRICE, \$6.

Nickel Plated and
Polished.

CHAMPION

SINGLE BREECH-LOADING



Top-Snap Action, Pistol Grip, Rebounding Lock, Patent
Fore-end Fastening. For good workmanship, convenience of
manipulation, hard and close shooting, durability, and beauty
of finish, this Gun has no equal and challenges the world.
PRICES: Plain Barrel, 15 bore, \$15.00; 10 bore, \$16.00.

**BEAN'S
PATENT**



PRICES:
Cuff, Plated, \$4.75
Cuff, Polished, 4.00

Sent by mail, postpaid, on receipt of price.

Special catalogue of Police Clubs, Hand Cuffs, Leg Irons,
Police Hooks, Chain Twisters, Pocket Holsters, Police Dark
Lanterns, &c. Sent Free on application.



LOVELL'S

Double
Action Ejector
Revolver.

Price, \$7.50.

Using S&W C. F. Cartridges. Sent postpaid on receipt of price.

Send in stamps for large catalogue of Police
Clubs, Hooks, Revolvers, Air Rifles, Police
Goods, &c., &c.

JOHN P. LOVELL'S SONS, Boston, Mass.

Prices to the trade sent on application.

GEO. M. EDDY & CO.,
Manufacturers of
Measuring Tapes
Of Cotton, Linen & Steel,
FOR ALL PURPOSES.
351 to 353 Cass Ave., Brooklyn, N. Y.

SILVER & DEMING MFG. CO.,
SALEM, OHIO, U. S. A.




MANUFACTURERS OF
Cistern, Pitcher, Well
and Force Pumps,
Wind Mill Pumps,
HAND AND POWER
ROTARY PUMPS,
Hydraulic Rams,
BOILER FEED PUMPS,
Garden Engines, &c.
Also, Carriage Makers' Tools,
Blacksmiths' Drills, Butchers'
Tools, and Feed Cutters.

Write for Catalogue and Prices.
ENGLISH BROS., Kansas City, Mo.
GENERAL WESTERN AGENTS.
European Agency with SELIG, SONNENTHAL & CO.,
London, E. C., England.

GIES & CO.
LITHOGRAPHERS
AND
PRINTERS
BUFFALO, N. Y.
POSTERS
SHOW CARDS
& CIRCULARS
THE PATENTED
& CATALOGUES
& SPECIALTY
BLANK BOOKS MADE TO ORDER.
WOOD ENGRAVING AND ELECTROTYPING

JOHN MAXWELL,
Manufacturer of
Patented
BRASS, BRIGHT
TINNED WIRE
& JAPANESE
Bird Cages.
The cheapest and most
saleable in market.
Catalogues and Price
Lists furnished to the
trade.
247 & 249 Pearl St.,
New York.

Full size of Band for Brass and Tinned Wire Cages.



DUNBAR BROS.,
Manufacturers of
Clock Springs and Small Springs
of every description, from best Cast Steel.
BRISTOL, CONN.

FIELD'S
IMPROVED
FORCE PUMPS.
Latest, Cheapest
and Best.
Household, Orchard
and Well
Force Pumps,
Pitcher Pumps,
Tub Well Pumps,
ECONOMY
Garden Engine.
Send for Catalogue.
Field Force Pump Co.,
Market St., Lockport N. Y.

GUN POWDER.

LAFLIN & RAND POWDER CO.,
No. 29 Murray Street, New York.

Manufacture and sell the following celebrated brands
of Sporting powder, known everywhere as

Orange Lightning, Orange Ducking,
Orange Rifle,

more popular than any Powder now in use.

BLASTING POWDER and ELECTRICAL BLASTING
APPARATUS. MILITARY POWDER on
hand and made to order

Safety Fuse, Frictional and Platinum Fuses.

Pamphlets showing sizes of grain sent free.

NEW MAKE OF MINE LAMP.
THREE DIFFERENT
SIZES
STAND
15 CENTS
FOR SAMPLE
TO
LEONARD BROS., Scranton, Pa.

PATENTS
AND PATENT SUITS.
Please send for Circular to
THOMAS D. STETSON,
28 Murray St., New York.

W. & B. DOUGLAS.
MIDDLETOWN, CONN.,
The Oldest and Most Extensive Manufacturers of
PUMPS, HYDRAULIC RAMS, GARDEN ENGINES,
Yard Hydrants, Street Washers, Galvanized Pump Chain, Wind Mill
Pumps and other Hydraulic Machines in the World.



Wrought Steel Sinks.



One of the strong points of these sinks is the new coupling with which they are now supplied and which is pronounced by all plumbers the best on the market. It is used with both lead and wrought-iron pipe; is a neat, reliable coupling, and is easily detached for the purpose of pumping out the pipe. The strainer and all parts of the coupling are tinned, and are furnished with all sinks without extra charge.

The fact of the great strength and durability of this sink, as it is practically free from danger of breakage in transportation, handling or use, is a strong point in its favor, and that its merits are recognized by most competent judges is evident from the fact that leading houses which have been interested in the common article have taken up the Wrought Steel Sink. Twenty-five per cent. is saved in freight by purchasing Steel Sinks. Orders come from all parts of the United States, Canada, Europe and Australia.

BRANCH WAREHOUSES:
85 and 87 JOHN STREET, NEW YORK, and 197 LAKE STREET, CHICAGO, ILL.

UNION MANUFACTURING CO.,
MANUFACTURERS OF ALL STYLES

Plain and Ornamental Butts,
LOOSE PIN REVERSIBLE, CAST FAST AND LOOSE,

Drilled and Wire Jointed, Japanned, Figured Enamelled, Nickel Plated and Real Bronze Butts.
Also a Full Line of

IRON AND BRASS PUMPS,
Cistern, Well and Force Pumps, Yard Drive Well,
Garden Engine and Steam Boiler Pumps, Hydraulic
Rams, &c., and all with the most modern improvements.

UNION SPIRAL SPRING HINGES.
We beg to call the attention of Architects, Builders, Dealers, and all interested parties, to our Spiral Spring Hinges, knowing it to be an effectual and durable one, neat in appearance, easy to put on, and not liable to get out of order. The Springs are made from wire made expressly for us and for this particular purpose, with the view of great elasticity, durability and power. They produce a continuous pressure from the point where the door is wide open until it is closed, and then hold it perfectly in position. It has a solid pintal in connection with short hollow ones, causing little or no friction, the whole power of the Spring being exerted in swinging the door. It is Fast Joint, and can be used for either right or left hand, allowing the dealer to carry less stock, and the builder will never get the wrong hand.

FINE CASTINGS A SPECIALTY.
New Britain, - Connecticut.
Warehouses: 103 Chambers Street, New York, and
164 Lake Street, Chicago.

Illustrated Catalogue and Price List furnished upon application.

THE E. & G. BROOKE IRON CO.,
BIRDSBORO, BERKS CO., PA.,
MANUFACTURERS OF

ANCHOR NAILS AND SPIKES. BRAND
Capacity, 1000 Kegs per Day.
Made from their own Pig Iron, insuring Regularity and Superiority in Quality.

ALSO
FOUNDRY AND FORGE PIG IRON,
AND COLD BLAST CHARCOAL CAR WHEEL IRON.

OLD DOMINION
CUT NAILS, BAR IRON.

R. E. BLANKENSHIP, President,
RICHMOND, VA.

IRON AND STEEL DROP FORGINGS
All shapes, small and large, including
GUN, PISTOL, WRENCH BARS, &c. ALSO, DIE SINKING, MANUFACTURERS ALSO
OF BRICKLAYERS', MOULDERS' AND PLASTERERS' TOOLS,
SADDLERS' ROUND AND HEAD KNIVES,

WILLIAM ROSE & BROS.,
36th & Filbert Sts., WEST PHILADELPHIA.

NATIONAL HARDWARE & MALLEABLE IRON WORKS,
Lehigh Avenue, American and Third Streets, Philadelphia.

THOMAS DEVLIN & CO.,
MALLEABLE, FINE GRAY IRON AND STEEL CASTINGS made from patterns to
order. Special attention given to Tinning, Bronzing, Coppering, Japanning and Fitting. A large line
of Carriage and Wagon Castings constantly on hand for the trade.

BALL BEARING DOOR HANGERS
For House Doors, Car Doors, Elevator Doors.
Frictionless. Indestructible. Perfect. Send for Circular.

CONHOES IRON FOUNDRY & MACHINE CO., CONHOES, N. Y.

(Concluded from page 1.)


doors close by gravity, and the weight of the lever throws the pivots of the curved links past the center line, ready for another charge. This locking arrangement is both simple and convenient and of unquestionable merit. In some other forms of buckets which have been brought out the connecting links do not go past the center of motion of the rock-shaft, as in this case, and there is accordingly danger of the fastening jarring loose. This danger has proved so apparent in some cases that an independent catch was employed to lock the lever. Mr. Simmerly's arrangement is applied also to the cars, shown in Fig. 2, though in this case, obviously, the advantage of reduced fall for the charge cannot always be secured.

The machinery is built by the Standard Derrick and Conveyor Company, Messrs. A. N. Simmerly & Co., proprietors, of Cleve-

land, Ohio. Fig. 1 represents what is known as their "Standard" derrick. It is equipped with either single or double engine, as may be desired, with 9 x 12 cylinder, steam pump, boiler, &c., complete, and its capacity ranges from 600 to 1000 tons of coal per day of 10 hours, according to the skill of the attendant. It will, of course be understood that the machinery described is adapted not only to the handling of coal, but also of ore and other material. The cars, as shown in Fig. 2, are built to carry about 1 ton of coal, and the trip can be set to dump the car at any point desired from the place of loading.

and, further, a vessel is liable to severe alternating stresses and shocks on taking ground, dry docking and under other circumstances. In the compression members of the Forth Bridge the steel is subject only to a steady pressure of varying intensity, and a quality of steel was adopted which combined perfect facility in working with a high resistance to compression. Although an increased tensile strength is accompanied by a decidedly increased resistance to flexure in columns and struts, the latter is not proportional to the former.

"If the thing were practicable, what I should choose as the material for the compression members of a bridge would be 34 to 37 ton steel which had been previously squeezed endwise in the direction of the stress to a pressure of about 45 tons per square inch, the steel plates being held in suitable frames to prevent distortion. My experiments have proved that 37-ton steel



Coal-Handling Machinery.—Fig. 3.—End View of Bucket, Showing the Operating Lever.

so treated will carry as a column as much load as 70-ton steel in the state in which it leaves the rolls—that is to say, not previously pressed endwise. It would be a matter of much practical moment to ascertain if some convenient treatment could be devised which would endow steel with this greatly increased power of resistance to compression without injuring its resistance to tension, or its ductility, which remained unaffected by previous compression in my experiments. At least one-half of the 42,000 tons of steel in the Forth Bridge is in compression, and the same proportion holds good in most bridges, so the importance of gaining an increased resistance of 60 per cent. without any sacrifice in the facility of working, and safely belonging to a highly ductile material, can hardly be exaggerated. Our experience has led us to the conclusion that sheared edges are a more fruitful source of fracture than partial tempering or other contingencies. All of our bent plates are made red-hot, and the effect

The Steel for the Forth Bridge.

During the recent visit of the Iron and Steel Institute, Mr. B. Baker, one of the engineers of the Forth Bridge, read a paper on that great structure, in which he refers as follows to the steel used: "For certain




Fig. 4.—Side Elevation of Bucket.

parts of the Forth Bridge we use steel of a higher tensile strength than is at present considered admissible either for ships or boilers. This has not been done without full and mature consideration of the whole question. Our experiments showed that steel having a tensile strength of from 34 to 37 tons per square inch offered a decided advantage over very mild steel when compressive stresses and the flexure of long columns were concerned. Indeed, an inferior quality of steel, such as would be used for rails, will stand compression far better than the best boiler steel or Low Moor iron. Thus, I found a column 20 diameters in length of common Bessemer steel carry 27 tons per square inch where one of mild boiler steel has stood but 17 tons. It would be inexpedient, however, to use inferior steel even for the compressive members of a bridge, and therefore a high quality and high tensile resistance were indicated. Although this steel takes a temper and becomes brittle if cooled in certain ways, it will stand the ordinary Admiralty temper tests, bending to a radius of double the thickness after being made red-hot and cooled in the usual way. In a boiler the steel plates are subject to great changes of temperature and consequent stresses from expansion and contraction. In a ship almost every plate in the hull is subject to alternate tensile and compressive stresses when among waves;

of the shearing is thus eliminated even before planing. Those plates which are not heated have the edges carefully planed, so as to leave no trace of the shearing, and we find that, whether we are dealing with 30-ton or 37-ton steel, the plates so treated stand all the desired tests. Experiments which I have made, and am still making, on the resisting power of different classes of iron and steel to repeated bendings, such as the shaft of a marine engine undergoes if the bearings get out of line, indicate that the superiority of low-tension steel is considerably greater than the increased ductility would indicate."

Shear blades which will cut hot blooms and bars without becoming injuriously softened have been patented by S. M. Guss, of Reading, Pa. A pipe connected with a raised water reservoir conducts the water into a tube within a chamber drilled in the shear blade near the cutting edge. The water thence passes into the annular space around the tube and is discharged. The speed of the current may be regulated by a cock, and the escaping water may be discharged upon and in a line with the cutting edge of the blade. A flexible hose or its equivalent may be used for the supply of the movable blade. By this invention the blades are said to retain their temper, though constantly employed in cutting red-hot blooms.

Paris, 1878.

**McCAFFREY & BRO.,**

PENNSYLVANIA FILE WORKS,

Philadelphia, Pa., U. S.



Manufacture and keep in stock a full line of **FILES** and **RASPS** only, for which we claim special advantages over the ordinary goods, and ask domestic and foreign buyers to allow us to compete for their trade.

Superiority acknowledged wherever used, sold or exhibited.


THE CELEBRATED "EUREKA" CLUB SKATE.



The above cut represents the "EUREKA" CLUB SKATE, the most complete and perfect skate in the market. The clamps and foot plates are made of Steel, the blades of welded Steel and Iron, tempered expressly for this purpose. When fastening this skate to the shoe the heel clamps are stationary. The toe clamps are drawn together and the corrugated bar pressed back against the heel simultaneously by one motion of the lever, which is under the instep and cannot by any possibility be thrown out of position while skating, making a most perfect and secure adjustment to the shoe.

Trade Price List { No. 1, Blue Top - per pair, \$5.00. No. 2, Nickel-Plated - per pair, \$6.00. Sizes, 8, 8½, 9, 9½, 10, 10½, 11, 11½, 12 inches. Discount to the Trade.

"EUREKA" CLUB ROLLER SKATE.



The special attention of the Trade is respectfully called to above-named new Roller Skate, now being placed in the market. Its simplicity of construction and yet its great strength and the mode of adjusting the same make it the most perfect of All-Clamp Roller Skates ever offered. The clamps are operated by a lever simultaneously on both heel and toe, thereby requiring no Key or Wrench. The "EUREKA" CLUB ROLLER SKATE is handsomely nickel-plated, and the rollers are made of the best quality of boxwood and with Brass Bushings, making the skate run easier than any others manufactured. Quality and workmanship considered, the "EUREKA" CLUB ROLLER SKATE has no equal. List, \$7.00 per pair. Address

JOHN H. GRAHAM & CO.,
General Agents, 113 Chambers St., New York City.

LIGHTNING HAY KNIVES. WEYMOUTH'S PATENT.



This knife is the best in use for cutting down hay and straw in mow and stack, cutting fine feed from bale, cutting corn stalks for feed, cutting peat and ditching marshes.

The blade is best cast steel, spring temper, easily sharpened, and giving universal satisfaction. A few moments' trial will show its merits, and parties once using it are unwilling to do without it. Its sales are fast increasing for export as well as home trade, and it seems destined to take the place of all other Hay Knives.

They are nicely packed in boxes, one dozen each of 50 pounds weight, suitable for shipping by land or water to any part of the world.

MANUFACTURED ONLY BY

HIRAM HOLT & CO., East Wilton, Franklin Co., Maine.
For sale by the Hardware trade generally.

CAUTION:

We are informed that various parties are infringing upon the widely known Letters Patent granted originally to George F. Weymouth, for an Improved Hay Knife.

The characteristic feature of the invention is a curved blade, provided with saw-tooth cutters, and furnished with suitable working handles. It is our purpose to prosecute all infringers of our patent, and we have already commenced one suit, which is nearly ready for hearing, and are about commencing suits against other parties.

All manufacturers are hereby warned of our rights, and the public are cautioned against purchasing any Hay "Saw Knives" which are not of our genuine manufacture.


HIRAM HOLT & CO.

EAST WILTON, May 26, 1884.

GEO. B. CURTISS,

95 Chambers St., New York.

Wrought Bar Agricultural Wrenches



HEAVY BAR
MECHANICS'
WRENCHES

RIPLEY & BARTLETT, TACKS

MANUFACTURERS OF

Swedes and American Iron Tacks of All Kinds.

Having lately withdrawn from the combination, we are at liberty to make such terms and prices as we think expedient. Quality guaranteed the best in the market. Any variation from regular sizes and shapes made to order from samples.

WORKS AT
PLYMOUTH,
MASS.

D. S. JENKINS, BROCKTON, MASS.,
MANUFACTURER OF
TACKS, BRADS, ETC.

Being the largest concern outside the combination, we are prepared to supply the Trade with a full line of goods. All goods made from best of stock. Satisfaction guaranteed. Samples sent free. Send for price list. Goods delivered in Boston, New York, Philadelphia, Baltimore and Chicago.

TACKS & WIRE NAILSBOSTON SALESROOM,
70 Portland St.BALTIMORE SALESROOM,
73 German St.NEW YORK SALESROOM,
116 Chambers St.

AMERICAN TACK CO., Fairhaven, Mass.

**Nicholson
FILES.**

Bandsaw Files,
Boot Heel,
Brass,
Cabinet,
Cant,
Cotter Taper,
Cotter Equaling,
Cross or Crossing,
Doctor,
Drill,
Feather Edge,
Finishing,
Flat,
Flat Equaling,
Flat Wood,
Gang Edger,
Ginsaw,
Gulleting,
Half-Round,
Half-Round Wood,
Hand,
Hand Equaling,
Handsaw Blunt,
Handsaw (Double-End),
Handsaw Taper, single-cut,
Handsaw Taper, double-cut,
Handsaw Taper, slim,
High Back,
Hook-Tooth,
Knife,
Knife Blunt,
Lead Float,
Lightning,
Machine Mill,
Mill,
Mill Blunt,
Mill Pointing,
Pillar,
Pitsaw,
Reaper,
Roller,
Round,
Round Blunt,
Slotting,
Slim Handsaw Taper,
Square,
Square Blunt,
Square Equaling Files,
Stave Saw,
Three-Square Files,
Three-Square Blunt Files,
Tumbler Files,
Union Cut,
Warding Files,
Warding Blunt File,
Warding Round Edge File,

RASPS.

Baker's
Beveled Edge,
Broad,
Cabinet,
File, Flat and Half-Round,
Flat Shoe,
Flat Wood,
Half-Round Shoe,
Half-Round Wood,
Horse, Plain and Tanged,
Horse Mouth,
Jig,
Oval or French Shoe,
Racer, Plain and Tanged.

SPECIALTIES.

Butchers' Steels, Improved,
Bent Riffers, Handled,
File Cards,
File Brushes,
Machinists' Scrapers,
Stub Files & Holder, Detachable,
Surface File Holder,
Vise File Holder.

**NICHOLSON
FILE CO.,**
PROVIDENCE,
R. I.,
SOLE MANUFACTURERS.

BLACK DIAMOND FILE WORKS.

TRADE

MARK

**G. & H. BARNETT,**

21 to 43 RICHMOND STREET, - - - PHILADELPHIA.


CHARLES B. PAUL, MANUFACTURER OF HAND CUT FILES,

Warranted Cast Steel.

187 Tenth St., Williamsburgh, N. Y.

All descriptions of Files made to order. Price List mailed on application.

Established 1863.

THRIFT FILE WORKS,
Manufacturers of all kinds of
FILES, RASPS.

CHRISTIAN HENSLER,
428, 430, 432 & 434 Ireland St., PHILA., PA.
EFFING & SWASEY, Agents in New York, 102 Chambers St.

**McClellan
File Co.,**

113 So. Water St.,

E. Saginaw, Mich.

PRESSES, DIES AND OTHER
SHEET-METAL TOOLS
FERRACUTE MACHINE CO.
BRIDGEPORT, N.Y.

HELLER & BROS.,

NEWARK, N. J.,



MANUFACTURERS OF THE

CELEBRATED AMERICAN HORSE RASPS, FILES AND
FARRIERS' TOOLS.

Made of solid best CLAY CRUCIBLE CAST STEEL of our own manufacture and warranted to be unequalled in the market. For sale by Iron and Hardware dealers throughout the United States and Canada.



J. M. KING & CO.,
WATERFORD, N. Y.

Manufacturers of the

Button's Pat. Wire Cutter and Plier Combined.

Specially Adapted for Use on Wire Fence.

Also Manufacturers of BLACKSMITHS' and MACHINISTS' STOCKS and DIES, PLUG and TAPER
TAPS, HAND, NUT and SCREW TAPS, PIPE TAPS and REAMERS.

Price List on Application.

Established by DANIEL B. KING, 1859.

LIGGETT SPRING AND AXLE CO., LIMITED,

MANUFACTURERS OF

Springs and Axles

For Coaches, Phaetons, Buggies, Wagons, &c

PITTSBURGH, PA.

UNION FOUNDRY AND PULLMAN CAR WHEEL WORKS,

N. S. BOUTON, President.

CORRESPONDENCE SOLICITED AND ESTIMATES MADE ON

HEAVY MACHINERY, AND ALL SIZES OF FLY WHEELS, PULLEYS, &c.

Special Machinery for Grain Elevators, Grain Steam Shovels, &c., contracted for. Car Wheels
and Car Castings at lowest rates.

Office, First National Bank Building, CHICAGO



RIEHLÉ BROS.
STANDARD
SCALES
AND
TESTING
MACHINES


Philadelphia, 50 South Fourth St.
New York, 115 Liberty Street.AGENTS
HOWARD CHILDS & CO.,
514 Smithfield St., Pittsburgh.C. I. WICKERSHAM,
175 Dearborn Street, Chicago.

Tests of Materials made daily
at the Works, and certificates
furnished. Reports copied and
kept confidential.

GARRY IRON ROOFING COMPANYLargest manufacturers of Iron
Roofing in the world. Manu-
facturers of all kinds of

IRON ROOFING
Crimped and Corrugated Siding,
Iron Tile or Shingle,
Fire-Proof Doors, Shutters, &c

IRON ORE PAINT
AND CEMENT.153-155 HERVIL STREET
CLEVELAND, O.Send for Circular and Price
List No. 15.



IRON-CLAD ICE BALANCE.


JOHN CHATILLON & SONS,
NEW YORK,
91 & 93 Cliff Street,
MANUFACTURERS OF
Spring Balances, Patent Balances, Union and
Counter Scales, Spiral Springs.

Send for Illustrated Price List.

WILDE'S PATENT

Expanding Mandrel


IS THE MOST PERFECT NOVELTY OUT.
Simple, Inexpensive, Accurate.



COOKE & CO.,
33 Cortlandt Street, NEW YORK.
Sales Agents and Dealers in
GENERAL MACHINERY AND SUPPLIES

FOR
Manufacturers, Mills, Mines, Railroads
and Steamships.
Engines, Boilers, Pumps, Blowers, &c.
Write for circular and mention this paper.

WILLIAMS, WHITE & CO.,
Moline, Ill.,



Drop Presses, Justice Hammers, Bending Machines, Punching and Shearing Presses.


J. M. STUTZMAN,
181 William St., New York,
Steel Alphabets
DIE LETTERS FOR SEAL
ENGRAVERS,
BRANDS, SEALS,
POST-OFFICE STAMPS,
Door Plates,
Steel Stencil-Cutting Dies,
Soap Moulds and Brass
Stamps.
SEND FOR PRICE LIST.

A NOVELTY IN SHOVELS.
MAYNARD'S
PATENT SOLID CAST STEEL SOCKET
SHOVELS AND SPADES.

Forged from a single piece of Cast Steel, without welding. The best, strongest and handiest ever made. For sale by

GEO. W. BRUCE,
1 Platt Street, New York.

"Little Joker" Plating Machine.



The cheapest machine, considering the work it will do, in the market. One of our customers tells us that this machine, with vats in series, is depositing a coat of nickel in 10 hours. For descriptive circular, price, C. address the manufacturers,
WALLACE & SONS,
89 Chambers and 71 Reade Sts., New York.



(Copyright by Clark Fisher, A. D. 1885.)

THE EAGLE ANVIL WORKS,
TRENTON, NEW JERSEY,
(Established, 1848.)
MAKE 60 SIZES OF

SAW-MAKERS' AND AXE-MAKERS' ANVILS,

For Smithing or Blocking, Warranted Better than any Other Make.

Superior, because face is in ONE PIECE OF JESSOP'S BEST CAST STEEL, of uniform, hardest temper, perfectly welded, and warranted never to settle or change from a true surface.

"Cross-Pene" and "Dog-Head" Hammers, of Solid Cast Steel, of every desired Weight and Shape.

Also, STEEL STRAIGHT-EDGES FOR SAW-MAKERS' USE.

HARTMAN

STEEL—Tire, Toe Calk, Machinery, Spring, Special Soft, &c.

WIRE—Annealed, Bright and Galvanized Fence Wire.

STAPLES—Plain and Galvanized, Long Points.

WIRE NAILS—for every purpose where a nail is required.


BALE TIES—Simple, Effective, Cheap.

HARTMAN STEEL CO., Limited,

Steel, Wire and Wire Nail Mfrs.

Western Office: 53 Dearborn St., Chic-go. Boston Office: 74 India St. New York Agency: 88 Chambers St. Branch Office: 48 Fifth Ave., Pittsburgh.

COVERINGS.



Asbestos Materials, Fibre, Millboard Packing and Cement.

CHALMERS-SPENCE CO.,
113 FIRST AVE., PITTSBURGH, PA. 419 & 421 EIGHTH ST., NEW YORK.


STANLEY RULE & LEVEL CO.,

MANUFACTURERS OF
IMPROVED
CARPENTERS' TOOLS

FACTORIES:
NEW BRITAIN, CONN.

WAREHOUSES:
29 Chambers Street, NEW YORK.

No 45. Adjustable Beading, Rabbit and Slitting Plane. \$8.00.



THE PERFECT CARPET STRETCHER

1. Represents Stretcher ready for use, also the Cushioned Knee Rest; Block, 5 x 8 inches.
2. One inch full-size section of convex wire. The only stretcher that receives the recommendation of the entire trade.
It has over 400 convex steel points, 3-16 inch long, set in leather, that are inserted into the carpet, therefore cannot injure it. It is neat, durable, convenient, and sells on its merits. It is the only upholstered Stretcher made.
EVERY STRETCHER WARRANTED.
Price, \$1.00. Liberal Discount to Trade.

SHAFFER & LORD, Mfrs., La Porte, Ind.

"CHAMPION" LOCKS.

PREMIUMS AND MEDALS.

"Centennial," 1876.

Melbourne, 1880.

Franklin Inst., 1883.

No. 800. Padlocks, Night Latches;

Drawer, Closet and Chest Locks; Store

Door Locks, Combination Locks for

Drawer, Desk, &c. Keyless Cash Boxes.

FAIRBANKS & CO., Agents,

New York, Philadelphia, Baltimore, Pitts-

burgh and Buffalo.

MILLER LOCK CO., Phila., Manufacturers

The Effect of Intermittent Strains Upon Iron Structures.*

BY B. BAKER.

"Mechanical science," said Professor Rankine, "enables its possessor to plan a structure or machine for a given purpose without the necessity of copying some existent example; to compute the theoretical limit of the strength and stability of a structure or the efficiency of a machine of a particular kind; to ascertain how far an actual structure or machine fails to attain that limit, and to discover the cause and remedy of such shortcomings; to determine to what extent, in laying down principles for practical use, it is advantageous for the sake of simplicity to deviate from the exactness required by pure science, and to judge how far an existing practical rule is founded on reason, how far on custom and how far on error." There is thus an ample text for many discourses; but, as I am not writing a treatise on engineering, but merely delivering a brief address, I will confine my attention at present to a particular case of the branch of mechanical science referred to in the last clause of Professor Rankine's definition, and will ask you to consider how far the existing practical rules respecting the strength of metallic bridges are "founded on reason, how far on custom and how far on error."

The first question obviously is, What are the rules adopted by engineers and Government departments at the present time? and it is one not easily answered. I have for some time past been receiving communications from leading Continental and American engineers, asking me what is my practice as regards the admissible intensity of stress on iron and steel bridges, and in replying I have invited similar communications from themselves. As a result I am able to say that at the present time absolute chaos prevails. The old foundations are shaken, and engineers have not come to any agreement respecting the rebuilding of the structure. The variance in the strength of existing bridges is such as to be apparent to the educated eye without any calculation. If the wheels of a miniature brougham were fitted to a heavy cart the incident would excite the derision even of our street boys, and yet equal want of reason and method is to be found in hundreds of bridges in all countries. It is an open secret that nearly all the large railway companies are strengthening their bridges, and necessarily so, for I could cite cases where the working stress on the iron has exceeded by 250 per cent. that considered admissible by leading American and German bridge-builders in similar structures.

In the case of old bridges the variance in strength is often partly due to errors in hypothesis and miscalculation of stresses. In the present day engineers of all countries are in accord as to the principles of estimating the magnitude of the stresses in the different members of a structure, but not so in proportioning the members to resist those stresses. The practical result is that a bridge which would be passed by the English Board of Trade would require to be strengthened 5 per cent. in some parts and 60 per cent. in others before it would be accepted by the German Government or by any of the leading railway companies of America. This undesirable state of affairs arises from the fact that in our own and some other countries many engineers still persistently ignore the fact that a bar of iron may be broken in two ways—namely, by the single application of a heavy stress or by the repeated application of a comparatively light stress. An athlete's muscles have often been likened to a bar of iron, but, if "fatigue" be in question, the simile is very wide of the truth. Intermittent action—the alternative pull and thrust of the rower, or of the laborer turning a winch—is what the muscle likes and he bar of iron abhors. Troopers dismount to rest their horses, but to relieve a bar of iron temporarily of load only serves to fatigue it. Half a century ago Braithwaite correctly attributed the failure of some girders, carrying a large brewery vat, to the vessel being sometimes full and sometimes empty, the repeated deflection, although imperceptibly slow and wholly free from vibration, deteriorating the metal until, in the course of years, the girders broke. These girders were of cast iron, but it was equally well known that wrought iron was similarly affected, for in 1842 Nasmyth called the attention of this section to the fact that the "alternate strain" in axles rendered them weak and brittle, and suggested annealing as a remedy, he having found that an axle which would snap with one blow when worn would bear 18 blows when new or after being annealed. So important a matter as the action of intermittent stresses could not escape the attention of the Royal Commissioners appointed in 1849 to consider the application of iron to railway structures, and some significant and sufficiently conclusive experiments were made by Captain Douglas Galton and others. Cast-iron bars 3 inches square and 13 feet 6 inches span between the supports were deflected, both by the slow action of a cam and the percussive action of a swinging pendulum weight. When the deflection was that due to one-third of the breaking weight, about 50,000 successive bendings by the cam broke one of the bars, and about 1000 blows from the pendulum another. When the deflection was increased from one-third to one-half, about 500 applications of the cam and 100 blows sufficed to rupture two of the specimens. Slow-moving weights on bars and on a small wrought-iron box girder gave analogous results, and the deduction drawn by the experimenters at the time was that "iron bars scarcely bear the reiterated application of one-third the breaking weight without injury; hence the prudence of always making beams capable of bearing six times the greatest weight that could be laid upon them."

Although these experiments were entirely confirmatory of all previous experience, they would appear to have little influenced the practice of engineers, since Fairbairn, more than ten years later, in a communication to this section, said that opinions were still

much divided upon the question whether the continuous change of load which many wrought-iron structures undergo has any permanent effect upon their ultimate powers of resistance. To assist in settling the question he communicated to the association the results of some experiments carried out by himself and Professor Unwin on a little riveted girder 20 feet span and 16 inches deep. Once more the same important, but disregarded, facts were enforced on the attention of the engineers. About 5000 applications of a load equal to four-tenths of the calculated breaking load fractured the beam with the small ultimate deflection of $\frac{3}{8}$ inch, and subsequently, when repaired, the beam broke with one-third of the load and a deflection of but $\frac{1}{4}$ inch, which sufficiently indicated how small a margin the factor of safety of four, then currently adopted, allowed for defective manufacture, inferior material and errors in calculation. Still, nothing was done, and the general practice of engineers and the Board of Trade regulations continued unaltered.

Soon after the introduction of wrought-iron bridges on railways the testimony of practical working was added to that of experiments. In 1848 several girder bridges of unduly light proportions were erected in America, and one of 66 feet span broke down under the action of the rolling load in the same manner as Fairbairn's little experimental girder. Again, in early American timber bridges the vertical tie-rods were often subject to stresses oscillating between 1 ton and 10 tons per square inch and upward. Many of these broke, as did also the suspension bolts in platforms subjected to similar stresses. In my own experience dozens of broken flange-plates and angle-bars, and hundreds of sheared rivets, have been the silent witnesses of the destructive action of a live load. Like evidence was afforded by early-constructed iron ships deficient in girder strength. Under the alternating stresses due to the action of the waves, weaknesses not at first apparent would in the course of time be developed, and additional strength, in the way of stringers and otherwise, become imperative.

If none of the preceding evidence had been forthcoming the results of the historical series of experiments carried out by Wöhler for the Prussian Ministry of Commerce would alone be conclusive. For the first time a truly scientific method of investigation was followed, and an attempt was made to determine the laws governing the already proved destructive action of intermittent stresses. In previous experiments the bar or girder was alternately fully loaded and wholly relieved of load. Wöhler was not satisfied with this, but tested also the result of a partial relief of load. The striking fact was soon evidenced on testing specimens under varying tensions that the amount of the variation was as necessary to be considered as that of the maximum stress. Thus, an iron bar having a tensile strength of 24 tons per square inch broke with about 100,000 applications of a stress varying from nil to 21 tons, but resisted 4,000,000 applications of the 21 tons when the minimum stress was varied from nil to $11\frac{1}{2}$ tons. The alternations of stress in the case of some test pieces numbered not less than 132,000,000, and too much credit cannot be bestowed by engineers upon Wöhler for the ingenuity and patience which characterized his researches. As a result, it is proved beyond all further question that any bar or beam of cast iron, wrought iron or steel may be fractured by the continued repetition of comparatively small stresses, and that, as the differences of stress increase, the maximum stress capable of being sustained diminishes.

Various formulae based upon the preceding experiments have been proposed for the determination of the proper sectional area of the members of metallic structures. These formulae differ in some essential respects, and doubtless many experiments are still required before any universally accepted rules can be laid down. Probably at the present time the engineers who have given the most attention to the subject are fairly in accord in holding that the admissible stress per square inch in a wrought iron girder subject to a steady dead load would be one and a half times as great as that in a girder subject to a wholly live load, and three times that allowable in members subject to alternate tensile and compressive stresses of equal intensity, such as the piston rod of a steam engine or the central web-bracing of a lattice girder. If the alternations of stress to be guarded against are not assumedly infinite in number, but only occasional—as in wind bracing for hurricane pressures, or in a vessel among exceptionally high waves—then the aforesaid ratio of 3, 2 and 1 would not apply, but would more nearly approach the ratios 6, 5 and 4.

Hundreds of existing railway bridges, which carry 20 trains a day with perfect safety, would break down quickly under 20 trains per hour. This fact was forced on my attention nearly 20 years ago by the fracture of a number of iron girders of ordinary strength under a five-minute train service. Similarly, when in New York last year, I noticed, in the case of some hundreds of girders on the elevated railway, that the alternate thrust and pull on the central diagonals from trains passing every two or three minutes had developed weakness which necessitated the bars being replaced by stronger ones after a very short service. Somewhat the same thing had to be done recently in this country with a bridge over the Trent, but the train service being small, the life of the bars was measured by years instead of months.

If ships were always among great waves the number going to the bottom would be largely increased, for, according to Mr. John, late of Lloyd's, "many large merchant steamers afloat are so deficient in longitudinal strength that they are liable under certain conditions of sea to be strained in the upper works to a tension of from 8 to 9 tons per square inch, and to a compression of from 6 to 7 tons—stresses which the experiments already referred to proved would cause failure after a definite number of repetitions. Similarly, on taking ground or being dry-docked with a heavy cargo on board, it has been shown that vessels are liable to stresses of over 11 tons per square inch on the reverse frames, but no permanent injury

* From the opening address as president of the Section of Mechanical Science at the Aberdeen meeting of the British Association.

AMERICAN MADE RAZORS



J. R. TORREY & CO.,

MANUFACTURER OF
Strops and Dressing Cases.
IMPORTER OF FINE RAZOR HONES.
Wholesale Dealer in Cutlery.

FACTORY at Worcester, Mass. NEW YORK OFFICE 97 Chambers Street.
We make the largest and most complete line of Razor Strops ever offered to the trade, including every description and style known. Our Razors are the Standard for excellent cutting quality and elegance of finish, and our prices lower than foreign makes of similar grade. Our Toilet Sets and Dressing Cases are designed for practical use and are made in various attractive styles.
Send for illustrated Price List—free to the Trade.

J. R. TORREY RAZOR CO.,
MANUFACTURERS OF
Razors in all Styles.

UNDERHILL, CLINCH & CO.,

94 Chambers Street, New York,

DEPOT FOR

Russell Jennings' Auger Bits.

Geo. Selsor & Co.'s Hatchets, Hammers, &c.
American Screw Co.'s Wood and Machine Screws,
Store and Tire Bolts, Nuts, &c.
Brady's Brick Trowels,
O. Ames & Son's Shovels, Spades and Scoops.

F. W. Gilmore & Co.'s Strap and T Hinges.
A. Field & Son's Tacks, Brads, Nails, &c.
W. & S. Butcher's Edge Tools.
Nicholson File Co.'s Files.

GENERAL HARDWARE.

COVERT'S PATENT ADJUSTABLE SOLDERING IRONS



Have been used the past two years by many large manufacturers, and have given unbounded satisfaction, as many flattering testimonials we have received attest. The inner surface of the forks are provided with concave or saucer-shaped depressions surrounding the screw bolt, thus giving it a grip at the outer edges only upon the coppers, and holding them perfectly secure in any position desired. When once supplied with handles it is only necessary to buy the coppers, which makes their cost much cheaper than the old style of soldering irons.

TRY THEM AND YOU WILL NOT USE ANY OTHER.

A sample of $\frac{1}{4}$ -inch soldering iron will be sent by mail, free of postage, to any address on receipt of sixty cents (60c).

For sale by all leading jobbers handling this class of goods, at manufacturers' discounts. Send for Circular and Price List.


COVERT MANUFACTURING CO.

SOLE MANUFACTURERS

WEST TROY, - - N. Y.

No. 1 Carries 7 feet earth.
No. 2 Carries 5 feet earth.
No. 3 Carries 3½ feet earth.

The York Pat.



Steel Scraper.

The Lightest and Strongest Scraper made. The body is made of one single piece of steel. The handles are fastened inside of fold, and free from all obstructions. The body, ball and runners are all made of steel. Especially suited for contractors. Send for circulars. Manufactured by

THE YORK MFG. CO., Limited, Portsmouth, Ohio.

RICHARD DUDGEON,

No. 24 Columbia Street, New York.

Maker and Patentee of the Improved

Hydraulic Jacks
AND
Punches.

Roller Tube Expanders and Direct-Acting Steam Hammers.

Communications by letter will receive prompt attention.
Jacks for pressing on Car Wheels or Crank Pins made to order.

Wm. Rogers' German Silver and Plated Spoons and Forks. Send to SIMPSON, HALL, MILLER & CO.,
Wallington, Conn., for illustrated Catalogues. Branch Houses: 36 East 14th St., New York;
204 Commerce St., Phila., Pa.; 126 State St., Chicago, Ill.

Factories:
Wallington, Conn.

THE NORFOLK SHEAR CO.,

Manufacturers of the finest line of Steel-Irid Shears, Scissors, Bent Trimmers, Bankers' Shears, Button-hole Scissors and Dental Snips. Also the best Steel-Irid Straight Trimmers for the money in the market "New England." We pay particular attention to hardening and tempering our goods, and they can be relied on for possessing superior cutting qualities. A fair trial of our goods will convince of their merit.

SAHURIL A. HAINES, General Agent, No. 88 Chambers Street, NEW YORK.
Send for Illustrated Catalogue, with discount. Factory, NORFOLK, CONN.

HOWE BROTHERS & HULBERT,

West Winsted, Conn.,



Manufacturers of

SHEARS

SOLID FORGED STEEL

Scissors, Corkscrews and Hardware Specialties.


Clayton Brothers,



BRISTOL, CONN.,

Manufacturers of Cast Shears,
Screw Drivers, Kitchen Knives, Roller Skates, &c.
The Best and Cheapest in the Market. Send for Prices.


The ACME SHEAR CO.



Bridgeport, Conn., U. S. A.,

CAST SHEARS.

The Best and Cheapest in the Market. Lamp Trimmers, Lemon Squeezers, Ice Picks and Tongs, Nut Crackers &c. Send for price list of specialties.

THE F. WILSON
Pat. Grinding Mill

FOR GRINDING WET, GREEN, OREASY OR DRY BONES.

Send for Descriptive Circular and Price List.

WILSON BROS., Sole Manufacturers,
EASTON, PA., U. S. A.

The \$5 Hand Mill.

HAWLEY BROS. HARDWARE CO.,
301 to 303 Market St.,
SAN FRANCISCO, CAL.

Agents for the Pacific Coast.

CORPORATE MARK,



JOSEPH RODGERS & SONS'


(LIMITED)

CELEBRATED CUTLERY,

No. 82 Chambers Street, New York.

F. & W. CLATWORTHY, AGENTS.

The demand for JOSEPH RODGERS & SONS' products having considerably increased, they have, in order to meet it, greatly extended their manufacturing Premises and Steam-power.
To distinguish articles of JOSEPH RODGERS & SONS' manufacture, please to see that they bear their Corporate Mark.



BEVIN BROS., MFG. CO., Easthampton, Conn.,
Manufacturers of
Sleigh Bells, House, Tea, Hand, Gong Bells, &c.

MONTGOMERY & CO.,


IMPORTERS

Stubs' Files, Tools and Steel,

Grobet Swiss Files, Chesterman's Tapes, Rules, &c., Hubert's French Emery Paper,
Horseshoe Magnets, &c., Wm. Smith & Sons Celebrated Music Wire, Nos. 2 to 30,
French Sheet Steel, 3½ in. wide, from 4 to 65 Thousandths.

Machinists', Silversmiths', Jewelers', Die Sinkers' and Sewing Machine Manufacturers' Supplies.

PATENTED IMPROVED
DOUBLE SPEED INDICATOR,
Either Right or Left.



GEO. W. MONTGOMERY,
GEO. W. CHURCH,

105 Fulton St., New York.



PATENT COMBINATION WRENCH.

Case-Hardened Throughout. Paris Interchangeable.

This Wrench not only combines the superior qualities of a Pipe Wrench but also all the requisite combinations of a regular Nut Wrench, thus making a combination which has no equal.



No. 3 PATENT PIPE WRENCH.

The serrated jaws of the Wrench are interchangeable; that is, the same serrated plate may be used for either the stationary or sliding jaw, so that if one plate is broken another can be furnished adapted to either jaw with out express designation. The slides, nuts and various parts are also interchangeable, thus easily repairing the Wrench at very small expense, and with as perfect practicability for further use as when the Wrench was new.
For Circulars and Price List, address

BEMIS & CALL HARDWARE & TOOL COMPANY, Springfield, Mass.

Duplex Swing.



The popularity of the Duplex Swing in the short time it has been introduced is phenomenal.

The Swing is constructed on original mechanical principles. The frame is so interlocked as to be prevented from sagging, even if the bolts are loose, a feature not possessed by any other swing manufactured. There are two sizes manufactured, adapted for both lawn and park. No. 1, or largest size has standards 9 feet 10 inches long, with a spread of about 6 feet, and 3 feet in width. The frame work is so constructed that by taking out two bolts the standards will close up, and by taking out the bolts of the two cross pieces the frame can be closely folded ready for shipping. The Swing can be put up or taken down ready for packing in 10 minutes.

The weight of the Swing is a little less than 100 pounds. It is very strong, having been tested by four men whose weight aggregated over 800 pounds.

The No. 2, or smaller size, has standards about 7 feet long, and otherwise proportioned in size, weighing less than 75 pounds. Their simplicity of construction, beauty and strength, and can be operated with ease by small children in the swing.

For Sale by all Leading Dealers.
New York Agents, 100 Chambers St.

J. M. SCHOONMAKER.

MANUFACTURER AND SHIPPER OF

CONNELLSVILLE

Capacity of Mines, 2500 Tons Daily.

Siding connections with all lines of Railroads.

Office, 120 Water Street PITTSBURGH, PA.

HAIGHT & CLARK

ALBANY N. Y.,

MANUFACTURERS OF FINE GRAY IRON CASTINGS, ORNAMENTAL AND ART CASTINGS

OF EVERY DESCRIPTION.

Rosettes and Pickets for Wire Workers. Castings for Furniture and Piano Manufacturers. Stove and Metal Patterns of all kinds a specialty. Correspondence solicited.

JAPANNING. NICKEL PLATING. BRONZING.

ESTABLISHED 1836.

ALFRED FIELD & CO.,

93 Chambers and 75 Reade Streets,

NEW YORK,

SOLE AGENTS FOR

Ely Bros., Caps, Wads, &c.; Joseph Elliot & Sons, Razors; Isaac Greaves, Sheep Shears, &c.; Robert Sorby & Sons, Sheep Shears, &c.; Edward Elwell, Hoes, &c.; R. & J. Linacre, Grass Hooks and Sickle; Webster & Horsfall, Steel Wire.

General Agents Western File Co.'s

AMERICAN FILES.


HEADQUARTERS FOR

Anvils, Chain, Cutlery, Guns, &c., &c., &c.

GEO. H. CREED,
SHIP CHANDLERY,

103 Reade Street, New York,

Manufacturer of and wholesale dealer in Cotton and "Long Flax" Sail Duck, Cotton and Linen Havens, Creed's Patent Ship's Crow, Hittman's Wire Rope Splicers. Agent for Raymond's American Crane Oil, for lubricating cylinders and valves.



A. G. COES & CO.

WORCESTER, MASS.,

Successors to

L. & A. G. Coes,

Manufacturers of

THE GENUINE

COES

Screw

Wrenches.

PATENTED,

May 9, 1871.

December, 26, 1871.

December, 23, 1875.

August 1, 1876.

The back strain when the wrench is used is borne by the bar—not by the handle.

The strongest Wrench made, and the only successful Re-enforced Bar.

None genuine unless stamped

A. G. COES & CO.

Our Agents, JOHN H. GRAHAM CO., 113 Chambers St., New York, carry a full line of our goods, and will be pleased to serve you at factory prices.

Hull Vapor Stove Co.,

Manufacturers of

Coal Oil Torches,

Gasoline Torches,

Street Lamps and Burners,

Plate Burners, &c., &c.

We wish to call especial attention to our COAL OIL TORCH, as long use has shown it to be of first-class efficiency.

Its vaporizing power is such that it gives as good a light as our Gasoline Torch and is easily kept in good order. It has given the very best satisfaction in Mills, Machine Shops, Foundries, &c.

Our superior facilities enable us also to make torches or burners in large quantities for the wholesale and export trade.

For prices and further information address

Hull Vapor Stove Co.,

CLEVELAND OHIO.

GEO. BURNHAM & CO.,

Worcester, Mass.,

Successors to

E. J. Worcester Drill Co.,

Manufacturers of

BLACKSMITHS'

UPRIGHT

Self-

Feeding DRILLS

HAND OR POWER.

Patented March 20, 1883.

Superior Design. Unrivaled Workmanship. Latest Improvements.

Send for Illustrated Price List.

Hill Brothers & Co.,

Walsall, England,

Hardware, Saddlery and General

Merchants,

AGENTS FOR

BALL BROTHERS'

SHEEP SHEARS.

McCoy & Sanders,

SOLE AGENTS,

26 Warren Street, New York.

CARRIAGE HARDWARE.

LARGEST LINE OF

WROUGHT CARRIAGE FORGINGS

MADE BY ANY HOUSE.

Send for Catalogue and Discount Sheet.

The E. D. CLAPP MFG. CO.,

AUBURN, N. Y.

CHAS. E. LITTLE,

50 Fulton St., New York City,

NEW YORK AGENCY FOR


Marston, Barnes and Seneca

Falls

FOOT POWER MACHINERY.


Send for Price Lists and Trial Terms.

HALL & ELTON'S GERMAN SILVER



In addition to Spoons of this well-known brand, we are now prepared to furnish Forks of the same quality. We GUARANTEE these goods to be SOLID and of UNIFORM quality throughout, with no coatings to wear through or flake off, and with no liability to RUST.

HALL, ELTON & CO., Wallingford, Conn., and 47 E. 13th Street, New York

THE DELUSION
MOUSE TRAP.

The Mouse goes in to get the bait
And shuts the door by his own weight.
And then he jumps right through a hole
And thinks he's out; but, bless his soul
He is in a cage, somehow or other,
And sets the trap to catch another.

MANUFACTURED EXCLUSIVELY BY THE

LOVELL MFG. CO., Limited,
ERIE, PA.

AGENTS IN ALL FOREIGN COUNTRIES.



119 South Fourth Street,
PHILADELPHIA.

Branch Office, 605 Seventh St. Washington, D. C.
H. HOWSON, Engineer and Solicitor of Patents.
C. HOWSON, Attorney at Law and Counsel in Patent Cases.
SEND FOR CIRCULARS.



DRILLS.

W. H. McMILLAN,

113 South St. (Up-Stairs), bet. Peck Slip and Beekman St., New York,

Block and Pump Manufacturer.


Manufacturer of Inside Iron Strap and all kinds Tackle
Blocks, Mast Hoops, Hanks, Belaying Pins, Hand Spikes,
Hand Pumps, &c. Also Dealer in Lignumvitæ Wood,
for Beam Faces and Roller Beds, &c.

Telephone Calls: Office, "Nassau 142." Factory, "Williamsburg 377."

Factory: 32 to 40 Penn St., Brooklyn, E. D.

Sole Agent for John Smalley's Graphite Bushings.

NO OIL REQUIRED.



Agent for Wilson Mfg. Co.'s Pat. Sheaves and Roller Bushings.



SHUBERT & COTTINGHAM,

MANUFACTURERS OF ALL KINDS

TACKLE BLOCKS.

Lignum-Vitæ and Iron Sheaves,
WITH
Plain, Roller and Self-Lubricating Bushings.

Heavy Purchase Blocks

FOR
Contractors, Builders, Railroad and Mining Use.

118 North Delaware Avenue,

Factory, Beach and Norris Streets.

PHILADELPHIA, - - PA.

SEND FOR CATALOGUE.

BAGNALL & LOUD BLOCK CO.,

BOSTON, MASS.,

MANUFACTURERS OF THE

CELEBRATED STAR BRAND OF TACKLE BLOCKS.

These goods can be obtained of the general
hardware trade and of our

AGENTS:

F. BALDWIN, 33 South St., New York.

J. F. LOVEJOY, 102 Chambers St., New York.

C. H. GURNEY & CO., 247 Lake St., Chicago.


BRODERICK & BASCOM ROPE CO., St. Louis.

BAUMGARDNER, WOODWARD & CO., Philadelphia, Pa.



WESTON-CAPEN

FRICTION CLUTCHES AND PULLEYS.



Sectional View of Friction Clutch.

Made wholly of metal. No wood or leather surfaces. Entirely free from collar friction or end thrust. Runs without noise and without loss of power in driving. Friction surfaces are of flat sheet metal; easily renewed. Adjustments are simple, easily made and positive. Easily applied; the working parts all attached to a central sleeve.

SOLE MAKERS:

THE YALE & TOWNE MANUF'G CO.,
STAMFORD, CONN.

NEW YORK, 62 Reade Street.
CHICAGO, 64 Lake Street.

BOSTON, 224 Franklin Street.
PHILADELPHIA, 15 N. Sixth St.

results from such high stresses, because the number of repetitions is necessarily very limited.

It appears natural enough to every one that a piece even of the toughest wire should be quickly broken if bent backward and forward to a sharp angle, but perhaps only to locomotive and marine engineers does it appear equally natural that the same result would follow in time if the bending were so small as to be quite imperceptible to the eye. A locomotive crank-axle bends but $\frac{1}{16}$ inch, and a straight driving axle the still smaller amount of $\frac{1}{32}$ inch under the heaviest bending stresses to which they are subject, and yet their life is limited. During the year 1883 one iron axle in 50 broke in running, and one in 15 was renewed in consequence of defects. Taking iron and steel axles together, the number then in use on the railways of the United Kingdom was 14,848, and of these 911 required renewal during the year. Similarly during the past three years no less than 228 ocean steamers were disabled by broken shafts, the average safe life of which is said to be about three or four years. In other words, experience has proved that a very moderate stress alternating from tension to compression, if repeated about 100,000,000 times, will cause fracture as surely as a sharp bending to an angle repeated perhaps only 10 times.

I have myself made many experiments with a view to elucidate the laws affecting the strength of iron and steel work subject to frequent alternations of stress. Perhaps the most suggestive series was one in which I subjected flat steel bars about 3 feet long, in pairs, to repeated bendings until one bar broke, and then testing the surviving bar under direct tensile and compressive stresses to ascertain to what extent the metal had deteriorated. It had come under my notice as a practical engineer that if the compression members of a structure were unduly weak the fact became quickly evident, perhaps under the test load; but if, on the other hand, the tension members were weak, no evidence might appear of the fact until frequent repetition of stresses during several years had caused them to fracture without any measurable elongation of the metal. In the case of crank-shafts, also, the fracture is invariably due to a tearing, and not a crushing, action. It appeared to me, therefore, eminently probable that repetition of stresses might be far more prejudicial to tension than to compression members, and, if so, the fact ought to be taken account of in proportioning a structure.

This proved to be the case in my experiments. For example, the companion bars to those which had broken with 18,000 reversals of a stress less than half the original breaking weight behaved, when tested as columns 30 diameters in length, precisely the same as similar bars which had done no work at all, whereas when tested in tension the elongation was reduced from the original 25 per cent. to 2.5 per cent, and the fracture appeared to indicate that the bars had been made of three different kinds of steel imperfectly welded together. With a stress reduced by one-fourth, the number of bendings required to break the bars was increased to 1,200,000. In this instance the calculated maximum working stress on the extreme fibers was 43 per cent. of the direct ultimate tensile resistance of the steel, and about 30 per cent. of the stress the bar was capable of sustaining as a beam under the single application of a load. Of course the bars failed by tension, and the extreme fibers had thus deteriorated as regards tensile stresses to the extent indicated by the above percentages. Tested as a column, however, the injury the bar had received from the 1,200,000 bendings was inappreciable. The ductility was, of course, very largely reduced, but ductility is a quality of comparatively little importance when a material is in compression. There is no ductility in the slender Gothic stone columns of our cathedrals, which, though heavily stressed, have carried their loads for centuries. As I found repeated bendings raised the limit of elasticity, I rather anticipated finding an increased resistance from this cause in long columns. This did not prove to be the case, nor did I find any difference in short columns four diameters in length.

In addition to the preceding experiments with rectangular bars, I have tested the endurance of many revolving shafts of cast iron, wrought iron and steel, with similar results. About 5000 reversals of a stress equal to one-half the static breaking weight sufficed generally to cause the snapping of a shaft of any of the above materials. When the stress was reduced and the number of applications increased, I found the relative endurance of solid beams to be more nearly proportional to the tensile strength of the metal than to the breaking weight of the beam, a distinction of great importance where axles, springs and similar things are concerned. Many of my experiments were singularly suggestive. Thus, it was instructive to see a bar of cast iron loaded with a weight which, according to Fairbairn's experiments, it should have carried for a long series of years, broken in two minutes when set gently rotating. Also to find a bar of the finest mild steel so changed in constitution by some months of rotation as to offer no advantages either in strength or toughness over a new cast-iron bar of the same section.

Although, as already stated, many more experiments are required before universally acceptable rules can be laid down, I have thoroughly convinced myself that, where stresses of varying intensity occur, tension and compression members should be treated on an entirely different basis. If, in the case of a tension member, the sectional area be increased 50 per cent. because the stress, instead of being constant, ranges from nil to the maximum, then I think 20 per cent. increase would be a liberal allowance in the case of a compression member. I have also satisfied myself that if a metallic railway bridge is to be built at a minimum first cost, and be free from all future charges for structural maintenance, it is essential to vary the working stress upon the metal within very wide limits, regard being had not merely to the effect of intermittent stresses, but also to the relative limits of elasticity in tension and compression members even under a steady load.

Why an originally strong and ductile metal should become weak and brittle under the frequent repetition of a moderate stress has not yet been explained. Lord Bacon touched upon the subject two or three centuries ago, but you may consider his explanation not wholly satisfactory. He said, "Of bodies, some are fragile, and some are tough and not fragile. Of fragility, the cause is an impotency to be extended, and the cause of this inaptness is the small quantity of spirits." I am sorry to have no better explanation to offer, but, whatever may be the immediate cause of fragility, no doubt exists that it is induced in metals by frequent bendings, such as a railway bridge undergoes. This fact, however, is not recognized in our Board of Trade Regulations, which remain as they were in the dark ages, as do those of the Ministry of Public Works of France and other countries. With us it is simply provided that the stress on an iron bridge must not exceed 5 tons per square inch on the effective section of the metal. In France it is still worse, as the limiting stress of rather under 4 tons per square inch is estimated upon the gross section, regardless of the extent to which the plates may be perforated by rivet holes. In neither case is any regard had in the rules to intermittent stresses or the flexure of compression members. In Austria the regulations make a small provision for these elements; and American specifications make a large one, the limiting stresses, instead of being constant at 5 tons, as with us, ranging from about $2\frac{1}{2}$ tons to $6\frac{1}{2}$ tons per square inch, according to circumstances. It is hardly necessary that I should say more to justify my statement that, as regards the admissibility of stress on metallic bridges, absolute chaos prevails.

Engineers must remember that if satisfactory rules are to be framed they, and not Governmental departments, must take the initiative. In former days the British Association did much to direct the attention of engineers to this important matter, but, so far as I know, the subject has been dropped for the past 20 years, and I have ventured, therefore, to bring it before you again in some detail. Mr. Baker then referred to the fact that the labors of the present generation of engineers are lightened beyond all estimate by labor-saving appliances. To prove how much the world is indebted to students of this branch of mechanical science, and how rapid is the development of a really good mechanical notion, it is only necessary to refer to the numerous hydraulic appliances of the kind first introduced 40 years ago by a distinguished past president, Sir W. G. Armstrong. It would not only be impossible to build a Forth Bridge, but it would be equally impossible to fight a modern ironclad, without the aid of hydraulic appliances.

Light versus Heavy Axes.

A correspondent of the Albany Cultivator describes his experience with axes as follows:

I well remember my first axe and my early experience with it. It weighed $4\frac{1}{2}$ pounds, being the heaviest one I could find at the time. I was fresh from school—fresh from a class in natural philosophy, one of my favorite studies. I knew all about inertia, and had learned something of the force of gravity and the laws of falling bodies; had rightly guessed that chopping wood might be hard work, and determined that my knowledge of physics should help me out. I would have a heavy axe, a long handle—would move slowly, and take strokes that would count when they fell. My axe handle was 34 inches in length, the longest one in the store. I had hired a tough little French Canadian, weighing about 120 pounds, to help me in this work. When he came he brought an axe—a mere toy I called it. I think it weighed $2\frac{1}{2}$ pounds, with a handle only 26 inches long. I told him I had a fair-sized job for him, and thought it would pay him to buy a full-grown axe. He smiled and said he guessed his would do. I tried to explain to him the beauties of a heavy axe and the wonderful advantage of a long handle. But it was all in vain; I was only wasting time; he could not understand it.

"Poor fellow," I thought; "he knows nothing of the beautiful science of physics. It is too bad that he should thus waste his strength through ignorance, and be unwilling to listen to the voice of wisdom."

We went to the wood lot and began work. I had decided that we would work separately during the first day or two, in order that I might show him what I could do. As I began to swing my axe I felt proud of its ponderous blows that rang through the woods, and rather pitied the poor fellow who was drumming away with his little axe, taking about two blows to my one. Presently I had to stop to rest, and then again, and still again; but Joe, my man, kept pecking away quietly, steadily and easily. Every few minutes I would stop to take breath, but Joe seemed perfectly able to do all necessary breathing without stopping his work for the purpose. When night came we piled up our wood and measured it. Joe's pile measured one and a half cords, mine only three-quarters of a cord.

During the early part of the day I had planned giving Joe another lesson in the evening, to see if I could not make him understand the elementary principles of wood-cutting and the philosophical requirements of an axe. But when night came I decided that perhaps it would be as well to let him go on in ignorance, and thereafter remained silent upon the subject. The next day I felt lame and stayed at home. Joe put in his cord and a half, as usual. When I went to the woods again Joe and I worked together. Not many days passed before I found an excuse for buying a lighter axe and a shorter handle. And every axe and handle that I have bought since has been lighter and shorter than its predecessor. Whenever I use an axe now I select one very much like Joe's, both in weight and length of handle. I can use this without getting out of breath, and can hit twice in the same place. The result is that I can do more and better work and save a vast amount of strength. I write this as a word of caution to the inexperienced wood-chopper when about to purchase an axe.

H. D. SMITH & CO.,

Plantville, Conn.,

MANUFACTURERS OF THE

BEST QUALITY CARRIAGE MAKERS' HARDWARE,

Manufacture the Largest Variety of Forged Carriage Irons, of Best Material and Workmanship.

PRICES LOW FOR QUALITY OF WORK FURNISHED.

SEND FOR PRICE LIST.

STEEL RAILS, T AND STREET.

OPEN HEARTH AND BESSEMER STEEL
BLOOMS, SLABS AND BILLETS,
Rolled and Hammered.

HOMOGENEOUS STEEL BLOOMS,
FOR BOILER PLATE.

BLOOMS AND BILLETS,
For Nails, Wire, and Bridge Bars.

MACHINERY STEEL,
Rounds, Squares and Flats.

SPRING STEEL,
Flat or Concave.

Pennsylvania Steel Company.

ADDRESS:

S. M. FELTON, President, 208 South 4th Street, Philadelphia, Pa.
L. S. BENT, Vice-Pres. and Gen'l Mngr, Steelton, Dauphin Co., Pa.
FREDERICK W. WOOD, Superintendent, Steelton, Dauphin Co., Pa.
STEPHEN W. BALDWIN, Agent, 160 Broadway, New York.

STEEL FORGINGS, Heavy and Light.

STEEL CAR AND MINE CAR AXLES.

RAIL FASTENINGS, SPIKES, &c.

INTERLOCKING

SWITCHES AND SIGNALS,

CROSSINGS, FROGS, SWITCHES,
SWITCH STANDS,

OF ANY REQUIRED PATTERNS.

STEEL SHAFTING,

Hammered and Rolled.

CORRESPONDENCE SOLICITED.

Norwich Bolt Works,

William C. Lanman,
NORWICH, CONN.

Carriage Bolts, Whiffletree, and Fancy Head Bolts, Hand-Forged
from Genuine Norway Iron. None in Market finer in quality or
in finish. Prices as low as for Inferior Work.

WARNER'S

Wood Worker's Clamps



FOR
Carriage, Cabinet and
Machinists' Use.

MANUFACTURED BY

The G. F. Warner Mfg. Co.,

Malleable and Grey Iron Founders,

212 to 228 EAST STREET

NEW HAVEN, CONN.

A. FIELD & SONS,

MANUFACTURERS OF

WIRE NAILS

of Every Quality and Description.

Taunton, Mass., & 78 Chambers
Street, New York,

C. M. HOPKINS.

C. M. MILLER.

S. A. HAINES & CO.,

Iron Nails and Hardware,

88 Chambers Street, New York,

REPRESENTING DIRECT:

Lindsay & McCutcheon.....Hoop, Band, Wagon Box and Horse Shoe Iron.
Long & Co.....Merchant Bar Iron, Axe Iron, &c.
Hartman Steel Co.....Open-Hearth and Bessemer Steel and Wire Nails.
Bellefonte Iron and Nail Co.....Cut Nails and Spikes.
La Belle Iron Works.....Steel Cut Nails and Spikes.
Hubbard, Bakewell & Co.....Axes, Saws, Shovels, Spades, Hoos, &c.
Buffalo Hammer Co.....Forged Steel Hammers.
W. A. Ives & Co.....Augers, Auger Bits and Braces.
L. M. Dayton.....Carriage, Machine, Tire and Plow Bolts.
J. Barton Smith Co.....Files, Rasps and Wood Saws.
Geneva Tool Co.....Hay and Manure Forks, Garden Hoes and Rakes, &c.
Norfolk Shear Co.....Cast Steel Shears and Scissors.
McKay & Hammond.....Coil and Crane Chain.
E. Jencks Mfg. Co.....Bright Wire Goods, Spring Pins and Belt Hooks.
Starr Bros. Bell Co.....Gongs, Hand and Sleigh Bells.
Pittsfield Tack Co.....Tacks, Brads, Shoe Nails, &c.
The Machine and Steel Pulley Co....."Perfection" Roller Skates.
H. Chapin's Son.....Rules, Plumbs and Levels, Gauges, &c.
Logan & Strobbridge.....Coffee Mills, Cast Goods, &c.
Dille & McGuire Mfg. Co.....Richmond Star Lawn Mower.
M. J. Mumper & Co.....Trace, Wagon, Breast and Log Chains, &c.
Pratt & Letchworth.....Iron and Wood Hames, Bridle Bits, &c.

Our friends will do themselves a favor by corresponding with us for
Prices before placing their orders.

WE SHIP ALL GOODS FROM THE FACTORY AND AT FACTORY PRICES.

Note the changes that occur in this space weekly.


W. R. OSTRANDER & CO.,

81 & 83 ANN STREET, NEW YORK.

Manufacturers of

SPEAKING TUBES, WHISTLES, ELBOWS, ORAL ANNUN-
CIATORS, BELL & ELECTRIC WIRE TUBING.

Complete outfits of Speaking Tubes, Whistles,
Pneumatic Bells, &c. A full line of Speaking
Tube Hardware constantly on hand. Catalogues
on application. Factory, DeKalb Ave., near Knick-
erbocker, Brooklyn, L. I.



RHODE ISLAND HORSE SHOE CO.,

MANUFACTURERS OF

Horse, Mule & Snow Shoes OF THE Perkins Pattern.

Works at Valley Falls, R. I.

Office, 31 Exchange Place, Providence, R. I.

F. W. CARPENTER, President.

C. H. PERKINS, Gen'l Manager.

E. W. COMSTOCK, Secretary.

CURTIS

Pressure Regulator,


FOR

STEAM and WATER,

is made entirely of metal
occupies the same space as
a globe valve. It has no
packing or packing, and is a
lock-up valve. Write for
circular. Manufactured by

Curtis Regulator Co.,

81 Beaver St., Boston, Mass.
General Agencies: 100 Lib-
erty St., N. Y.; 19 No. 7th St.,
Philadelphia; 85 & 88 Market
St., Chicago; 40 Holliday St.,
Baltimore; 24 5th St., Pitts-
burgh; 745 Craig St., Mont-
real; 707 Market St., St.
Louis.



WILLIAM ESTERBROOK,

Wholesale Manufacturer of



COAL HODS.

311 Cherry St., Philadelphia.

COBB & DREW,

PLYMOUTH, MASS.,


Manufacturers of Copper, Brass and Iron Rivets;
Common and Swedes Iron Leathered, Carpet, Lace
and Gimp Tacks; Finishing, Hungarian, Trunk,
Clout and Cigar Box Nails, &c. Rivets made to
order.

NEW YORK AGENCY,

GRUNDY & DISOSWAY,
HARDWARE,

165 GREENWICH STREET.

Agents for the Philadelphia Star Carriage and Tire Bolts.




The Babcock & Wilcox Co. Water-Tube Steam Boilers.

107 Hope St., GLASGOW.

30 Cortlandt St., NEW YORK.

BOSTON: 50 Oliver Street.
PHILADELPHIA: 32 N. 5th St.
LONDON: 114 Newgate Street.
CHICAGO: 64 S. Canal Street.



NEW ORLEANS: 34 Carondelet Street.
SAN FRANCISCO: 361 Mission Street.

Send to nearest office for Circular.

ESTABLISHED 1855.

A. WYCKOFF & SON

PATENT

WOOD-WATER-PIPE

CHAIN-PUMP-TUBING

101 to 111 EAST-CHUNG-PLACE.

EUMIRA, N.Y.

N. Y. MALLET & HANDLE WORKS,

Manufacturers of
Calkers', Carpenters', Stone
Cutters', Tin, Copper &
Boiler Makers'

MALLETS,

Hawking Beets, Haw-
king and Calking Irons;
also all kinds of Handles,
Sledge, Chisel and Ham-
mer Handles.

ALSO

Cotton & Bale Hooks
Patented Feb. 13, 1877, a
new combination of
Hooks.

456 E. Houston Street,
NEW YORK CITY.

E. PHILLIPS & SONS,

MANUFACTURERS.

South Hanover, Mass.

Wire Nails

F. R. EMMONS & BRO.

158 CHAMBERS STREET,
New York.

**L. W. Gallaudet
& Co.,**

Cor. Broadway and Wall St., New York.
Banks and dealers in COMMERCE PAPER.
Stocks and Bonds dealt in for cash or on margin at
New York Stock Exchange.

ALL RIGHT

Self-feed STRAW &
HAY CUTTER

The best in the world.
The knife is steel, and tempered,
and is fastened to lever with three bolts,
and can be easily taken off to sharpen.
The length of cut is regulated by the
lever to which the knife is bolted.
The higher the lever is raised, the
longer it will cut. All are warranted. Send for
circular which will be mailed FREE.

NEWARK MACHINE CO., Columbus, O.

The Bolton Steel Co.

CANTON, OHIO,

MANUFACTURERS OF BEST REFINED

Tool Steel

And Other Fine Grades of

CAST STEEL

ACME BOLT CUTTER.

PAT. MAR. 5, 1885.
PAT. DEC. 4, 1885.

ACME MACHINERY COMPANY,

Manufacturers of
BOLT AND NUT MACHINERY,
CLEVELAND, OHIO.

PHOSPHOR TIN.

By using my Phosphor Tin, manufacturers can
make any desired grade of Phosphor Bronze
themselves, by the simple process of melt-
ing, much cheaper than they are now to be had
in the market. New or old copper can be used.
For circulars and prices address

FRED. NAUMANN,
Sole Agent for the United States and Canada,
New York, 479 and 481 Broome Street.

KEYSTONE SCREW CO.,
17th and VENANGO STS., PHILA.


J. BILLERBECK,
Manufacturer of
IRON AND BRASS
Gimlet-Pointed Wood Screws.
WRITE FOR DISCOUNTS

Vulcanized Rubber Fabrics

ADAPTED TO Mechanical Purposes.

RUBBER BELTING AND PACKING.

Machine Belting,
Steam Packing,
Leading Hose,
Suction Hose,
Grain Elevators,
Machine Hose,
Piston Rod Packing,
Gaskets and Rings,



Vacuum Pump Valves,
Ball Valves,
Car Springs,
Wagon Springs,
Gas Tubing,
Machine Belting,
Billiard Cushions,
Emery Wheels.

This company manufactured the immense DRIVING and ELEVATOR BELTS for the Buckingham Elevators at Chicago, which have been running perfectly for more than twelve years; also those for Armour, Dole & Co. of Chicago; Vanderbilt's Elevators for the N. Y. Central & Hudson River R. R.; the great Elevators for the Penna. and Erie Railroads, of Jersey City and Hoboken; Dow's Stores, of Brook-
lyn, and many others—in fact, the largest Belts for the largest Elevators in the world.
A single carrier belt in the Penna. R. R. Elevator is over 200 feet long, weighing 18,000 pounds, and has run perfectly from the start

Pat. 6545. **LINEN AND COTTON HOSE.** Pat. July, 1873.

Plain and Rubber Lined.

Circular Woven Seamless Antiseptic RUBBER LINED "CABLE" HOSE and "TEST" HOSE, Vulcanized Para Rubber and Carbolized Duck, for the use of Steam and Hand Fire Engines, Force Pumps, Mills, Factories, Steam-
ers, Ships, Hospitals, &c.

"Test" Hose. "Cable" Anti-septic.

EMERY WHEELS AND PACKING.

Patented. **ORIGINAL SOLID VULCANITE EMERY WHEELS.**

Emery Wheel. LARGE WHEELS MADE ON CAST-IRON CENTER IF DESIRED.

The properties of these Wheels are such that they can be used with great advantage and economy for cutting, grinding and finishing Wrought and Cast Iron, Chilled Iron, Hardened Steel, Slate, Marble, Glass, &c. These Wheels are extensively used by manufacturers of Hardware, Cutlery, Edge Tools, Plows, Saws, Stoves, Fire Arms, Wagon Springs, Axles, Skates, Agricultural Implements and small Machinery of almost every description.

Pat. Jan. 26, 1869.

PATENT ELASTIC Rubber Back Square Packing.

BEST IN THE WORLD

For Packing the Piston Rods and Valve Stems of Steam Engines and Pumps.

A represents that part of the packing which, when in use, is in contact with the piston rod.
B the elastic back, which keeps the part A against the rod with sufficient pressure to be steam-tight and yet creates but little friction.
This Packing is made in lengths of about 20 feet, and of all sizes from 1/4 to 2 inches square.

Corrugated Rubber Mats and Matting.

Pat. 11,308, 213,601. For Halls, Flooring, Stone and Iron Stairways, &c. Pat. July, 1879.

This practical and indispensable article—especially for wear where exposed to ice, snow or slush—was first introduced by this company several years ago, and its real value is in being almost indestructible when proper materials are used in its manufacture, whilst the cheap, inferior quality forced on the public by reckless imitators of our patent goods soon becomes brittle and crumbles to pieces. Address

NEW YORK BELTING & PACKING CO.,

Warehouse, 15 Park Row (Opposite Astor House), New York.

Branches: No. 308 Chestnut Street, Philadelphia; 167 and 169 Lake Street, Chicago; 52 and 54 Summer Street, Boston.

JOHN H. CHEEVER, Treas. JOHN D. CHEEVER, Dep. Treas.

BUCK BROTHERS, MILLBURY, MASS.

The Most Complete Assortment in the U. S. of

Shank, Socket Firmer and Socket Framing Chisels.

PLANE IRONS.

CAUTION.—Buyers should be on their guard and not have inferior goods palmed on them by unprincipled persons who represent them as our make. Our tools are stamped "BUCK BROTHERS," and our labels have on our trade-mark also, "Riverlin Works."

PHOSPHOR-BRONZE

FOR

Bearings, Slide Valves, Cylinder Rings, Cross-Head Gibs, Steps, Bushings,

And all purposes where Maximum Durability, Anti-Frictional and Non-Cutting Qualities are Desirable.

PUMP RODS, BOLTS and NUTS, MACHINE and WOOD SCREWS, &c., &c.

Combine Toughness, Strength, Durability and Resistance to Corrosion.



"Phosphor-Bronze,"

CASTINGS OF ALL KINDS TO ORDER.

SEND FOR PAMPHLET AND PRICES.

THE PHOSPHOR-BRONZE SMELTING CO., LTD.,

No. 512 Arch Street, PHILADELPHIA, PA.

Owners of the U. S. Phosphor-Bronze Patents. Sole Manufacturers of Phosphor-Bronze in the U. S.

Merrill Brothers, **DROP** **HAMMERS, FORGINGS and POWER PRESSES.**

26 First Street, BROOKLYN, N. Y.

The Old Charcoal Furnaces.

Fifty years ago a typical blast furnace could have been described as a stone stack 30 feet square at the base, 20 feet square at the top and 30 feet or less in height, pierced by one working or forepart arch in the front and one or two tuyere arches on the sides; but one tuyere, however, was ordinarily used. The forepart arch was fitted with a tymestone and a forehearth extended out to a damstone. Blast was delivered cold through clay tuyeres, and between the blast nozzle and tuyere proper there was an annular space through which fully as much air was at times drawn by injection as was delivered through the nozzle under the low pressure of 1/2 pound to 1 pound per square inch. A high breast or overshot water-wheel operating wooden blowing "tubs" furnished the blast, which was carried through wooden or tin pipes to the tuyeres, and the wheezing of these tubs could be heard at considerable distances from the blast furnace. The casting-house, top-house, stockhouse and store were often frame buildings, but the extensive stables, the smith shop, the "mansion" and the office were generally of more substantial construction. The tuyere and forepart arches were covered with heavy iron "sows," cast at some neighboring plant, and similar castings in segments of a circle formed the "ring plate" placed in the offset of the masonry, on which the "inwalls," built of shale or slate, were raised. The bottom, the crucible (or hearth) and the boshes were built of sandstone, nicely jointed, the masonry being carried out against the buttresses or corners of the stack, which were in many instances braced by heavy timbers and iron rods to preserve the masonry from injury by expansion.

The thickness of the hearth walls was seldom less than 3 feet, and the crucible inclosed by these walls was ordinarily from 5 to 7 feet in height and square in section, the bottom being from 24 to 27 inches square. From this point the boshes were battered out so as to slope about 40° from the vertical, or 10 inches horizontal to 12 inches vertical, and the section worked from a square into a circle, until the greatest diameter at top of bosh (generally 8 to 9 feet) was reached; from there the inwalls were drawn in until the top or throat of the furnace measured from 2 1/2 to 3 feet in diameter, and over this an iron plate, with a hole 20 to 24 inches in diameter, was placed. The location selected for the blast furnace was generally on the bank of a stream which furnished the water-power, and close to ground, sufficiently elevated to permit of constructing a "bridge-house" from the top of the furnace stack to the general level, on which were placed the charcoal-houses, ore supply, &c.

When ready to start, the furnace was filled with charcoal, lighted on top, and when the fire reached the tuyeres blast was applied, more charcoal was charged, and the burden of ore and limestone, finely broken, was slowly increased; this generally resulted in a production of from 20 to 30 tons of cold-blast iron per week after the furnace was fairly in operation. The fuel used was exclusively charcoal, which was charged into the tunnel-head by baskets, and the ore and flux were fed by boxes; the number of boxes of ore and the number of baskets of charcoal formed the relation of the "charge." The weekly output above mentioned was about the average; at the commencement of a "blast" the product was small, but as the campaign progressed it became augmented, owing to the enlargement of the crucible and steepening of the bosh due to the stones being cut back by the intense heat at the zone of fusion. The walls were too thick to admit of conducting the heat away with sufficient rapidity to maintain the original slope given the furnace.

The small opening in the tunnel-head plate insured thorough distribution of the stock in the limited area of the throat of the furnace, thus aiding to secure regularity of operation. From this opening flame was constantly emitted, varying with each stroke of the blowing machinery. At many iron works pots, kettles, and stove castings were made directly from the furnace by ladling the molten iron out of the large forehearth. The product of the furnace was carried in wagons, often to distant localities, the castings being disposed of in cities and towns, or the pig iron worked into "blooms" or "anchors" at forges. Often a forge was operated in connection with the furnace. Each furnace maintained a general store, and most of the pay due the wood-choppers, charcoal-burners, ore-miners, teamsters, furnacemen, &c., was expected to be expended at the store. In fact, it has been claimed that some old managers would reduce the balance due a workman at the end of the year if it was believed that he had "saved too much," or, rather, "traded too little." The question of "company stores" has caused considerable discussion at various times, and in some States legislation now nominally forbids them, or places restrictions upon their management.

As most of the blast furnaces were located in a section of the country where winter interfered with out-of-door work, and as their construction was such that the interior was rapidly destroyed, the practice of making a "blast" every year was followed. Wood would be cut during the winter, and, as soon as the weather permitted of doing so, hearths would be leveled among the cut timber, wood would be hauled to these hearths, and there piled into "meilers," covered with leaves and earth and fired. After about two weeks of carbonization the charcoal would be "drawn," and hauled by wagons to the furnace. When a sufficient quantity of charcoal had accumulated to insure a regular supply, the furnace was blown in, and, except for some accident, low stage of water or other disturbing cause, it would be continued in blast until all the charcoal which had been made in the coaling season was consumed. This generally permitted the furnace to be active eight or nine months in the year.

The "blowing in" was an important event at the furnace, generally requiring several days, and was ordinarily an annual occurrence each spring, the date being fixed by the possibilities of securing a supply of fresh charcoal. When the furnace was "blown

out" it would be cleaned out, the old hearth, which had become considerably enlarged, would be removed and a new one put in place, when the same yearly routine would be continued. The ores used were chiefly brown hematites, which are easily smelted in the furnace, and they are mixed with a small percentage of lime and clay to flux impurities and make cinder. The cinder was allowed to flow continually over the damstone and form into cakes upon stones laid in the floor of the casting-house. When pig iron was cast the iron passed through one long runner to feed pig-iron molds at right angles to it, one side of the casting-house being devoted to pig iron and the other side to cinder. While many features of plant or practice as described have been abandoned, there are still instances where all of the above-mentioned appliances or methods are in use, and individual plants can be cited for which this description would be practically a record of present arrangement and management. Such instances are, however, becoming less numerous each year.

The stone masonry of the older stacks was often quite massive, and in many cases they were constructed with such integrity that they have sustained successive enlargements of bosh and increase in height. Some stone blast-furnace stacks are still active which are more than a century old. (The Cornwall charcoal furnace, in Lebanon County, Pa., has been an active iron-producing establishment since 1742, and ranks as the oldest plant in operation in the United States.) The openings provided for a working or forepart arch and for tuyere arches were liberal in width, but generally restricted in height, and did not permit of elevating the tuyeres to points now considered advantageous. The tin blast-pipes and light fixtures stood all the work demanded of them, for, even where the water-power was adequate and the machinery strong enough, an old-time founder would not blow hard for fear of destroying the fuel, or, as he expressed it, of "blowing the charcoal to pieces."


While the construction of the blowing apparatus appeared cumbrous and crude, it gave evidence of careful thought and good workmanship. The wooden blowing-tubs were cylindrical or rectangular in form, from 5 to 7 feet in diameter, or square, and from 2 to 5 feet stroke. They were formed of segments or strips cut from 1-inch boards, generally pine, glued and doweled together, and then turned or planed to smooth surfaces. These tubs, when lined with apple or other hardwood, were very durable. Hardwood segments were also placed within tubs made from pine staves secured with bands. Large wooden pistons with leather edging were fitted in the tubs and connected with square wooden piston-rods working in stuffing-boxes. The blowing-tubs, when single-acting, had the inlet-valves in the piston, and, when double-acting, these valves were in the ends of the tubs. Some of these engines were known as "pacers," owing to the motion of the two counterweighted beams which were connected with the two blowing-pistons, but the ordinary appellation for all blowing apparatus was "the blast," whatever its design. A popular arrangement of "the blast" consisted of two vertical single-acting wooden blowing-tubs placed over opposite ends of a vibrating beam which received motion from a crank on the water-wheel shaft; the air was admitted through valves in the piston during the down stroke, and discharged into a third tub placed over the two just described; this third tub had valves in the bottom communicating with the two operating cylinders, and a large floating piston forming the top was weighted with iron to secure the pressure desired; it rose and fell with each stroke of the operating cylinders.

The output of an old-style cold-blast charcoal furnace, 9 feet in diameter at bosh and 28 feet high, was, as stated, from 3 to 5 tons of pig iron per day, the consumption of charcoal being from 150 to 225 bushels per ton. The paper on Mont Alto Furnace work, to which reference has been made in the *Journal of the United States Association of Charcoal Ironworkers*, gives the output of that furnace in 1853, with bosh diameter of 9 1/2 feet and height of 44 feet, as averaging 25 1/2 tons of cold-blast iron on a consumption of 129 bushels of charcoal per ton of iron made. When hot blast was employed the older furnaces of the above dimensions increased their product to from 8 to 10 tons per day, but improved appliances and management have latterly obtained 30 to 40 tons per day from furnaces of practically the same diameter of bosh, but with larger crucibles and greater height, and the fuel consumption has fallen to 100 bushels per ton. In larger and more modern plants of 11 feet diameter at bosh and 60 feet high, a product of 70 tons per day and a fuel consumption of less than 85 bushels of charcoal per ton have been attained.

The massive stone stack, from which the flame constantly rose and fell with the wheezing of the blast, and around which centered the entire interest of a community dependent upon its action, the battery of ore carts and charcoal wagons, with their motive-power represented by 100 braying mules, and the Arcadian simplicity of all the surroundings (save at the mansion house) were characteristics of the old-time furnace. The neat, symmetrical furnace stacks, chimneys and hot-blast stoves, the substantial casting, stock, engine and boiler houses, the absence of flame from the tunnel-head, the puffing of small locomotives drawing ore, flux, fuel, pig iron or cinder, and the quantity of material thus handled, present a strange contrast to the charcoal furnace of 50 years ago. The above is excerpted from a paper upon "American Blast Furnace Practice," prepared by Mr. John Birkinbine for the United States Geological Survey, and to be published in "Mineral Resources of the United States."

The total grain receipts at Montreal during the past nine months were 9,365,000 bushels, and shipments 8,127,000. While the shipments of wheat show an increase of 33 per cent., the shipments of corn, on the other hand, fell off 46 per cent.

NEW AND IMPROVED Buffalo Exhausters,



IN ALL THEIR VARIETY,

For Planing
Mills,
Ventilating
Purposes, &c.

Superior to any
other make.

BUFFALO FORGE COMPANY,
BUFFALO, N. Y.

PENFIELD BLOCK COMPANY
LOCKPORT, NEW YORK.
MANUFACTURERS.

AGENCIES WITH:
H.B. NEWHALL CO.
NEW YORK & BOSTON.

WOOD AND WROUGHT IRON BLOCKS
FOR RAILROAD AND MINING WORK A
SPECIALTY. LARGEST AMERICAN MANUFACTURERS
OF WROUGHT BLOCKS. CATALOGUES FURNISHED AND
SAMPLE ORDERS SOLICITED.

A LEAD PIPE CUTTER
Is just what Plumbers and Tinsmiths have been looking for but never found, until this convenient and almost indispensable tool was invented. It cuts the pipe without either chips or burrs and much quicker than is possible in any other way.

A person once using one would never do without it. For circulars and information, ADDRESS,
R. T. SOLLIS & CO., Brockton, Mass.

**BEST ROOF
METAL SHINGLES**
In the World is the Montross Patent
Cheap, Durable, Handsome, Fireproof.
Absolutely Water-tight.
Proof against Storms, Snow and Ice.
Can be put on by anybody.
Adapted for all classes of Buildings.
Send for Circulars and Price Lists, free.

E. VAN NOORDEN & CO., BOSTON, MASS.

PRIZE MEDALLISTS.
Exhibitions of 1862, 1865, 1867, 1872, 1873, and only Award and Medal for Noiseless Steel Shutters at Philadelphia 1876, Paris, 1878, and Melbourne, 1881.

CLARK, BUNNETT & CO., LIMITED,
LATE CLARK & COMPANY,
Original Inventors and Sole Patentees of
NOISELESS, SELF-COILING, REVOLVING STEEL SHUTTERS,
Fire and Burglar Proof. Also Improved Rolling Wood Shutters of various kinds, and Patent Metallic Venetian Blinds.
Office and Manufactory, 162, & 164 West 27th St., New York.

THE SCHEIDLER POST HOLE DIGGER.
Makes a hole any desired size. Works perfectly in all kinds of soil.

SIMPLE, RAPID, EASILY OPERATED AND DURABLE. DECIDEDLY THE BEST DIGGER MADE.
MYERS, HOUSEL & CO., Manufacturers, CANTON, OHIO.

THE HOPSON & CHAPIN MFG. CO.,
PEQUOT FOUNDRY & MACHINE WORKS,
New London, Conn.
Fine Iron Foundry and Machine Work.

Acquaintance With New Work is Solicited.
The plant of our works embraces complete equipment for Iron Foundry, Machine Shop, Polishing, Bronzing, Japanning, Coppering, Lacquering, Brass Electro-Plating on Iron, and Pattern Designing and Building in Wood, Soft Metal, Brass and Iron.

THE MENEELY HARDWARE CO.,
WEST TROY, N. Y.,
Manufacture Safety and Guard Harness Snaps
Snap-Links for chain adjusting and repairing,
Rope Goods for horses and cattle, Breast Chains
with sleeve snaps, &c., &c.
Price List and Descriptive Catalogue sent free.

THE BOSS UPSET.
Mather's Patent Saw Swage.
SUPERIOR TO ALL OTHERS.
If your Hardware Merchant does not keep it, send \$2.50 to the manufacturer, who will forward it by mail.
Liberal Discount to the Trade. Send for Circular.
JOHN MATHER, Leominster, Mass.,

The "Acme" Lawn Mower AND THE Improved "Easy" Lawn Mower.

The only practical
Forward-Cut
Roller Mowers
ever on the market, combining
Durability with extreme
Light Weight.

Blair Mfg. Co.
Springfield, Mass.



CHAMPION IRON FENCE CO.,
KENTON, OHIO.
Largest Iron Fence and Railing Works in U. S.



SPECIALTIES—Iron Stairs and Jail Work, Builders' and Ornamental Iron Work, and the only manufacturers of Malleable Iron Casting, guaranteed against breakage; also manufacturers of the Celebrated Ohio Champion Iron Fence and Lift Pumps. Send for 150-page Catalogue.

"Empire" Bronzed Horse Nails.

The Livingston Horse Nail Co.,

104 Reade Street, New York,

Sole Agents.

THE PARAGON PRUNING SAW,

WITH
Convex and Concave
Cutting Edges.



Patented
April 1st, 1884

THRUST CUT ON THE CONVEX EDGE.

A Fair Trial will Demonstrate that this is the best DOUBLE-EDGED SAW for Trees or Vines.

DRAW CUT ON THE CONCAVE EDGE.

WHEELER, MADDEN & CLEMSON, Middletown, N. Y.
VIRGINIA NAIL AND IRON WORKS COMPANY,
LYNCHBURGH VIRGINIA.

NAILS and Bar Iron of Superior Finish, made exclusively from Pig Iron.

**Patented Articles of
Malleable Iron.**
Hammer's Malleable Iron Oilers.
Three Sizes. Nos. 1 & 2 & 3.



Hammer's Adjustable Clamps.
Hammer's Mail Iron Hand Lamps.
Hammer's M. I. Hanging Lamps.
NEW pattern Heavy Screw Clamps; strongest in the market.
For sale by all the principal Hardware Dealers
Send for Price List.
Malleable Iron Castings
of superior quality, and Hardware Specialties in
Malleable Iron made to order.
HAMMER & CO.,
BRANFORD, CONN.

WM. MANN, JR., & CO.,
LEWISTOWN, PA.
Manufacturers of
**RED WARRIOR
AXES,**
BROAD AXES,
Adzes,
Broad Hatchets,
Spanish Axes
and Tools.
Branch Office,
97 Chambers St., N. Y.
E. A. BOLMES Mgr.

PATENTS.

Send sketch or model for FREE opinion as to patentability and 70-page book on Patents; 15 years' experience; four years examiner in U. S. Patent Office. Mention this paper.
E. B. STOCKING, Atty., Washington, D. C.
The T. E. Bullock
The Best for the Money.
BELLOWS FORGES
Cleveland, Ohio.

PERRINE PATENT
Curved Blade **HOE** Double Shank

Manufactured only by the



CANTON HOE & TOOL CO.,
CANTON, OHIO, U. S. A.



PRICES QUOTED ON APPLICATION.

**HUSSEY,
BINNS
& CO**
(LIMITED),
PITTSBURGH.

BRANCH OFFICE:
97 Chambers Street, New York
E. A. BOLMES, Manager.



One Dozen (Box), No. 890, Opened Ready for Sale in Store.

GALLOWAY BOILER

IMPROVED UNDER PATENTS OF 1875 AND 1876.

Safety, Economy in Fuel, Low Cost of Maintenance, Dry Steam without Superheating, Large Reserve Power,

ARE THE ADVANTAGES OFFERED BY THIS BOILER IN A PRE-EMINENT DEGREE.

3000 Horse-Power in Progress and for Immediate Delivery. Correspondence Solicited.

EDGE MOOR IRON COMPANY,

SOLE LICENSEE AND MANUFACTURER FOR THE UNITED STATES,

POST OFFICE, WILMINGTON, DELAWARE.

Philadelphia Office, 1600 HAMILTON STREET.

New York Office, 79 LIBERTY STREET.

WM. SELLERS, Pres.

JNO. SELLERS, JR., Vice-Pres.

ELI GARRETT, Sec. and Treas.

GEO. H. SELLERS, Gen. Supt.

BELLAIRE STEEL NAILS

MANUFACTURED BY THE

BELLAIRE NAIL WORKS,

ALSO

STEEL SLABS FOR NAILS.

OFFICE AND WORKS,

BELLAIRE, OHIO.

DURRIE & McCARTY, 97 Chambers St., New York, Sole Eastern Sales Agents.

MANUFACTURERS OF AND DEALERS IN ALL KINDS OF

FOUNDRY-FACINGS

PLUMBAGO OR BLACK LEAD

For All Purposes.

ALSO SHIPPERS OF THE CELEBRATED

CINCINNATI MOLDING SANDS

For Stove Plate, Heavy and Light Machinery, Agricultural and Brass Work.

Agents for MONK'S CELEBRATED MOLDERS' TOOLS.

Send for Illustrated Catalogue and Price List. No charge for Samples.

EAGLE

THE LARGEST FACING MILLS IN THE WORLD. Capacity, 650 Barrels Per Day.

FOUNDRY-SUPPLIES

MILLS

HEAVY MACHINERY

AND FINE

STOVE PLATE FACINGS

A Specialty.

S. OBERMAYER FOUNDRY SUPPLY MFG. CO.,

CINCINNATI, OHIO.

Mt. Carmel Ox Shoes

WITH STEEL TOE CALKS.

The Best and Cheapest Ox Shoes Made.

Miller's Patent Forged Ox Shoes.

Eagle Screw Clamps

10 Sizes: 2 to 12 inch Opening.

Coach and Carriage Hardware and Fine Mountings

in great variety. Correspondence Solicited.


WOODRUFF, MILLER & CO., Mfrs., Mount Carmel, Conn., U. S. A.

BUCKEYE

JUNIOR

LAWN MOWER.

Made in Four Sizes: 10, 12, 14 and 16 inch cut. Most reliable Mower in use. Easy to work, strong and durable.



OSBORN MFG. CO.

TRADE MARK

BLEECKER ST. NEW YORK.

The Original Inventors and Manufacturers of the

"OSBORN"

Bright Metal Cages, in Brass, Bronze and Silver Plate.

NEW AND BEAUTIFUL DESIGNS JUST OUT.

Samuel Martin,

MANUFACTURER OF

Theatrical Hardware,

127 Eighth Avenue, NEW YORK.

We also Manufacture Brass and Bronze Show Stands for Fancy Goods. Catalogues Mailed Free.

English Letter.

(From Our Regular Correspondent.)

LONDON, SEPTEMBER 21, 1885.

THE SITUATION

is very much the same as that reported upon in my last letter, yet that it should be no worse must be counted as being a distinct gain. Something has been gained during the previous two or three weeks, and if we have maintained the foothold thus gained it has to be regarded as being a distinct achievement. You know my views as to the policy of "not prophesying unless you know." I repeat the maxim, and for the present quite decline to commit myself to the absolute statement that we are going ahead rapidly. I am prepared to state, nevertheless, that matters are mending, and that in many branches of the iron, steel and hardware industries there is a welcome process of filling up order books in progress. So far, with but three or four exceptions, there has been no recognizable stiffening of selling values, but it is clearly only a matter of time for that effect to be produced, should there be no "backwardation" in the meantime. Perhaps the most satisfactory feature of the entire situation is the fact that the orders for miscellaneous hardware are much more numerous—indeed, I hear of agents declining to book further commissions for bedsteads, chains, cables and some other lines of goods. When this state of things has come about it is abundantly clear that excellent employment is being found for large numbers of men, besides which it is an evidence of the purchasing powers of the home and exports markets which cannot well be disregarded. In these smaller lines there is comparatively little speculation, so that the condition of such industries is a much better index to the true state of business than the iron market, which is open to many outside influences which are not always exerted in a proper manner. This week again, therefore, I have to present a report which in the main is favorable, although I am anxious that your people should clearly understand that I am no believer in a boom—either present or to come in the near future. The evidence we have shows that there is an improvement which is pretty general, even if not great, and that we are gradually acquiring work which is likely to give occupation to our works for some months ahead. There is as yet no foundation for more than fractional advances in values, but what I have chosen to term the "filling-up" is good of itself, and is one of the several conditions which, if fulfilled, can scarcely fail to lead us on to higher and better things. You still hold the key to the immediate future, and as that is the case it would be worse than useless for me to attempt anything in the nature of vaticination.

SCOTCH PIG IRON

has been somewhat lively during the week, speculators having knocked warrants up and down in their efforts to cover themselves properly. Great attention is being paid to the course of the American market by all parties in consequence of the editorial utterance to which I called attention last week, which was largely referred to as being authoritative by the newspapers, from the Times downward. There are now 89 furnaces at work, as against 94 a year ago, and the stock in Connal's stores is 622,000 tons, against 584,500 this date 1884. Shipments are about 84,000 tons in arrears this year. Current prices are:

Deliverable alongside.	No. 1	No. 3.
Gartshore, at Glasgow.....	46/6	44/3
Coltness, ".....	50/6	46/
Langloan, ".....	48/6	45/6
Summerlee, ".....	47/6	44/
Calder, ".....	52/	44/
Carnbroe, ".....	46/	43/6
Clyde, ".....	46/6	42/6
Monkland, ".....	43/3	41/3
Quarter, ".....	43/	41/
Govan, at Broomfield, ".....	43/3	41/3
Shotts, at Leith, ".....	47/6	46/6
Carroll, at Grangemouth, ".....	51/	47/
Kinnell, at Boness, ".....	44/6	43/6
Glengarnock, at Ardrossan, ".....	46/	42/6
Eglinton, ".....	42/6	39/9
Dalmellington, ".....	44/	41/

THE IRON MARKET

has been tolerable steady on the week, taking an all-round view of the situation, and values may be said to have been fairly well sustained. As I remarked last week, a certain amount of speculation has been encouraged and developed by the newspaper paragraphing of the past 10 or 14 days, but it is probable that no particular mischief has been wrought thereby. Glasgow warrants have been the principal medium of speculation, and they have had variations which have doubtless afforded useful margins to the more experienced dabblers, but it is doubtful whether there has been any serious buying for investment on the part of the outside public. Pending the receipt of intelligence from the United States recording a sound investment in prices there, we need not expect any further considerable advance here, but the moment staple quotations are advanced in the States a good deal of activity may be looked for in Great Britain. The latest mail advices from New York, Philadelphia and other leading commercial centers speak of a decided increase in the volume of business, and on all sides confident hopes appear to be entertained in respect of the fall trade. From British North America my own advices are couched in hopeful terms; hence we may reasonably anticipate a better state of things before long. From South Africa there come improved reports, and India, with Singapore and the whole of the far East, are likely to buy more largely. Australian advices are not very encouraging, Sydney in particular being overdone with consignment goods; but those colonies are very good customers and may be relied upon to take an average supply of goods from us. In some parts of Europe the markets are a little better, although they are really waiting for their cues from this country, while orders from most parts of South America and the West Indies are somewhat larger in certain lines. The home market appears to be steady, and in some respects is yielding good results, but there is no boom, and will be none, unless it should be started from outside sources. Briefly, then, the improvement of the past fortnight or so is reasonably well maintained and the outlook, from any point of view, is distinctly brighter than it was a month ago. Order books are being

filled up in a quiet and satisfactory manner, and with no relapse for another two or three weeks a respectable amount of occupation may be counted upon up to Christmas.

At Glasgow warrants have fluctuated between 42/8 and 43/4 ton, averaging about 43/, and a considerable number of transactions have been recorded, mostly of a speculative nature. In Scotch special brands business is quiet, and some quotations are about 6d. easier on the week, neither the shipping nor local demand being sufficiently large to warrant the maintenance of the higher rates asked by some of the smelters as an outcome of the rise in warrants. As a matter of fact, shipments from the Clyde are very indifferent, and are some 84,000 tons less than to the same date of last year, while the quantity of pig iron imported into Scotland from the North of England has been augmented by 82,100 tons. At Middlesbrough the market may be considered steady on last week's basis of 33/ @ 33/6 ton, but it is pretty certain that good buyers are able to satisfy their requirements at the lower limit. Shipments are good, as is usual at this season of the year, but the local consumption is unsatisfactory. Hematite pig iron is quiet at about 43/, and does not appear to be meeting with a good forward demand, owing to the quietude of some of the larger rail mills. Elsewhere crude iron is steady, but transactions are not numerous, owing to the proximity of the end of the quarter and the impression among the smelters that the quarterly meetings may bring a general stiffening of selling values. Heavy manufactured iron is in good request for engineering purposes on large contracts, but new orders are not numerous. In fencing wire there is no amelioration worthy of special mention, and the German houses still seem to have the pull. Galvanized sheets are in good request and the leading makers are all well engaged. There are rumors that the recent advance is not being invariably insisted upon, yet in a general way we think the reputable brands are 5/ ton dearer. In ordinary finished iron the business being done is on a rather more liberal scale, but in many cases negotiations are being suspended until quarter day, except in the relatively rare instances in which vendors are willing to close at the late quotations. Sheets, however, are almost universally firmer and the producers of this class of rolled iron are very well supplied with orders of common and medium bars; purchases are being made by consumers and merchants somewhat more freely. Common Welsh bars in India assortments may be called £4. 17/6 @ £5 ton, while other ordinary bars range from £5. 5/ upward. Marked bars are £7 @ £7. 10/, as heretofore. Old materials are rather more firmly held in view of a possible enlargement of the United States demand, but there is as yet very little movement in that direction.

Freights are about the same, pig iron by ordinary steamers from Glasgow to New York remaining at the nominal rate of 1/6 ton. Liverpool and other rates are not firmer, although they would probably become so were any augmentation of the American demand to arise. Steel is not notably changed since my last report, but the general improvement has not been without its effect upon several departments of the industry. In converted and crucible sorts a moderate business is being transacted, while several Sheffield firms are doing well in special forgings and castings. For Bessemer rolled sorts the current call is quiet, but most of the producers of mild steel castings, sheets, plates, &c., are fully engaged, with good prospects. Steel rails are again without special alterations to note, ordinary heavy sections of D. H. being £4. 17/6 ton. A few new orders have been given out for India, &c., but some of the mills have very little work assured. Perhaps the best employed concern at the moment is that which is not within the association.

TIN PLATES.

The improvement noted last week continues; not that there is a vast amount of business doing, but that the tone is firm, because there is no pressure of plates on the market. The inquiries are very numerous, and, though nothing like the whole of these have resulted in business, yet a great many orders have been pulled through. There has been a distinct advance even for ordinary coke tins, inasmuch that there are plenty of buyers now at 14/ 1C, whereas a week or two since 13/9 was the utmost figure talked of or offered for any of the general run of coke tins. The case has been reversed once more, and the difficulty is to get quotations for all the plates that are required for at present. The intention is to wait a little longer, in order to see the effect of the third stop week, and therefore it is considered that there must of necessity be a great scarcity of plates next week. The numerous inquiries this week have been for all classes of plates, and more especially for Bessemer steel plates and coke-tin plates, and when orders are placed for the former they fetch from 14/6 to 14/9, and the latter 14/ to 14/6 1C for ordinary good brands. The inquiries for Siemens steel plates with coke and charcoal finish, and charcoal tin andterne plates, though not so numerous as for cokes, have been for fairly good quantities. The former fetch 15/ 1C easily now, and the two latter 16/ @ 17/ and 13/6 @ 14/6 1C. The orders resulting from the inquiries made for ternes are not at all in accord with the demand, but it is all a question of price, and, if sellers' prices are not paid now, it is felt to be more than certain that they will have to be paid later on, and that very soon now, the general belief being that we are now in for a steady, if slow, improvement in prices all round. There is a brisk demand for coke-tin wasters at 12/9 @ 13/, but there are none to be had under 13/3 @ 13/6.

Since 1813, pieces of native iron have been brought from Greenland by many explorers, and have in nearly every case been ascribed to meteoric origin. Steensstrup, in his third voyage to Greenland (1876-80), however, found the iron native in a basaltic rock at Asuk, in grains varying from a fraction of a millimeter to 18 mm. It is also found on the western and northern sides of Disko Island and in other places. This settles beyond a doubt the question of the origin of the Greenland native iron.

The Iron Age

AND

Metallurgical Review.

New York, Thursday, October 8, 1885.

DAVID WILLIAMS, Publisher and Proprietor.
JAMES C. BAYLES, Editor.
JOHN S. KING, Business Manager.
CHAS. KIRCHHOFF, JR., Associate Editor.

RATES OF SUBSCRIPTION, INCLUDING POSTAGE.

UNITED STATES, BRITISH AMERICA AND SANDWICH ISLANDS.

Weekly Edition: \$5.00—\$1.25 francs—20 marks—12 florins—6 roubles (coin)—25 lire—20 pesetas.

Semi-Monthly Edition: \$2.50—10/12 francs—5 marks—10 florins—5 roubles (coin)—12 1/2 lire—10 pesetas.

Monthly Edition: \$1.15 a year. Issued the first Thursday of every month.

TO ALL OTHER COUNTRIES. PER ANNUM, POSTPAID.

Weekly Edition: \$5.00—\$1.25 francs—20 marks—12 florins—6 roubles (coin)—25 lire—20 pesetas.

Semi-Monthly Edition: \$2.50—10/12 francs—5 marks—10 florins—5 roubles (coin)—12 1/2 lire—10 pesetas.

Monthly Edition: \$1.15—5/6 francs—5 marks—10 florins—5 roubles (coin)—12 1/2 lire—10 pesetas.

REMITTANCES

should be made by draft, payable to the order of David Williams on any banking house in the United States or Europe; or, when a draft cannot be obtained in postage stamps of any country.

NEWSDEALERS OR BOOKSELLERS

In any part of the world may obtain *The Iron Age* through the American News Company, New York, U. S. A.; the International News Company, New York, U. S. A.; and London, England; or the San Francisco News Company, San Francisco, Cal., U. S. A.

RATES OF ADVERTISING.

One square (12 lines, one inch), one insertion, \$2.50; one month, \$7.50; three months, \$15.00; six months, \$25.00; one year, \$40.00; payable in advance.

BRITISH AGENCY.

Office of THE IRONMONGER, 42 Cannon St., London.

DAVID WILLIAMS, Publisher,
63 Reade Street, New York.

PITTSBURGH, 77 Fourth Avenue.
J. D. W. Manager and Associate Editor.
PHILADELPHIA, 220 South Fourth Street.
THOS. HOBBS, Manager.

CHICAGO, 36 and 38 Clark St., cor. Lake.
J. K. Hanes, Manager.

CINCINNATI, 13 West Third Street.
HENRY SMITH, Manager.

CHATTANOOGA, Ninth and Carter Streets.
S. B. Lowe, Manager.

SOLE AMERICAN AGENCY FOR

THE IRONMONGER.

Published at 42 Cannon St., London.

The oldest and leading representative of the British iron and hardware trades.

Subscription, Postpaid, \$5.00

to countries outside of Great Britain, including Monthly Foreign Supplement and one copy of the Ironmonger's Diary.

By a mutual clubbing arrangement between the two journals, subscriptions to both will be received by either *The Ironmonger* or *The Iron Age* on the following terms:

THE IRONMONGER and THE IRON AGE, Weekly

In the United States and Canada, \$7.50 or £1.10s

In Great Britain and Ireland, 3.25 or 12s

In other countries, 3.50 or 12s

THE IRONMONGER, Weekly, and THE IRON AGE, Monthly.

In the United States and Canada, \$6.75 or 9s 3d

In Great Britain and Ireland, 3.25 or 12s

In other countries, 3.75 or 12s 6d

Condition of the Blast Furnaces of the United States, October 1, 1885.

Our regular quarterly report as to the condition of the blast furnaces of the United States is given on the next page. Reports from four charcoal furnaces—those in Minnesota, Texas, Utah and Oregon—are missing. It was deemed better not to delay the publication of the report for these returns.

In a condensed form the table makes the following showing as to the condition of the furnaces October 1, 1885:

Fuel.	In blast.		Out of blast.	
	No.	Weekly capacity.	No.	Weekly capacity.
Charcoal	62	8,066	163	18,866
Anthracite	75	20,318	144	33,136
Bituminous	88	43,234	136	51,573
Total	225	71,618	443	103,575

A month ago there were 78 anthracite furnaces in blast, with a weekly capacity of 20,190 tons, and 83 bituminous, with 42,663 tons capacity, practically no change in the month. Accompanying the reports received, however, were statements that indicate that the number of bituminous and anthracite furnaces in blast will be somewhat increased during the present month. This is in most instances due to a reduction in stocks. One Eastern furnace reports that it has sold the 10,000 tons of stock on hand (Bessemer) at \$1 a ton better than could have been obtained January 1, and will blow in at once. Others report, as in Maryland, that if there has been a boom in iron or an increase in prices it has got lost before it reached them. The general reports as to stocks are that there have been more sales than in summer, but it is not believed that the increased demand will continue.

In the following table will be found a comparison of the furnaces in blast on the first of

each quarter of the present year, and capacities:

FURNACES IN BLAST AND CAPACITY OF SAME ON THE FIRST OF EACH QUARTER IN 1885.

1885.	Charcoal.		Anthracite.		Bituminous.	
	No.	Weekly capacity.	No.	Weekly capacity.	No.	Weekly capacity.
January 1	68	8,371	86	21,564	82	36,812
April 1	68	7,481	82	21,704	90	45,655
July 1	50	7,692	81	20,444	92	43,945
October 1	62	8,066	75	20,318	88	43,234

Compared with a year ago the condition is as follows:

Fuel.	No. in blast.		Weekly capacity.	
	1884.	1885.	1884.	1885.
Charcoal	60	62	8,600	8,066
Anthracite	86	75	23,339	20,318
Bituminous	79	88	40,410	43,234
Total	225	225	72,349	71,608

The total of furnaces in blast is somewhat less than it was a year ago, as is also the total capacity, but the capacity of the anthracite furnaces and the number in blast are considerably less, while the bituminous furnaces in blast are nine more and the weekly capacity nearly 3000 tons greater.

The following table gives the number of furnaces in and out of blast on the 1st of October for the last eight years:

FURNACES IN AND OUT OF BLAST OCTOBER 1, 1878-85.

Date.	Charcoal.		Anthracite.		Bituminous.	
	In blast.	Out of blast.	In blast.	Out of blast.	In blast.	Out of blast.
1878	83	156	88	135	80	133
1879	97	150	128	112	90	112
1880	153	116	143	96	128	90
1881	158	119	148	87	134	87
1882	158	98	157	73	138	111
1883	104	145	122	110	114	110
1884	69	175	86	141	79	146
1885	62	163	75	144	88	136

Railroad Mileage in Progress and Projected.

The *Railway Age* has come forward with a statement which holds out great promise for the future. Our contemporary, which has already earned a reputation for its promptness in printing annually early statements of new mileage, has this time undertaken to give data in regard to the amount of railway work in progress, and the mileage of railroads proposed. In its last issue the *Railway Age* prints a summary of the record prepared, covering, so far as attainable, the number and the mileage of the railroads in process of construction, organized or projected since January 1, 1885. The following is a recapitulation by groups of States of detailed figures given for each State and Territory:

States.	In progress.		Proposed.		Total.	
	No. roads.	Miles.	No. roads.	Miles.	No. roads.	Miles.
New Eng'd.	7	203	16	611	23	813
Middle	33	688	90	1,645	123	2,333
Southern	58	2,193	122	7,231	178	9,414
Western	99	5,077	100	22,619	199	27,696
Pacific	19	1,088	31	3,049	50	4,137
Grand totals	307	9,248	419	35,145	726	44,393

The most valuable, because probably the most trustworthy, data contained in the table are those relating to the mileage in progress. Our contemporary states that 2000 miles of the roads thus classified have been already constructed during the current year. The figures given justify the conclusion that during the coming year the balance of the work now returned as being in progress will be carried to completion, or at least that the material required for it will be purchased during the next 12 months. If only a part of the 7000 miles of railroad are finished during the next 12 months, and not one of the projects come to an issue, the building season of 1886 and the buying and contracting for material preceding it will be much heavier than the average of the past two years. We are inclined to be somewhat skeptical concerning the large amount of railroad work returned as being "proposed." The *Railway Age* distinctly states that the list from which the figures have been compiled "contains only the enterprises in regard to which some activity, either in organization or construction, has been exhibited since the commencement of the present year, and does not include a very large number of undertakings of previous years which have been lying dormant, and many of which will awake to new life." Our contemporary adds, in review of its figures: "Of course some of these projected roads will not soon be built—a few of them will never be undertaken. But an examination of the table will show that the number of enterprises in most of the States is large as compared with the aggregate mileage, indicating that the greater part of the proposed roads are to be short local lines intended for the legitimate needs of communities, and generally wanted to give connection with existing roads in the vicinity or to open up regions destitute of railway facilities."

In spite of this explanation, we cannot escape the conviction that our contemporary has probably been very liberal in its construction of the term "proposed railroad." It is difficult, if not impossible, to draw the line between enterprises well backed and likely to be carried through and schemes which never get beyond the paper stage. This conviction is strengthened by the fact

that as yet there has not been any noticeable movement in the placing of new enterprises in the financial centers of the country, chiefly, we presume, because any attempts of that kind have been practically labor lost. We have no doubt whatever that, so soon as there should be developed any disposition to look favorably upon new railroad schemes, a bountiful supply would be forthcoming, and it may be that far-sighted promoters are even now engaged in the preliminaries. But the lessons of the past have not been forgotten yet, and the profits of shareholders in existing railroads and the wealth accumulated by speculators have not yet become so tempting as to cause a rush into railroad building. We are willing to concede that a large share of the work "in progress," and possibly of the railroads "projected," are undertaken as extensions of existing lines; but, even making full allowance for that fact, the efforts to raise the funds for so large an amount of work would attract a good deal of attention in a financial center like New York. Until now it has not been felt. On the contrary, those capitalists who are most immediately and most heavily interested in railroad property have devoted their means to buying large blocks of the stocks of existing enterprises, and, until they have realized large profits by selling to the outside public, who still keep aloof, they cannot be expected to look with favor upon projects.

The showing of our contemporary, so far as work actually under way is concerned, is certainly the most gratifying piece of news which the iron trade has had for a long time, and the enterprise of the *Railway Age* will be generally and heartily commended; but the large figures relating to projects are, we fear, apt to raise hopes for the early future which would be doomed to disappointment. The situation does not warrant the realization of even a fraction of them in the near future.

The August Import Returns of Iron and Steel.

Mr. William F. Switzer, Chief of the Bureau of Statistics, has just issued his statement for August of the imports and exports. According to this document, the imports of dutiable merchandise have fallen off, during the first eight months of the respective years, from \$306,027,301 in 1884 to \$258,683,359 in 1885, while the imports of articles on the free list decreased from \$132,517,663 to \$121,860,918, making the total imports of the first eight months only \$380,544,277 in 1885, against \$438,544,964 in 1884. The returns for August alone, however, indicate that latterly the business done is more equal, the figures for August of this year and of last standing at respectively \$50,408,133 and \$50,662,760.

The exports, too, show a decline, though the decrease is only roughly about one-half of that in the imports. For the first eight months of 1884 their value is given at \$441,431,855, while for the corresponding period of 1885 the aggregate is only \$315,356,684. At the end of August, 1884, the excess of exports of merchandise over imports was \$137,835,567, while at the end of August, 1885, it revealed an excess of \$45,578,733. Taking merchandise and coin and bullion together, the excess of exports at the end of the periods stand \$49,312,130 in 1884, against \$56,310,159 in 1885.

Turning now to the imports of iron and steel for the month of August, 1885, and for the first eight months of the calendar years 1884 and 1885, we have:

Imports of Iron and Steel—Gross Tons.	August.		Eight mos.		Eight mos.	
	1885.	1884.	1885.	1884.	1885.	1884.
Iron ore	89,902	287,994	377,480	377,480	377,480	377,480
Pig iron	9,921	94,430	120,979	120,979	120,979	120,979
Wrought and cast iron scrap	1,191	8,654	17,907	17,907	17,907	17,907
Steel scrap	12	1,190	4,750	4,750	4,750	4,750
Bar iron	2,908	17,948	23,555	23,555	23,555	23,555
Iron rails		26	84	84	84	84
Steel rails		1,883	2,470	2,470	2,470	2,470
Iron and steel cotton ties	3,719	11,461	8,318	8,318	8,318	8,318
Hoop, band and scroll iron		91	84	84	84	84
St'g hoops, bds., strips and pils	181	704	909	909	909	909
St'g ing's, b'ns, slabs, billets & bars	1,760	14,939	15,944	15,944	15,944	15,944
Sheet, plate and tapers iron	296	2,239	3,446	3,446	3,446	3,446
Tin plates, tenn plates or taggers tin	20,542	162,166	150,890	150,890	150,890	150,890
Steel and iron wire rods	5,234	54,131	80,858	80,858	80,858	80,858
Iron and steel wire, rope and strand	223	1,285	1,862	1,862	1,862	1,862
Anvils, axes & iron or steel forgings	58	379	636	636	636	636
Iron or steel chains	62	349	675	675	675	675
Cutlery	\$131,505	\$881,835	\$1,213,263	\$1,213,263	\$1,213,263	\$1,213,263
Files, file blanks, rasps & floats	2,218	29,819	28,154	28,154	28,154	28,154
Firearms	100,191	494,716	916,144	916,144	916,144	916,144
Machinery	59,642	543,327	798,320	798,320	798,320	798,320
Needles	24,788	219,186	259,746	259,746	259,746	259,746
All other manufactures, n. e. s.	102,075	934,138	1,780,855	1,780,855	1,780,855	1,780,855
Total value of imports of iron and steel	\$2,654,621	\$21,036,351	\$36,325,815	\$36,325,815	\$36,325,815	\$36,325,815

Except in the case of tin plates and of cotton ties the quantities imported show a decline throughout. The imports of tin plates account for nearly one-half of the total value, having been \$11,835,983 in the first eight months of 1884, and \$11,359,424 in 1885. The figures show that there has been a fairly large growth in the consumption, more than offset by a decline in price. The next heaviest item is that of wire rods, valued at \$2,950,323 in the eight months of 1884 and only \$1,735,662 in 1885, followed by pig iron with \$2,280,092 and \$1,654,928 respectively.

The falling off in cutlery, firearms and machinery, too, deserves to be specially noted.

A small part of the foreign iron and steel is re-exported, the total value in the first eight months of 1884 being \$815,476, and in 1885 \$422,777. Altogether the showing is one favorable to our home industry.

Among the imports of metals and manufactures of metals we note the following:

Imports of Metals.	August.		Eight mos.		Eight mos.	
	1885.	1884.	1885.	1884.	1885.	1884.
Tin, gross tons	1,554	6,448	7,108	7,108	7,108	7,108
Copper ore, fine copper contained, lbs.	343,878	2,450,981	1,736,345	1,736,345	1,736,345	1,736,345
Pig and old copper, lbs.	191,051	582,877	107,564	107,564	107,564	107,564
Spelter, lbs.	170,352	1,965,940	2,880,191	2,880,191	2,880,191	2,880,191
Brass and manufactures of brass	\$49,507	\$390,197	\$308,638	\$308,638	\$308,638	\$308,638
Clocks and parts of clocks	31,660	115,325	301,431	301,431	301,431	301,431
Man's of copper	6,096	57,899	164,008	164,008	164,008	164,008
Lead and manufactures of lead	61,299	444,785	144,003	144,003	144,003	144,003
Bronze man's of	57,317	351,001	284,360	284,360	284,360	284,360
All other metals, metal compositions and manufactures, Man's of zinc	188,505	863,362	1,075,084	1,075,084	1,075,084	1,075,084
	2,909	22,956	59,496	59,496	59,496	59,496

Small quantities of a number of the articles enumerated are re-exported. In some instances exports of domestic merchandise of the same character are much larger than the imports of similar goods from abroad. A glance at the following tabular statement will illustrate this:

Exports of Metals.			
	August, 1885.	Eight months 1885.	Eight months 1884.
Copper ore, tons. .	3,174	34,854	21,439
Ingot copper, lbs. .	2,774,496	36,107,022	10,357,794
Copper sheets, lbs. .	361	28,971	57,374
Quicksilver, lbs. .	\$1,306	\$31,160	\$408,422
Brass, man's of	\$6,511	\$305,162	\$258,516
Clocks and parts of	78,533	733,373	779,406
Man's of copper	7,733	78,015	99,637
Man's of lead	4,475	67,430	95,045
Plated ware	27,347	273,630	311,239
Man's of tin	11,709	95,577	106,905
Man's of zinc	2,250	21,059	23,074

(Compiled for The Iron Age.)

be fully up to the average of past years.

THE WEEK.

The New York Chamber of Commerce, through formal resolutions, express fear that the proposed treaty negotiated with Spain and awaiting the action of Congress may work prejudicially to the interests of the United States, and call upon the authorities at Washington to make its provisions public so that there may be full opportunity for discussion.

J. R. Whiteley, director-general of the American exhibition to be held in London next year, is said to have secured the co-operation of a large number of firms in Philadelphia. Machinery of all sorts, steam engines, the cotton, iron and steel industries, electric appliances, tobacco manufacturing, wool growing and spinning, cattle raising, silver and gold mining, coal and oil getting, are among the things that will be represented.

Mr. T. H. Thornton, late secretary to the Government of the Punjab, in an article in the *London Chamber of Commerce Journal*, endeavors to show, and with much force of argument, that India can produce wheat cheaper than the United States, and can compete with us favorably in the British markets.

The failure of the Jeffersonville Plate Glass Co., in consequence of inability to compete with the superior advantages possessed by Pittsburgh in its supplies of natural gas, forms a common topic for remark. The *Pittsburgh Times* says it illustrates the fact that success in business now can be assured only by employing the largest facilities and making the most out of them through high skill and close economy. Instead of being dependent on importers at the present day, some of the best plate glass in the market is manufactured in the United States.

A leading authority on railway matters speaks of a surprising activity in railway building, particularly in the Southern States. No less than 178 lines, with a proposed aggregate of 9000 miles, are reported in the 10 States east of the Mississippi commonly included in "the South." A detailed record of the past nine months shows the total number of new roads in progress and proposed in the United States to be 626, with a total mileage of 44,392. This mileage of proposed new roads and those already in progress of construction is distributed as follows: New England States, 813; Middle States, 2333; Southern States, 9414; Western States, 27,696; Pacific States, 4137. The greater part of the proposed roads are to be short local lines intended for the legitimate needs of communities, and generally wanted to give connection with existing roads to open up regions destitute of railway facilities. In the Carolinas, Georgia, Florida, Alabama and Tennessee this activity is especially notable and cheering.

A correspondent of the *St. Louis Globe-Democrat*, writing from Japan, gives an interesting account of the great tea industry of the country, and says that America is the chief and almost sole market for Japan tea. At Kobe, where the principal manufacturers are located, there are nine British and two American firms engaged in firing and exporting tea, and the estimate of the amount sent out by them this year is about equal to the 14,296,393 pounds shipped from one port last year, and valued at \$3,221,481.06.

Closer business connections with Mexico are contemplated by enterprising citizens of Pittsburgh. One of the local editors says: "The first step to be taken is to make known to Mexico our capacity to supply her wants in very many respects, more especially in the line of machinery and manufactured articles required in that country."

Liberal amounts are being subscribed in New Castle, Pa., to purchase lands on which to locate the works of the Columbia Iron Co., who propose to build there.

The new iron foundry to be erected in San Francisco will have a front of 275 feet on Mission street, and will cost \$400,000. The first story will be wholly of iron.

The Boston Fish Bureau, which represent the principal fish dealers and commission merchants in that city, call upon the Government at Washington to establish such relations between the United States, the Dominion of Canada and the Province of Newfoundland as shall include the reciprocal admission, free of duties, of the products of the fisheries of these countries. They represent that, contrary to a common impression, the larger proportion of the men engaged in the New England fisheries are inhabitants of the Dominion, and that in the event of war with England they would be found in the enemy's fleet. The bureau ask: "Is it fair that we should be taxed for their support, or that a few owners of fishing vessels should reap an advantage obtained at the expense of the great body of consumers of fish in all parts of the country?"

Important action was taken by the railroad presidents who met in this city a week ago, President Roberts, of the Pennsylvania, presiding. A resolution was unanimously passed "that we hereby pledge ourselves that we will not allow any variation to be made from established east-bound rates by any officer, agent or employee of our lines, and that upon the request of the commissioner, when evidence satisfactory to him has been presented that established rates

have been cut by a connecting road or its connections, even though the reduction may be made in its or their own proportion of the rate, we will withdraw all prorating arrangements, and will not accept from such connecting roads through bills or through cars, but will cause the rebilling and transfer of the property at full tariff rates from junction points, and we further agree that any agent under our control who may be shown to be quoting less than or instrumental in cutting established rates, either by rebate or otherwise, shall be discharged. Provided, that any line may withdraw from this resolution upon 10 days' notice to the commissioner or notice given at any presidents' meeting called for the purpose."

The old dry-goods firm of Bates, Reed & Cooley, which last year did a business of \$12,000,000, expire by limitation December 31, and their entire stock will be sold at auction within a few days, at 12 per cent. discount for cash. Mr. Bates alone will remain in the jobbing trade. The firm have been in existence, under different names, 31 years, and never suspended business for one day.

The Argentine Republic is coming to the front rapidly. Its railroads last year carried 46 tons of horns, 461 of horse hair, 2259 of hides, 14,391 of sheepskins, 548 of various skins not classified, 3942 of grease and tallow, 1956 of bones, 62,499 of wool, and 5 of feathers; in the line of agricultural products, 3315 tons of bran, 1746 of barley, 19,457 of grass and hay, 24,916 of flour, 13,144 of linseed, 19,563 of corn, 121 of peanuts, 2619 of turnips, and 77,150 of wheat. Miscellaneous business consisted of 47,045 tons of provisions, 133,256 of building material, 38,654 of live stock, 16,074 of hardware, and 28,795 of timber.

Business in rolling-mill machinery, according to the statement of a Pittsburgh firm, is very good. "There is plenty doing," said the speaker, "and we would not growl were prices improved proportionally. But that will come along; as soon as one establishment makes a break in the line toward better figures the others will follow quickly."

According to the reports of American consuls to the State Department, licorice can be cultivated successfully in California, Texas and most of the Southern States. The United States last year imported 40,000,000 pounds of the root, valued at \$800,000.

Mr. Page, Chief Engineer of Canals in the Dominion, is engaged in preparing plans for the proposed enlargement of the Welland Canal, to admit vessels drawing 14 feet of water. The execution of the work will occupy a period of two or three years, and the estimate cost is \$1,000,000, for which an appropriation was made last session. Tenders will be called for before long. The first will be for heavy timber for the lock gates; then will come the elevation of the embankment on one level, dredging on another, and the stonework.

Pinkerton's Detective Agency have issued a circular to all employers of labor, volunteering their services in settling labor disputes. The method will be to obtain information by supplying applicants with "a detective suitable to associate with their employees."

Plans have been approved by the Philadelphia Council for a new county prison, to cost \$1,035,000.

Messrs. C. G. Hussey & Co., of Pittsburgh, Pa., recently rolled six sheets of copper measuring 115 x 165 inches, and weighing 6 pounds to the square foot, which are probably the largest sheets of copper ever rolled.

The town of La Plata, in the Province of Buenos Ayres, comprises 500 houses built in Brooklyn and Chicago under a Government contract awarded to parties in New York, but the work was so hastily done that "they do not wear very well, and every roof leaks like a sieve." The Government spent \$2,000,000 or \$3,000,000 in the enterprise.

The usual fall activity in real estate in New York City is not yet strongly developed this season, but the volume of business done is gradually increasing, and the market is considered healthy. High-priced properties must naturally feel the recent depression, and owners and landlords generally are not encouraged in the expectation of as high rates of interest on their investments as in former years.

The improvement of Hell Gate Channel was estimated to cost \$5,000,000, of which up to the present date \$3,500,000 have been expended. The work on Flood Rock alone costs a round million. The great explosion, which is announced for Saturday, will for a time lessen the depth of water by throwing up large fragments of rock above their natural level, but within a year the entire debris will be removed to the depth of 26 feet.

An English colony will arrive next month, to settle upon 20,000 acres of land lately purchased on the St. Lucie River, Fla.

The earnings at Sing Sing Prison for the month of September were \$19,860.92, and the expenditures \$14,086.64, a profit for the month of \$5774.28, and a total profit for the year of \$73,002.31.

A new mill will be built next year by the Amoskeag Mfg. Co., to supply a lack in the spinning department. It will be nearly as

large as the Amory Mill, and is estimated to cost \$700,000, and will employ some 600 hands. Its extreme length will be 500 feet, width 100 feet and its height four stories.

When we read of the agricultural resources of Russia, a comparison is usually made of its relation to America as a wheat-producing country. In fact, Russia is not a large wheat producer compared with its production of other cereals, yielding but a little over 12 per cent. of the total crop, while of rye there is 38 to 40 per cent., and oats 30 to 33 per cent. But in exporting she disposes of 40 per cent. of her wheat crop, and only 25 and 18 per cent. respectively of her rye and oats crops.

The obsequies of the late Dr. Garrett B. Linderman, of Bethlehem, took place on the 1st inst. The bell in the tower of the Lehigh University was tolled during the passage of the funeral procession, and the works of the Bethlehem Iron Co. were closed. The officers and employees attended in a body, besides many people from Bethlehem, South Bethlehem, New York, Philadelphia, and from all the cities and towns in the Lehigh Valley. The pall-bearers were Hon. Henry Green, of Easton; A. N. Cleaver, Robert H. Sayre, William Sayre, Dr. R. A. Lamber-ton, W. W. Thurston, H. Stanley Goodwin, Prof. William H. Chandler, Samuel Adams, of South Bethlehem; Henry G. Borhek, Bethlehem; John Mason, New York; Hon. Robert Klotz, John Taylor, Mauch Chunk; Charles Hartshorn, of Philadelphia.

At Columbus, Ga., the other day a cotton bale from which smoke was issuing was cut into, when the center was found to have a black, scorched appearance, though no fire was visible. The odor of linseed oil was strongly perceptible, from which circumstance it was surmised that in ginning the cotton greased saws had been used.

It is stated that the report of the Manhattan Elevated Railroad Co. for the year to September 30, 1885, shows that the number of passengers carried was 103,342,242, an increase as compared with the previous year of 6,639,622. The gross receipts were \$7,004,461, an increase of \$278,101, and the operating expenses diminished \$130,000. Otherwise stated, the passengers carried on this road during the year numbered about twice as many people as there are in the United States.

The Cape of Good Hope is now gridironed with railroads comprising 1662 miles, on which the expenditure represented is nearly \$74,000,000. The income nets about 3 1/2 per cent. on this investment.

The New York Chamber of Commerce have adopted resolutions in spirit similar to those recently passed by the Maritime Exchange, setting forth "that the Government should without delay come to the aid of our shipping interest by some form of legal action, otherwise this chamber fears that, should the contingency arise that our naval strength should be required, we should be found without seamen, without mechanics skilled in the art of shipbuilding, and without ships, all the principal paying parts of ocean commerce occupied by foreigners, rendering it impossible to leave our shores except under cover of a foreign flag." Captain Snow, who moved the resolution, himself a large shipowner, and until lately an opponent of subsidies, now favors a bounty system similar to that of France.

A steam bicycle is the latest novelty, invented by L. D. Copeland, of Arizona. It is of the star pattern, with a small wheel in front, and attached to the front bar is a vertical brass boiler heated with gasoline. A dainty engine mounted on the bar above the boiler has a stroke of 3 inches, with a cylinder 1 1/4 inches in diameter. Below the engine is a spherical reservoir holding a quart of water, and above it a cylinder holding as much gasoline. A round belt communicates the power of the engine to a 30-inch wheel attached to the wheel of the bicycle. The engine, in an exhibition at Newark on Friday, made 180 revolutions of the 1 1/2-inch crank in a minute, and nine of these revolutions turned the large wheel once. A little steam-gauge showed 60 pounds pressure a few minutes after the fire had been started, and, leaping into the saddle, Mr. Copeland rode swiftly around the rink for 20 minutes. The inventor said the engine would run for an hour without renewal of water or gasoline, and that engine, boiler and fuel did not add more than 20 pounds to the weight of the bicycle. He has retained the pedals on the machine, and he used them as an auxiliary to the engine when he pleased.

A Mechanics' Home is about to be established in Philadelphia. Provision for it was made nearly 30 years ago by Mr. George Hayes, a jeweler, who left a sum of money for the purpose of founding a retreat and home for disabled or aged and infirm American mechanics.

It is reported in London that the Atlantic cable managers propose a reduction of the present cable tariffs between England and the United States from 24 cents to 12 cents on ordinary or commercial messages, and from 12 cents to 6 cents on press messages. They urge that the opposition of the Mackay-Bennett cable must be ended by annihilation.

Besides the gigantic tower which M. Eiffel proposes to erect for the Paris exhibition

of 1889, M. J. Bourdais has presented to the French Society of Civil Engineers a project for a columnar tower of masonry 984 feet in height, in which to establish a permanent museum of electricity as far up as 216 feet, and above this a six-storied column surrounded by a roof forming a promenade and capable of accommodating 2000 persons. The central core, 60 feet in diameter, is to be surrounded with an ornamental framework faced with copper.

American competition continues to press the English land owners, the price of wheat in the London market having recently touched within 8d. of the lowest average, recorded in November last. Where lands are in tillage the rents are affirmed to represent only about "prairie value" over and above a fair interest on the owner's outlay for buildings, drains, roads and fences.

Iron and metal men are not indifferent to the system which may be adopted for laying electric wires underground. The president of one of the principal companies claims to have neutralized the evils of induction in his cables by surrounding each of his insulated wires with copper foil and then covering the foil with an insulating material, by providing a metallic circuit for the force of induction to expend itself upon. His cables are inclosed in lead pipes. For a subway he proposes to lay cast-iron pipes of suitable diameter, with connection-boxes at every second street corner, and draw into these pipes a suitable number of cables. In other quarters electrical subways of concrete are advocated.

Child labor in the Pennsylvania coal mines and breakers at such large centers as Tamaqua, Mauch Chunk and Pottsville is fast disappearing under the new State law prohibiting its employment, and in the bituminous regions it will very soon practically cease.

Lieutenant Wissman, who has been exploring the banks of the Kasai River, down to its junction with the Congo, reports that the entire region is more thickly populated than any other portion of Africa, and covered with vast forests of india-rubber trees, besides being rich in ivory.

A cotton printer formerly employed in the Fall River mills returned recently, after a sojourn of eight years in India, where he has charge of 1200 men, and reports that the great difficulty there, as here, is a lack of demand for the products.

A special received in Birmingham, Ala., says the English capitalists who recently invested largely in mineral lands in Talladega County have shipped a plant for a furnace to be erected on these lands. The same plant was recently blown out in England, so its coming to Alabama is regarded as especially significant.

Returns of the State census of Massachusetts, just taken, give Boston a population of 390,406—188,101 males and 204,305 females. The total shows a gain of 27,870 in five years.

Sir Henry Bessemer has patented a method for running out tin plates miles long if necessary, just as papers are run off on the improved presses.

One of the large English war vessels, the *Resistance*, is to be coated with india-rubber to a considerable thickness, to see how that material will repel projectiles.

An observer in Pittsburgh says the pressure of natural gas is beyond control, and 50,000,000 cubic feet of the apparently endless supply go to waste every day. Especially is the pressure great on Sundays, when the furnaces are shut down and the consumption lessened. At such times the pressure is relieved by letting the gas escape through tall iron pipes, whence columns of flame shoot high into the air.

Thomas A. Edison, the inventor, has notified Prof. Robert Thurston, the director of the Sibley College of Mechanic Arts of Cornell University, that he proposes to present the school a complete electric-lighting plant for the new workshops and the mechanical laboratory. The University has accepted the gift.

The Commissioner of Labor in the Saginaw lumber region makes a careful estimate of the losses caused by the strike of last July and August, and shows that the loss to wage-earners resulting from the stoppage of 76 mills was \$350,000.

The Gulf, Colorado and Santa Fé Railroad Co. seek to control the ocean trade of Texas, and with this object have purchased a valuable water front at Galveston, to which they will remove their terminus and erect extensive wharves, elevators and warehouses.

A dozen or more ships now in this port are awaiting a decision from Washington of the question whether old sheathing stripped from vessels shall be admitted free, as heretofore, or compelled to pay 3 cents per pound duty. If duty must be paid, they will depart and have the work done in foreign ports, and our metal dealers, dry-dock men and mechanics will lose the trade and work they would otherwise gain.

The shafting manufactory connected with the Valley Rolling Mills, at Youngstown, Ohio, was burned to the ground on Sunday morning. The fire caught from the carelessness of the engineer with a torch. Large orders were booked, and a large amount of manufactured material was on hand. This

was all destroyed, with the machinery. The loss will be at least \$10,000; insured for \$4200. The mill will be rebuilt at once.

The new iron ferry-boat Hopatcong, belonging to the Hoboken Ferry Co., is nearly ready for service. She was built by Ward, Stanton & Co., of Newburg, and is remarkably strong. Her hull is of iron, 200 feet long, 28 feet beam and 13 feet deep. The plates composing her garboard streaks are 3/4 inch, those at the water-line 5/8 inch, and above that 3/8 inch in thickness, and the frame to which they are riveted is strengthened on each side by three bilge or rider keelsons. She has two collision water-tight bulkheads about 30 feet from each end, and between these the whole length of the hull is a course of belt frames 12 feet apart, made of double angle iron 13 inches in thickness in-board, making the top as well as the lower part of the hull proof against a broadside blow.

A destructive fire broke out on Monday night in the machine shop of Taylor, Falconer & Taylor, in Jersey City. O'Donnell's cooperage storehouse adjoining, and Gokey & Son's dry-docks and tool-house, also took fire. The J. R. Thompson Co.'s Steel Works barely escaped, and the docks were saved in a damaged state by sinking them. The other property described was burnt, causing a loss estimated at \$75,000, of which about \$25,000 is on the machine shop, partially insured.

Crop prospects in the South are fully indicated by eight columns of reports in the *New Orleans Times-Democrat*. Corn is very abundant in the States and the yield reported as the largest ever grown. Sugar and rice are equal to last year on a smaller acreage, and the injury to rice by rain is very much less than the gloomy prospects indicated a little while since.

Signor Cocard, of Turin, is visiting New York to awaken interest in the proposed exhibition of American products and manufactures at Rome, under the auspices of the Government. He says at present there is little direct trade; that, indeed, mercantile Italy is almost unknown here.

A dispatch from Berlin says that the powers have all agreed to advise the Porte to recognize the union of Roumelia and Bulgaria under the suzerainty of the Sultan.

The great oil dock at South Brooklyn has just been completed by Warren Roosevelt, and is said to be the largest work of the kind in New York or vicinity. Its dimensions are 2260 x 25 feet wide, and in its construction there were used 20,000 pounds of bolts and spikes and 8000 spruce and pine piles.

Paper manufacturers report that goods are moving off more freely from dealers' hands, and that orders are in better supply, giving hopes of some little improvement in prices should the demand continue.

The Daft electric motor, with two cars attached, made its second public appearance on Monday evening on the Ninth-avenue elevated railroad, and started from Fourteenth street, making good speed without interruption. As the train neared Twenty-third street the electric-power was increased, and the train rattled by the station at a high rate of speed, the assembled crowds on the street corners cheering lustily. Fifth-street station was reached in 6 1/4 minutes, and the motor, detached from the cars, ran up on the long switch. After a slight mishap of no importance, the train started on its down trip, and reached the Fourteenth-street station in 5 minutes and 40 seconds. All present seemed well satisfied.

Mr. Lewis Colwell, who has for many years been prominent in the lead and iron trades, died on the 4th inst. at his residence on West Twenty-eighth street, in this city. He was born in Putnam County in 1814, and came to New York as an apprentice in the iron works of Dunham & Browning when about 12 years old. He rose to be superintendent of the works, and while there demonstrated the possibility of using anthracite coal instead of charcoal in smelting iron. About 1843 he started in business on his own account, and made part of the castings for the Croton Water Works and much of the ironwork for the Crystal Palace. During the war he was connected with the building of the monitors *Weehawken* and *Tecumseh* and the Stevens Battery, and later on he established the iron works at the foot of West Twenty-seventh street. Then he organized the Colwell Lead and Shot Co., of which he became treasurer, but continued to devote his attention to his iron works. His wife survives him, and he also leaves three sons and two daughters.

The silk-manufacturing industry of Switzerland is in such a precarious condition that many of the establishments are closed and others are preparing to move to the United States, where their goods are mostly consumed. Schwartzbach Lautis, of Zurich, employs about 400 looms. Two years ago he put up a small factory of 125 looms at Union Hill, in Hoboken, as an experiment, and he is now determined to put up additional works to the extent of 400 or 450 looms. He proposes to put up a twisting or winding mill and also dye works. The twisting for his Zurich works is done in Italy. Another firm, that of Bodmer & Hurlimann, of Zurich, the second largest in Switzerland, have made a similar decision. Both of these firms are waiting, however, to see what action Congress will take with reference to the tariff. If the duty, which is now 50 per cent., is left at that amount or not reduced below 30 per cent, they will make the transfer of their works.

Steel (Mushet's) Special.
Jones B. M. & Co., 11 & 13 Oliver, Boston, 10.

Steel Manufacturers.
Burrows Thos. C., 99-101 John, N. Y., 6
Brooklyn Works, Brooklyn, N. Y., 6
Frankford Steel Co., Philadelphia, Pa., 9
Gautier Steel Department of Cambria
Hartman & Co., Johnstown, Pa., 3&10
Jesop Wm. & Sons, Sheffield, Eng., 9
Midvale Steel Co., New York, N. Y., 40
Miller, Metcalf & Parkin, Pittsburgh, Pa., 9
Rosa F. W., 82 John, N. Y., 40
Singer, Singer & Co., New York, N. Y., 40
Pennsylvania Steel Co., 308 S. 4th, Phila., 9
Plymouth Rolling Mill Co., Conshohocken, Pa., 9
Riverside Iron Works, Wheeling, W. Va., 43
Rowland Wm. & Harvey, Frankford, Pa., 9
Singer, Singer & Co., Pittsburgh, Pa., 40
Smith Bros. & Co., Bridgeport, Conn., 40
The Bolton Steel Works, Philadelphia, Pa., 9
The W. H. & Hobbs Mfg. Co., Bridgeport, Conn., 40
Troy Iron & Steel Co., Troy, N. Y., 42
Wardlaw S. & C., Sheffield, Eng., 40

Steel, Manufacturers Agts.
Hicks & Dickey, Philadelphia, Pa., 6

Steels.
Starr & S., Athol, Mass., 32

Steel Spiral Springs.
Cary & Moen, 234 W. 20th, N. Y., 3
Chaffin John & Sons 91 & 9 Cliff, N. Y., 3
Philadelphia, Pa., 3
Philadelphia, Pa., 3

Steel, Tool.
Frankford Steel Co., Philadelphia, Pa., 9
Rosa F. W., 82 John, N. Y., 40
John, N. Y., 40
Leng John S., & Fletcher, N. Y., 48

Sticks and Dies.
The Billings & Spencer Co., Hartford, Conn., 3
Hartford, Conn., 3
Greenfield, Mass., 3

Stove Linings.
Ostrander Jas. & Son, Troy, N. Y., 42

Stove Trucks.
Stucker & Dorsey Mfg. Co., Indianapolis, 30.

Saw and Hay Cutters.
Hartman Machine Co., Columbus, O., 13

Swings.
The F. F. Adams Co., Erie, Pa., 10

Tacks.
American Tack Co., Fairhaven, Mass., 8
Cobb & Drew, Plymouth Mass., 8
Grundy & Disway, 165 Greenwich, N. Y., 12
Jenkins D. S., Brockton, Mass., 8
Kane & Co., New York, N. Y., 8
Ripley & Bartlett, Plymouth, Mass., 8

Taps and Dies.
Carpenter J. M., Pawtucket, R. I., 4
Manning, Maxwell & Moore, 111 Liberty, N. Y., 4
Wells Bros. Co., Greenfield, Mass., 3

Testing Machines.
Kiehl Bros., Philadelphia, 3

Thill Springs.
Worcestershire, Boston, Mass., 30

Tobacco Needles.
Hudson & Hecley Mfg. Co., 90 Chambers, N. Y., 30

Tie Calks, Steel.
Brown H. & Co., Boston, Mass., 40
Knob Island Horse Shoe Co., Providence, R. I., 40

Tools.
Brown H. & Co., Indianapolis, Ind., 30
Brown H. & Co., New Haven, Conn., 30
Kimball C. E., Boston, Mass., 43
Kiehl Bros., Philadelphia, 3
N. Y., 30

Tools, Water, Gas & Steam Fitters.
Armstrong F., Bridgeport, Conn., 45

Torches, Gasoline and Vapor.
Standard Lighting Co., Cleveland, O., 32

Torches, Oil and Gasoline.
Hartford Vapor Co., Hartford, Conn., 3
Cleveland, O., 3
Hull Vapor Stone Co., Cleveland, O., 10

Transom Lifters.
Hartford, Conn., 37
Wolenski J. F., Chicago, Ill., 44

Trucks, Manufacturers of.
Pennell Black Co., Lockport, N. Y., 14
Hicks Bros., above master, Phila., 9

Tube Scrapers.
Chalmers-Scapace Co., 419 Elgin, N. Y., 9

Tubes, Seamless.
Besley Charles H. & Co., Chicago, Ill., 1

Tubes, Seamless Drawn Copper.
Hartford, Conn., 19

Tubes, Steel.
Leng John S., & Fletcher, N. Y., 48

Tarabuckles.
Cleveland City Forge and Iron Co., Cleveland, O., 47

Turning Wood.
Ripley Mfg. Co., Unionville, Conn., 39

Twist Drills, Makers of.
Cleveland Twist Drill Co., Cleveland, O., 46
Hartford Vapor Co., Hartford, Conn., 3
Bedford, Mass., 46
Standard Tool Co., Cleveland, O., 45

Upright Drills.
Hartford, Conn., 48
Burnham Geo. & Co., Worcester, Mass., 48

Valves, Gas, Water and Steam.
Allen J. S., Chicago, Ill., 48
Ludlow Valve Mfg. Co., Troy, N. Y., 46

Wagon Jacks.
Eagle Nail Works, Trenton, N. J., 9
Howard Iron Works, Buffalo, N. Y., 45
Hartford, Conn., 45
Fretzlie Vice Co., 43 Ely, N. Y., 40

Wagon Jacks.
Samson Wagon Jack and Press Co., Black River, N. Y., 39

Wagon Lifts.
Jewett John & Sons, Buffalo, N. Y., 39

Water Motors.
Amhurst Hydraulic Motor Co., Holyoke, Mass., 42
Courtney & Fruit, 105 N. Y., 30
Rosenbach & Co., 164 Fulton, N. Y., 4

Whetstones.
A. F. Rice Alf. Co., Pike Station, N. H., 44
Coggall & Co., 287 Pearl, N. Y., 3
Jewett John & Sons, 182 Front, N. Y., 3
Lewis John T. & Bros., 351 S. Front, Phila., 3

Whidmills.
Hartford & Engine Co., Atlanta, Ga., 41

Window Sash Fasteners.
Willes, H. A., Phila., Pa., 6

Window Screens.
Benedict Rolling Window Screen Co., Astoria, Ore., 42

Window Supports.
Burgin R. E., Hartford, Conn., 37

Wire, Manufacturers of.
Gautier Steel Department of Cambria
Cary & Moen, 234 W. 20th, N. Y., 3
Howard & Morse, 45 Fulton, N. Y., 2
Fretzlie Vice Co., Trenton, N. J., 2
Washburn & Moen Mfg. Co., Worcester, Mass., 2

Wire Cloth.
Howard & Morse, 45 Fulton, N. Y., 2
Howard & Morse, 45 Fulton, N. Y., 2
Wickwire Iron, Cortland, N. Y., 2
W. S. Tyler Wire Works Co., Cleveland, 2

Wire Fences.
Howard & Morse, 45 Fulton, N. Y., 2

Wire Goods, Manufacturers of.
Gilbert & Bennett Mfg. Co., 42 Cliff, N. Y., 3
Hollow Cable Mfg. Co., 45 Fulton, N. Y., 2
C. J. Jenkins Mfg. Co., Pawtucket, R. I., 2
Ludlow-Saylor Wire Co., St. Louis, Mo., 2
The Fred J. Meyers Mfg. Co., Covington, La., 3
The Wire Goods Co., Worcester, Mass., 2
Wardlaw S. & C., Sheffield, N. Y., 40

Wire Machinery.
Add John & Son, New Haven, Conn., 45

Wire Nail and Tack Machinery.
Whitely A. & Co., 45 Hudson, N. Y., 37

Wire Nails.
H. P. Nail Co., Cleveland, N. Y., 39
H. P. Nail Co., Taunton, Mass., 42
Bartman Steel Co., Pittsburgh, Pa., 9
Phillips E. & Sons, South Hanover, Mass., 13

Wire Rope, Iron and Steel, Makers.
Broderick & Bacon, St. Louis, Mo., 2
Hazard Mfg. Co., Wickenburg, Pa., 2
Wardlaw S. & C., Sheffield, N. Y., 40

Wire Stretchers.
Samson Stretcher Works, De Kalb, Ill., 2

Wood Workers' Clamps.
G. F. Warner Mfg. Co., New Haven, Conn., 12

Wrenches, Manufacturers of.
Hartford Vapor Co., Hartford, Conn., 3
Springfield, Mass., 3
Coe A. U. & Co., Worcester, Mass., 10
Curtis Geo. B., 95 Chambers, N. Y., 8
Lawrence Curry Comb Co., 359 E. 22d, N. Y., 8

Wrenches.
The Billings & Spencer Co., Hartford, Conn., 3
Tower & Lyon, 95 Chambers, N. Y., 8
Williams J. H. & Co., Brooklyn, N. Y., 45
Triumph Winger Co., Keene, N. H., 37

Special Notices.

RECENT BOOKS.

West.—Moulder's Text Book; being Part II of American Foundry Practice. By Thomas D. West; 146 illustrations, 461 pages, 8vo, cloth. \$2.50

This volume, in connection with the author's previous work entitled "American Foundry Practice," affords a thorough presentation of the latest and best methods of foundry practice. Beginning with articles on sound casting and defects in structural castings, the various chapter headings include Progress in Molding; Novelty in Foundry Practice; Geometry in the Foundry; Procuring Clean-Finished Castings from Dry Sand and Loam Molds; High Art Molding in Loam and Dry Sand; Manipulating of Cores; Procuring Clean-Finished Castings from Green Sand Molds; Methods and Rules for Green Sand and General Molding; Elements and Manufacture of Foundry Facing; Welding Steel to Cast Iron and Mending Cracked Castings; Foundry Addition; Ovens and Pits; Ladle and Casting Carriage Combined; Making Chilled Rolls and Roll Flasks, Runners and Gates; Molding Machines; Equivalent Areas for Round, Square and Rectangular Pouring Gates; Errors in Figuring Weights of Castings; Utilizing Cast Steel Scrap; and several contributed chapters on melting small quantities of iron, making a curved pipe from a straight pattern, making pipes on end in green sand, three ways of making an air vessel and a method of molding gear-wheels. The subjects of Cupolas and their Construction, and the Melting of Iron, are extensively treated. There are also included 46 reports of cupola workings collected from 30 States. Each firm's name and the line of castings made are given, making these reports valuable in giving so many different men's ideas and practice in mixing and melting iron.

Brown, G.—Water Closets: A Historical, Mechanical and Sanitary Treatise. \$1.

Waring, O. E.—How to Drain a House; Practical Information for Householders. \$1.25.

Stephens, W. P.—Cane and Boat Building for Amateurs. \$1.50.

Sent, postpaid, on receipt of the price by

DAVID WILLIAMS,

Publisher and Bookseller,

83 Reade St., New York.

AUCTION SALE.

Postponed to Friday, Oct. 16, 1885.

The following Rolling Mill Machinery, corner Archer and Ashland avenues, Chicago. Machinery subject to inspection before purchase:

- 1 Train of Lath's 24 in. 3-high Rolls.
- 1 Train of 24 in. Plate and Sheet Rolls and Duplicate Rolls.
- 1 Train of 20 in. Soft-Rolls and Duplicate Rolls.
- 1 Compound 8-inch Muck Train and Duplicate Rolls.
- 1 Large Engine, 32 x 45, horizontal, 20-ton fly, double-braced wheel, 12 in. face.
- 1 Large Rotary Squeezer for 150-lb. Ball.
- 1 Large Hot Turning Lathe for Turning up Rolls.
- 1 Large Pump.
- 2 Large Cranes for Handling Hoisting and Rolls.
- 1 Plate Shear to shear as high as 4 in. Plates.
- 1 Shaping Shear.
- 1 Muck Shear.
- 1 Scrap Shear and Engine.
- 1 Large Turbopump Blower and Pipe.
- 1 Furnace Plates for 4 Charcoal Fires, including Valves &c.
- 1 Battery of 6 extra large Fire-box Boilers; size 28 ft. by 4 ft. 6 in.; 28 ft. 15 in., to operate together or separate; with all connections.
- 1 Large Boiler, fire-box metal, 28 ft. by 42 in. or 44 in.
- 4 Small Boilers, 22 ft. by 42 in.
- 1 Track Scale, Wagon Scale, Mill Scales, Tools, Trampways, Patterns, &c.

Terms, one-third cash; balance, time payments. For further particulars, call on or address

JOHN M. AYER,
Room 25, 187 Dearborn St., Chicago.

The Valuable Mill Property

belonging to the estate of Calvin W. Shattuck deceased, lately new and in good repair; a Saw Mill, Grist Mill and Machine Shop, with all the Machinery in said Mills and Shop, will be sold at public auction at the store of C. W. Shattuck & Son, in Shattuckville, Coleraine, Franklin County, Mass., on Tuesday, October 27, at 10 o'clock a. m. The water privilege is one of the best in the county. For particulars inquire of the undersigned at Greenfield, Mass.

GEO. A. KIMBALL, Admr.

October 6, 1885.

FOR SALE.

One Rolling Mill Steam Engine, 24 x 36, with 30-ton Fly Wheel. One Locomotive Boiler, 100 Horse-Power. One 18-inch, one 12-inch and one 6-inch Trains of Rolls. One Steam Hammer, 14 x 24 and one 11 x 14, all built by Bement; and five pairs of Shears. All of the above property is in first-class condition. For particulars, apply to

J. LEONARD,
445 West St., New York City.

NOTICE!

WANTED TO BUY

STEEL & IRON SCRAP
WROUGHT SCRAP IRON, OLD RAIL TIES
AXLES, TURNINGS, BORINGS, BURNED IRON
AND ALL KINDS OF STEEL SCRAP.

SCOTT & SMEDLEY,
STEEL AND IRON MERCHANTS,
435 WALNUT STREET, PHILADELPHIA, PA.

FOR SALE.

One Boiler-Makers' Punch (Kent's patent), 24 inch Gap; capacity, 1/2-inch hole through 3/4-inch iron. Has been but little used, therefore a bargain.

DANIEL KELLY,
51 North 7th St.,
Philadelphia, Pa.

A GENTLEMAN at present occupying a responsible position as manager of a large New York house, having had 20 years' experience as organizer, correspondent, buyer and salesman, with acquaintance through entire country in Hardware, would like to make some desirable business connection in the South, with a view to permanent residence.
Address BUYER & SALESMAN,
Office of The Iron Age, 83 Reade St., New York.

Special Notices.

Receiver's Sale.

THE Receiver of the E. T. Barnum Wire and Iron Works, of Detroit, Michigan, will offer for sale at auction, on October 15th, 1885, at 10 o'clock a. m., at the factory of said Company, in said city of Detroit, subject to confirmation by the Court, the property described below, which will be offered in lots or parcels, as follows:

1. The Real Estate, Factory and Buildings, with the Appurtenances, including Engine, Boilers and Connections, Steam Heating Pipes and Plumbing Work, Elevators, Bridges, Shafting, Hangers and Pulleys, in one lot or parcel, subject to the rights therein of David Whitney, Jr., under his certain contract of April 27th, 1883. The Real Estate consists of twelve lots, situated at the corner of Howard street and Wabash ave. with an alley on the west side. The Factory is new and a substantial brick building, containing three stories and basement, and is built on three sides of a square. It is 141 feet front on Howard street, 300 feet on Wabash avenue, and 200 feet on the alley, and has a floor space of about 124,000 square feet, all well lighted, heated and ventilated. In addition there is a blacksmith shop 50 x 75 feet, and a boiler-room 25 x 30 feet. The engine is 100 horse-power, and there are two boilers of capacity to supply the engine; there are about 1180 feet of line shafting; the switch track of the N. C. R. R. extends into the area between the two wings of the building. The estimated value of this property is upward of \$100,000. The lien of Mr. Whitney is \$50,000 and interest from July 1st, 1885, and is payable in yearly installments of \$5,000, commencing July 1st next.

2. The Machinery, Machines and their appliances, Reels, Belting, Tools, Implements and Patterns in one lot or parcel. This item consists of several Power Looms and Hand Looms for weaving Wire; Punches, Drills, Planer, Lathes, Shears, Crimping Press and Machines, Circular Saws, Grindstones, Frizzing Machines and a large lot of small Machines and Tools; all of the estimated value of about \$10,000.

3. The stock of Goods, Merchandise and Materials on hand, consisting of a large quantity of Wire Cloth, Wire and Iron Goods and Wire, and of materials for manufacturing Iron Fence, Stairs, Jailwork, Elevator Guards, Fire Escapes, Balconies, Vault Doors, Cresting, Railing and various kinds of Iron and Wire Work, and a considerable quantity of Hardware Merchandise; all of the estimated value of upward of \$100,000, and to be sold in one lot or parcel.

Also a small quantity of Lumber, three Horses, Trucks, Wagons and Harnesses, and a large quantity of Woodcuts and Electrotypes for Catalogue purposes, and the Stationary on hand and Office Furniture.

ABRAHAM L. STERBINS, Receiver.

MACHINERY, SECOND-HAND.

- 10 x 24 Corliss Engine.
- 10 x 24 Allen "
- 12 x 30 Wright "
- 12 x 48 Woodruff & Beach Engine.
- 12 x 48 Slide Valve Engine.
- 12 x 24 "
- 12 x 30 "
- 12 x 18 "
- 6 x 18 Hoisting Engine.
- 6 x 18 Belt Elevator, 1200 lb. lift.

Horizontal Tubular Locomotive and Upright Boilers. All sizes Steam Pumps, Tanks, Steam Hammer 4 1/2 x 12 cylinder, 28 ft. & Miles make, Elevator Engines, Blowers and general machinery.

WILSON & ROAKE,
Front and Dover Sts., New York.

For Sale.

Foundry and Machine Shop in a growing town in the Naugatuck Valley, doing good business and only Foundry in the place. Reason for selling, other business.

Address BOX 748,
Birmingham, Conn.

FOR SALE.

A flourishing Hardware Store, with fine selected stock, in thriving Eastern manufacturing town of about 7000 inhabitants. The best reasons for selling.

Address "BUSH HAMMER,"
Office of The Iron Age, 83 Reade St., New York.

For Sale.

First-class Hardware Stock in a live town of Southern New England; 8000 inhabitants; one of the best fitted stores for Hardware trade in the State; centrally located near Post Office; stock clean and desirable; no old goods. A fine chance for an energetic man. Satisfactory reasons for selling. For particulars, address

"NEW ENGLAND,"
Office of The Iron Age, 83 Reade St., New York.

Wanted.

LARGE PLATE SHEAR for heavy and wide Iron and Steel Plate. Address "L. P. S.," Box 1547, Pittsburgh, Pa., stating thickness and width it will cut, where it can be seen, and price on cars at the place where it lies.

Wanted.

A first-class Die Sinker for cutting name stamps, &c.

Address BELLOWS & DICKEY,
833 to 830 Sheriff St., Cleveland, Ohio.

WANTED.

Sales Agents traveling in New York and Northern Pennsylvania, among Hardware and Store Dealers, to take a line of saleable goods. Correspondence solicited.

Address "E. C. S. & CO.,"
Office of The Iron Age, 83 Reade St., New York.

WANTED.—Situation by a thoroughly practical Mill Manager with twenty years' experience in the manufacture of Steel Plates and Bars. Good references.

Address "IRON AND STEEL,"
P. O. Box 12, Joliet, Will County, Ill.

WANTED.

An 18 or 20 inch Screw-Cutting Engine Lathe, 8 or 10 foot bed; good order. State price, maker's name, how long used.

Address POST OFFICE BOX 1787,
Bridgeport, Conn.

Canvassers Wanted.

First-class men to solicit orders for an Improved Covering for Steam Boilers and Pipes. Liberal arrangements made with five men.

Address "B. C.,"
Office of The Iron Age, 83 Reade St., New York.

Special Notices.

Second-Hand MACHINERY.

- 1 Engine Lathe, 22-in. swing, 20-ft. bed, with Back Face Plate for Pit work.
- 1 7 ft. swing Engine Lathe, 10 ft. bet. centers.
- 1 Engine Lathe, 7-ft. swing, 10 ft. bet. centers.
- 1 48 in. swing 24 ft. bed. (cheap.)
- 1 33 " " " " Pond.
- 1 27 " " " " Heavy.
- 1 21 " " " " Heavy.
- 1 18 " " " " Whitcomb.
- 1 15 " " " " Gould.
- 1 12 " " " " Gould.
- 1 Lathe 18 in. x 7 ft. Old style. Very cheap.
- 1 Iron Planer, 42 x 45 in. x 12 ft. New Haven.
- 1 32 x 10 in. x 9 ft. New Haven.
- 1 30 x 30 in. x 8 ft. Bigelow.
- 1 24 x 18 in. x 4 ft. Free-land.
- 1 24 x 24 in. x 5 ft. New Haven.
- 1 20 x 20 in. x 4 ft. Bishop.
- 1 Lincoln Milling Machine.
- 1 28-in. D. III, wheel feed, back geared. Gould.
- 1 16 in. " " Old style. Cheap.
- 1 25 in. Drills, wheel feed. New.
- 1 Blacksmith Post Drills.
- 1 12-in. " " " " Fine. New.
- 1 12-in. swing, 4-ft. bed, Hand Lathe.
- 1 10 in. " " " " Hand Lathe.
- 1 Upright Boring Mill, 5-10, swing x 24 in. high.
- 1 Pulley Hub Drilling and Tapping Machine. New.
- 1 10 in. Alligator Shears. Heavy.
- 1 Alligator Shears, 5-in. Jaw.
- 1 Hand Bar-Iron Shears.
- 1 No. 42 Bliss Power Press.
- 2 No. 2 Otis Presses. Wheel 24 x 3 1/2 in. New.
- 1 No. 4 Merriman Power Press. New.
- 1 Heavy Screw Press, 3-in. diam. Screw.
- 1 Ferracute Screw Press.
- 1 Small Screw Press.
- 10 Foot Presses, various sizes.
- 1 Hand punch, 3/4-in. hole in 1/2 in. Iron.
- 1 Drop Press, 7-ft. guides, 11-in. space, 120-lb.
- 1 Hydraulic Wheel Press.
- 1 Double Head Bolt Cutter.
- 1 Durrell 7-Spindle Upright Nut Tapper.
- 1 100-lb. Jenki's Patent Power Hammer.
- 1 40-lb. Bradley Hammer.
- 1 60-lb. "
- 1 Shaw & Justice 50-lb. Dead Stroke Hammer.
- 1 Alden Stone Crusher, No. 6.

The above are all in first-class condition, and will be sold at very low figures. Have also a lot of new machinery for sale at bottom prices. This list is changed every week, and if it does not contain what you want, write us, stating particular. Machinery bought, exchanged, or sold on commission.

Badger & Stetson,

40 Dey St., New York City.

THE Citizens of Roanoke, Va., offer to subscribe one-half of the capital stock necessary for the erection and operation of a Rolling Mill for the manufacture of Merchant Iron or Steel. The other half of the stock to be subscribed by parties competent to manage and operate the same. Roanoke is an unusually desirable place for the location of such a Plant, and the city offers special inducements to any Manufacturing Co. that will locate within its limits. For particulars address

E. H. STEWART,
Chairman Committee.

HOISTING ENGINES.

New 10 H-P. worm-gear Hoisting Engines: Steam Cylinder 6 in. bore, 8 in. stroke; geared 16 to 1; Drum 20 in. diameter, 18 in. long. Improved Cone Friction for Hoisting and Lowering. Also 6 in. x 6 in. Williamson Spur-Gear Hoister, with Clutch and Link Motion. Drum 8 in. x 16 in. A. G. BROOKS,
261 N. Third Street, Phila.

Wanted, Capital.

Wanted, one or two parties with from \$15,000 to \$20,000 each to join the undersigned in the manufacture of Cast-Iron Gas and Water Pipe, and making Steel from Foundry Cupola, under a new patent. My plant is very favorably situated with regard to cheap iron, railroad facilities, side tracks, &c.; embracing ten acres, with buildings covering a half acre. Good coal is delivered at 20 cents per ton. Excellent sand and clay on the premises for all purposes required. For further particulars, call on or address,

E. NICHOLSON, Room 9,
152 Superior St., Cleveland, Ohio.

TO RENT.

A Chicago Forge Works and Blacksmith Shop with an established trade, two Steam Hammers, Bolt Cutters, Drills, Grindstone, Anvils and Blacksmiths' Tools, or would take a partner.

Address "FORGE,"
Office of The Iron Age, 83 Reade St., Chicago, Ill.

WANTED.

A thorough Chemist for a Steel Works. Only those having had extensive experience need apply. State salary expected.

Address "EXTENSIVE,"
Office of The Iron Age, 83 Reade St., New York.

Foundry to Let.

Would lease our Iron Foundry for a term of years; fully equipped for 20 moulders, with 13 Hoisting Machines for light work; Flasks, &c.; also Tumbling Barrels, Folding-room and Japan Kiln, with separate Engine and Boiler of 20 horse-power; Buildings of brick; all nearly new and ready to run in an hour's notice. Would also rent a part of our Brass Foundry and one story of main factory desired.

TAYLOR MFG. CO., New Britain, Conn.

Engine Wanted.

16 x 42 Automatic Engine, Tubular Boilers, Shafting, Hangers and Wood-Working Machinery.

"W. W. & CO.,"
Office of The Iron Age, 38 Clark St., Chicago.

THE Columbus Hollow-Ware Company, of Columbus, Ohio, offers for sale its entire property, viz: Two (2) acres of Land, Buildings, Machinery, Patterns (Brass and Iron), Flasks and Stock of Hollow-Ware. The Buildings are all of brick, with slate roofing, and are well arranged for general manufacturing purposes. The Foundry is 100 ft. x 60 ft., well lighted and ventilated. The Engine—seventy (70) horse-power—and Boiler are first class. This property is situated on a river, thus securing a constant supply of excellent water independent of well or city water. A switch track in the factory yard gives direct connection with the thirteen (13) railroads centering in Columbus. Price and terms very reasonable.

Address COLUMBUS HOLLOW-WARE CO.,
Columbus, O.

A Mill Manager of experience in making Bar Iron, Nail Plates, Cut Nails; also posted in Machinery and Foundations as well as managing men. Best of reference. Address

"MANAGER,"
Office of The Iron Age, 83 Reade St., New York.

A practical Iron and Steel manufacturer, who is thoroughly acquainted with the latest European methods and has held various positions in large Iron and Steel Works, desires an engagement. Has made a specialty of soft Steel Bars, Flasks, Forgings and Castings. Address

"S. S.,"
Office of The Iron Age, 83 Reade St., New York.

Special Notices.

SCRAP IRON.

We buy all kinds of Iron and Steel Scrap, Burnt Iron, Old Rails, &c., &c. Write us, naming quantity, price, &c.

ROBINSON & ORR,
115 Water St., Pittsburgh, Pa.

(ESTABLISHED 1849.)

International Exhibition.

LIVERPOOL, 1886.

The importance of this Exhibition makes it worthy the attention of American manufacturers. Applications for space will close by Nov. 1st, 1885, and all spaces will be allotted by Dec. 1st. William Glassey & Co., 54 Victoria street, Liverpool, will be pleased to represent American manufacturers and make advantageous arrangements for space and the effective exhibition of their goods, and they refer to their long experience in selling American manufactures in England as specially qualifying them to do this satisfactorily. Address

WILLIAM GLASSEY & CO.,
54 Victoria st., Liverpool, England, or
97 Chambers st., New York.

SECOND-HAND MACHINERY

In Good Order. For Sale Cheap.

- 1 Engine Lathe, 42 in. x 10 ft. bet. centers.
- 1 48 in. x 10 ft. bed.
- 1 36 in. x 18 ft.
- 1 30 in. x 16 ft.
- 1 28 in. x 20 ft. " Pond.
- 1 20 in. x 10 ft. " "
- 1 24 in. x 12 ft. " " Field.
- 1 20 in. x 8 and 10 ft. bed. Putnam.
- 1 10 in. x 2 ft. bed. Lodge & Barker.
- 1 18 in. x 9 ft. " Wright. (er.)
- 1 15 in. x 6 ft. Porter. Rod feed.
- 1 15 in. x 6 ft. Flather. (only)
- 1 15 in. x 6 ft. Flather, with turret.
- 2 Hand Lathes, 18 in. x 4 and 5 ft.
- 1 Planer, 50 in. x 50 in. x 17 ft.
- 1 36 in. x 36 in. x 7 ft.
- 1 30 in. x 32 in. x 9 ft.
- 1 20 in. x 20 in. x 4 ft.
- 1 24 in. x 24 in. x 5 ft.
- 1 17 in. x 17 in. x 3 ft.
- 1 Shaper each 20 in. and 24 in. stroke.
- 1 26-in. Back-Gear Drill.
- 1 20-in. Plain Drill.
- 1 Lincoln Pat. No. 2 Miller.
- 1 Merriman Bolt Cutter, taking sizes to 1 1/2 in.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6-H-P. Vertical Engine. Loco. Boiler.
- 1 6-H-P. Vertical Engine and 10 H-P. Loco. Boiler.
- 1 37 1/2-lb. Drop Hammer. Beecher & Pck.
- 1 40-lb. Trip Hammer.
- 1 10-H-P. Hoisting Engines.
- 1 10-H-P. Vertical Engine and Boiler.
- 1 6

Trade Report.

New York Iron Market.

American Pig.—The market is quiet, but firm. The volume of business is fair, with furnacemen displaying little anxiety to force sales, and buyers taking only such iron as they may need for the near future. We understand that one of the Coplay furnaces is to be blown in at once, and that one of the Lehigh furnaces will follow in a few weeks. Our quarterly report, printed elsewhere, shows that there are only 75 Anthracite furnaces in blast October 1, against 78 a month ago. We quote standard brands of Lehigh and North River Irons, tidewater delivery, nominally as follows: No. 1 X Foundry, \$18 @ \$18.50; No. 2 X Foundry, \$16 @ \$16.50; Gray Forge, \$15 @ \$15.50; the outside figure is asked for special brands. Outside brands sell for 50¢ @ \$1 less than our quotations.

Scotch Pig.—The greater firmness of freight rates for October shipment has resulted in a better tone, although quotations have not advanced beyond our figures. We quote nominally as follows for round lots: Coltness, \$19.50 @ \$19.75 to arrive; Gartsherrie, \$19.50 to arrive; Shotia, \$19.50 @ \$19.75 to arrive; Carnbroe and Glengarnock, \$18.50 to arrive; Summerlee, \$19 @ \$19.25 to arrive; Dalmellington, \$18 @ \$18.50 to arrive; Eglinton, \$17.50 @ \$18 to arrive, and Clyde, \$18 @ \$18.50 to arrive.

Bessemer Pig and Spiegeleisen.—Very little has been done this week in Spiegeleisen, which remains nominally at \$25.75 @ \$26 for 20%. Foreign Hematite is quiet. In American Bessemer we note a sale of 2000 tons, and negotiations are pending for 5000 tons more.

Bar Iron.—The market is quiet. The mills are not quite so ready to submit to demands for concessions as they have been in the past, and to that extent the tone is better than it was a month since. We quote for delivery here in round lots: Common Iron, 1.45¢ @ 1.55¢; Medium, 1.55¢ @ 1.65¢; and Refined Iron, 1.75¢ @ 1.9¢, with half extras. Concessions from these figures are very difficult to obtain. Store prices are 1.6¢ @ 1.75¢ for Common, 1.75¢ @ 1.8¢ for Medium, and 1.9¢ @ 2¢ for Refined.

Structural Iron.—Bridge-builders continue to report a steady business, almost exclusively for renewals on old lines of road. The building and allied trades are taking a moderate amount of iron, chiefly in small lots. Prices throughout remain stationary. Angles may be quoted nominally 1.95¢ @ 2.1¢, delivered, for round lots, and Tees at 2.25¢ @ 2.4¢. Store quotations remain 2.2¢ @ 2.4¢ for Angles, and 2.5¢ @ 2.7¢ for Tees. American Beams and Channels are 3¢ base from dock for all orders.

Plates.—Some of the mills are not as well supplied with orders as they were a month ago, and the upward tendency of that period has been lost. We quote for round lots: Common or Tank, 2.05¢ @ 2.1¢; Refined, 2.1¢ @ 2.2¢; Shell, 2.4¢ @ 2.5¢; Flange, 3.4¢ @ 3.5¢; Extra Flange, 4¢ @ 4.1¢. For small lots of Steel Plates the quotations are as follows: Ship, 3¢ on dock; Tank, 2.1¢ on dock; Boiler, 3¢ @ 3.1¢ for Shell, 3.1¢ @ 4¢ for Flange, and 4¢ @ 5.1¢ for Extra Flange and Fire-Box.

Merchant Steel.—Quotations for the range from ordinary to good grades are as follows: American Tool Steel, 7.1¢ @ 10¢; Tool Steel of special grades and finer qualities, 12¢ @ 20¢; Crucible Machinery, 4.5¢ @ 6¢; Spring and Tire, 2.1¢ @ 2.3¢; Open-Hearth Machinery, 2.1¢ @ 2.3¢; and Bessemer Machinery, 2¢ @ 2.1¢; English Tool, 13.1¢ @ 15.1¢; Common grades, 7¢ @ 9¢.

Steel Rails.—The market has been very dull indeed. One sale is reported of 1000 tons at \$31.50 at mill, which, however, must be attended with special circumstances, since the usual quotation is \$30 at Eastern mills, and some of the Western mills quote \$32 on cars at works, for early delivery. For next year's work the railroads are still holding off, though inquiries are frequent and indicate quite large requirements.

Steel Wire Rods.—The week has been a very quiet one. We hear of sales of small lots of Iron Rods which are used for Screws and Butts, and are quoted \$42.50 @ \$48, according to quality. There are some inquiries in the market for Steel Rods, which we quote \$41 @ \$41.50.

Old Rails.—We hear of a sale of 400 tons American Tees at High Bridge at \$15, and of two lots aggregating 1000 tons at a little over \$17. A lot of 2000 tons taken recently at a Gulf port at under \$14, f.o.b., is now being offered for delivery in this market by the buyers. We quote \$17 @ \$17.25.

Old Car-Wheels.—Sellers' and buyers' views are too far apart to permit of business. In one case \$16 was asked and only \$14 was offered for a 300-ton lot.

Scrap.—The market is very dull. The mills are evidently procuring a large share of their stock at points near them, and enter the market rarely. We continue to quote nominally \$18 @ \$18.50 for No. 1 from yard.

Rail Fastenings.—We quote for large lots 1.85¢ @ 1.90¢ for Spikes; 2.55¢ @ 2.65¢ for Bolts and Square Nuts; 2.75¢ @ 3¢

for Bolts and Hexagon Nuts, and 1.65¢ @ 1.7¢ for Splice Bars.

Messrs. Andrews Brothers & Co., Haselton Iron Works, Youngstown, Ohio, manufacturers of Bar, Hoop, Band, Tank and Sheet Iron, and of Bessemer, Foundry and Mill Pig, announce that they have opened an office in Buffalo, in Room 35, Coal and Iron Exchange, which will be in charge of Messrs. W. S. Johnston and W. H. Jones.

Metal Exchange.

The following transactions have been reported as having taken place on the floor of the Metal Exchange:

THURSDAY, October 1.
5 tons Tin, November..... 20.05¢
MONDAY, October 3.
20 tons Tin, October..... 20.40¢
TUESDAY, October 6.
5 tons Tin, December..... 20¢

Philadelphia.

Office of The Iron Age, 220 South Fourth St., PHILADELPHIA, October 8, 1888.

Pig Iron.—There is no special change to notice this week, although the tendency toward higher figures appears to have been checked. The demand is of a less confident character, and, unless there is some change, there appears to be a possibility of things falling back into the old rut. In any case there are well-authenticated reports of sales at less than the usual quoted rates, and not a few instances of bids having been withdrawn at figures not much better than the lowest in the whole year. This, of course, may be only a temporary reaction, but in the meantime the market may be called dull and somewhat inclined toward lower prices. Consumption appears to have increased in spots, but in the majority of cases the change has not been very important.

Stocks of Iron on furnace banks have been drawn upon quite liberally, and leading furnaces report sales for most of their product during the next 60 days. Under these conditions there ought not to be any reaction, but the market is so sensitive that buyers take alarm at the least pressure to sell, and reduce their bids or withdraw them entirely. One reason for the weakness may perhaps be found in the fact of bids being solicited for 1000-ton lots and upward by parties who are desirous of starting in their furnaces, providing that advance sales can be made in sufficient quantities at about the current rate of quotations. Still, consumption will be the final arbiter as to prices. If there is to be any further increase in consumption, a few cents per ton in the price of Pig Iron will not interfere with it, neither will a reduction induce purchases on the part of those not needing it. In the meantime inquiries in regard to consumption have not been met with encouraging replies. Some branches are doing better, but the average shows only very moderate improvement, and nearly all are in doubt as to what the immediate future will be. The improvement in Pig Iron, therefore, appears to have kept well abreast of that in other departments, and it is perhaps just as well to pause before forcing prices any higher. Sales during the week have been smaller than for some time past, and as a rule there is a disposition to meet buyers' terms, even though it involves a little shading in price. The asking rates for tidewater deliveries, or its equivalent, are as follows: No. 1 Foundry, \$18 @ \$18.50; No. 2, \$16 @ \$16.50; Gray Forge, \$15.50. Report says that the inside rates can be shaded, and there is no doubt that such is the fact as regards some brands, but others are firmly held, but not freely taken. Southern Irons are offered at \$14.50 for Open Gray, but there is no demand of any importance at the prices asked.

Foreign Iron.—The only sale of importance is one of 6000 tons of Ulverstone for Open-Hearth Steel purposes. Ordinary Bessemer is dull and nominal at about \$18.50. Spiegeleisen is dull at about \$25.75 asked for 20%.

Blooms.—There is not much doing, and prices are almost nominal at the following figures asked: Soft Basic Blooms, \$33.50 @ \$35; Billets, \$38 @ \$39; and Siemens-Martin, \$40 @ \$42; extra quality, \$43 @ \$45; Domestic Blooms, \$30.50 @ \$32, delivered, for Nail Plate, and \$35 @ \$36 for Plate and Sheet Blooms; Charcoal Blooms, \$50 @ \$52; Run-out Anthracite, \$43 @ \$44; Scrap Blooms, \$32 @ \$33; Northern Ore Blooms, \$32.

Muck Bar.—The demand is fair, and prices are well sustained. Mills pretty well supplied with orders and sales as before, \$26.50 @ \$27 at mill, according to quality.

Bar Iron.—There is only a moderate amount of business, although inquiries have been quite numerous, and in some cases for large lots. Manufacturers are firm and disposed to ask a trifle more money, to which buyers have not responded in a way to encourage the idea of permanently higher prices, although that, of course, will depend upon the demand. The mills are fairly well employed, but, as already stated, buyers do not like to pay an advance. The usual rates for Best Refined Bars are 1.7¢ @ 1.8¢; Medium and Common qualities, 1.55¢ @ 1.65¢.

Plate and Tank Iron.—The demand has been rather slow of late, but the mills are fairly supplied with orders, so that there is no immediate anxiety for new work. At the same time a feeling of disappointment is expressed that orders should be scarce at the

very time when improvement was most confidently expected, and parties are at a loss to determine what the ultimate outcome will be. Prices are easier, but not notably lower, the asking rates being about as follows: Ordinary Plate, 2¢; Tank, 2.1¢; Shell, 2.5¢; Flange, 3.5¢; Fire-Box, 4.25¢; Steel Plates, Shell, 3.25¢; Flange, 3.5¢; Fire-Box, 4¢. A sale of 500 tons of Bridge Plates was closed to-day by Lindsay, Parvin & Co.; price not stated.

Structural Iron.—Business has been very dull during the past 10 days, and, while there are still some orders to be filled, work on hand is being run off without being replaced to the same extent with new contracts. Inquiries are not large at present, and, while a fair amount of business is confidently calculated upon from week to week, it cannot be said that the outlook is very promising. Prices about as last quoted, viz.: Bridge Plate, 2¢ @ 2.1¢; Angles, 2¢; Tees, 2.4¢ @ 2.5¢, and Beams and Channels, 3¢.

Sheet Iron.—The demand for Thin Sheets keeps up remarkably, and mills are still crowded with work. Prices are firm, and sales based chiefly on the following figures: Best Refined, Nos. 26, 27 and 28..... 35¢
Best Refined, Nos. 18 to 25..... 35¢
Common, 1/4¢ less than the above.
Best Bloom Sheets, Nos. 26 to 28..... 5¢
Best Bloom Sheets, Nos. 22 to 25..... 4¢
Best Bloom Sheets, Nos. 16 to 21..... 4¢
Blue Annealed..... 2.75¢
Best Bloom, Galvanized, discount..... 20¢
Common, discount..... 20¢

Wrought-Iron Pipe.—The Pipe market remains unchanged. The continued heavy demand has had the effect of reducing stocks to a very low point, especially for some sizes. Prices remain very firm, and an advance is thought probable in the near future. Discounts as last quoted, viz.: Lap-Welded Black Pipe, 60¢ off list price; Butt-Welded do., 42 1/2¢; Butt-Welded Galvanized, 32 1/2¢; Lap-Welded do., 42 1/2¢; Boiler Tubes, 57 1/2¢.

Nails.—Nothing new has occurred in the Nail market worthy of mention; the heavy demand continues and stocks are still very limited. Dealers find it utterly impossible to fill orders, and in some cases are compelled to refuse them on account of scarcity. Prices still continue \$2.40, as adopted by the Eastern manufacturers at their recent meeting, less the usual trade discount.

Steel Rails.—There is not much doing, but prices are firm, owing to the mills having all the orders they can comfortably handle. The demand for early deliveries has been pretty well satisfied, however, and orders are not urgent, although small orders are somewhat plentiful at \$30 @ \$31 at mill.

Old Rails.—Continued scarcity is the most prominent feature in the Old-Rail trade, and, while prices are nominally higher, it is difficult to quote actual sales. Spot lots, Philadelphia, would command \$17.75 @ \$18, and \$19 is bid for deliveries at certain points in the interior. No sales heard of for some days.

Scrap Iron.—The demand is not large, but supplies are so light that prices have an upward tendency, and may be quoted as follows: No. 1 Wrought Scrap, \$17.50 @ \$18; No. 2 do., \$12 @ \$13; Horse Shoes, \$22 @ \$23; Turnings, \$13 @ \$14; Old Car Wheels, \$14 @ \$14.50; Old Steel Rails, \$16; Fish Plates, \$22 @ \$23; Cast Scrap, \$13 @ \$13.50; do. Turnings, \$10 @ \$10.50.

Goddard & Poulter have leased the works at Front and Laurel streets, lately occupied by Henry Disston & Sons, and are making all descriptions of Crucible Steel, Tool Steel and Steel Forgings and Steel Castings to order.

Robt. Moffly & Co. (for whom Mr. E. G. James is manager) have leased the premises at northeast corner Ninth and Jefferson streets, Philadelphia, for the purchase of Scrap Iron and Old Metals generally.

Pittsburgh.

Office of The Iron Age, 77 Fourth Avenue, PITTSBURGH, PA., October 6, 1888.

There has been no important change in the business situation during the week, and the outlook in some respects is not as favorable as it was a few weeks ago. Our manufacturers generally are doing a fair business, but many of them complain that they are making little or no money. Competition is sharp; hence it is difficult to get up prices. Some articles, including Steel Rails and Wrought-Iron Pipe, have been advanced in price, but these are the exception. Nearly all kinds of Finished Iron and Steel have improved but little in price, although, of course, the disposition to cut is not as strong as it was some time ago, when with some manufacturers it was a matter of necessity to sell; financial obligations were pressing, and sales had to be made in order to raise money. There are fewer cases of this character now, we believe, and rumors affecting the character of this and that firm, at one time so common, are not nearly so numerous, and this at least is encouraging. Most of the railroads centering here are doing a very fair freight business, but railroad managers complain that, owing to the very low rates ruling, the earnings are light. Like everything else at present, there appears to be an oversupply of railroads, many of which are not managed either in the interest of the public or the stockholders. About the only matter of importance to note in connection with the labor question is the termination of the Window-Glass workers' strike, which took place on Saturday, the workers substantially accepting the terms offered by the manufacturers. The Monon-

gahela Coal miners, estimated at 6000, and many of whom have families, are still out, and the prospect for an early termination of the miners' strike is apparently no better. This being Grand-Army day, business will be very light, and to-morrow (Wednesday) the Davis-Island dam demonstration takes place. It is expected that there will be a great many people here from a distance.

Iron Ore.—The Ore trade continues quiet, although there is a more cheerful feeling, owing to the more active condition of the Pig-Iron market. However, as yet the actual situation has not improved much. As but few of the idle furnaces have started up, there has been very little increase in the consumption of Ore hereabouts, and so far as we can learn, no disposition on the part of furnacemen to anticipate future wants. We may be mistaken, but the indications do not point to much improvement before spring, as there is no inducement at present to start up Pig-Iron furnaces. Late advices from Cleveland continue to report the Lake Ore trade quiet.

Pig Iron.—There has been nothing important developed the past week. Trade continues to keep up pretty well, but prices do not improve. There is not much difficulty in effecting sales at quoted prices, but thus far it has been found impossible to get the latter up. Some Irons that prior to the improved demand were sold below the market have since been sold at an advance of 25¢ @ 50¢ per ton, but these were exceptional cases; hence there has been no general advance. As stated in our last report, nearly all the cheap lots have been picked up, and, as a consequence, the market is firmer, and furnacemen, as a rule, are indifferent about selling, although consumers have no trouble in obtaining all they want for present use at current rates; but it is doubtful whether furnacemen would contract for future delivery except at an advance. Consumption in this district continues considerably in excess of production, and stocks are steadily being reduced, although still ample to supply present wants. Some operators still express the belief that better prices will obtain in the near future, but they are not very numerous. We quote prices as follows:

No. 1 Neutral Mill..... \$14.75 @ \$15.00, 4 mos.
No. 2 Neutral Mill..... 14.25 @ 14.50, 4 " "
All-Old Mill..... 13.50 @ 14.00, 4 " "
White and Mottled..... 13.50 @ 14.00, 4 " "
No. 1 Foundry..... 17.00 @ 17.50, 4 " "
No. 2 Foundry..... 15.00 @ 16.00, 4 " "
Charcoal Foundry..... 19.00 @ 21.00, 4 " "
Cold-Blast Charcoal..... 23.00 @ 27.00, 4 " "
Bessemer Iron..... 17.00 @ 17.50, 4 " "

Included in the sales reported the past week were some 3000 tons Bessemer Iron at \$17, cash, to \$17.50, four months.

Muck Bar.—There is more doing, but prices are no better. We continue to quote at \$26 @ \$27, cash; sale of 1000 tons reported at \$26.50.

Manufactured Iron.—While possibly orders are not coming forward quite as freely as they did a few weeks ago, the mills all appear to be pretty well employed, and if prices were fairly remunerative there would be no particular cause for complaint. Manufacturers claim that there is little or no profit in ordinary Merchant Iron, and some of the specialties are also being cut pretty close. A number of the mills have about all they can do on Skelp Iron. We continue to quote prices on a basis of 1.60¢ @ 1.70¢ for Merchant Bars, 60 days, 2¢ off for cash.

Nails.—The situation here remains unchanged. The strike which was inaugurated over four months ago still continues, and there is apparently but little prospect of its being brought to an early termination. A number of factories at Wheeling and other points along the Ohio River are working non-union, but here in Pittsburgh there has not been a single machine in operation for over four months.

Wrought-Iron Pipe.—The Pipe mills continue very busy; but few of them are able to fill orders promptly for immediate delivery, and it looks now as if they would have about all they can do this month and next—possibly until the close of the year. Prices firm, but unchanged. Discounts on Black Butt-Welded Pipe in car lots and upward, 45¢; less than a car lot, 42 1/2¢; do. Galvanized, 35¢; less, 32 1/2¢; Black Lap-Welded in car lots, 62 1/2¢; less, 60¢; do. Galvanized, 45¢ in car lots, and 42 1/2¢ for less. Discount on Boiler Tubes, 57 1/2¢; 2-inch Oil-Well Tubing, 13¢ per foot, net; 5 1/2 inch Casing, 40¢; 8-inch Drive Pipe, \$1.30.

Merchant Steel.—Demand continues fair, but there is continued complaint in regard to prices, which for most articles are being shaved very close. Best brands Refined Cast Steel, 8 1/2¢; do. Crucible Machinery, 4 1/2¢ @ 4 3/4¢; Open-Hearth and Bessemer do., 2 1/2¢ @ 2 3/4¢. Nail Slabs, for which there is not so much inquiry, owing to the strike, are quoted at \$28.50 @ \$29 per ton.

Steel Rails.—There is continued inquiry, mainly for small lots for near-by delivery, and prices continue firm; the last sale reported was at \$31, cash, at mill, which is an advance of from \$4 to \$5 per ton, as compared with the lowest point some months ago. Both the Pittsburgh Bessemer and Edgar Thomson works are well provided with orders.

Old Rails.—Old Iron Rails are not offering very freely, but there does not appear to be as much inquiry as there was a few weeks ago, and the tone of the market appears to be weaker; while the last sale reported was at \$19.25, one of the largest consumers reports having had offers to sell at \$19. Old Steel Rails may be quoted at \$17 @ \$18, according to lengths. The latter

are to a considerable extent taking the place of Crop Ends.

Railway Track Supplies.—There is a fair trade; no change in prices. Spikes, 1.90¢, 30 days, delivered; Splice Bars, 1.60¢ @ 1.70¢; Track Bolts, 2.75¢ with Square and 2.85¢ with Hexagon Nuts.

Crop Ends.—In the absence of sales we continue to quote New Steel Rail Ends at \$18.25 @ \$18.50, and Steel Bloom Ends at \$17.50 @ \$17.75 per ton. As noted elsewhere, Old Steel Rails cut to lengths have to a considerable extent taken the place of Crop Ends.

Scrap.—There is a fair business, but no improvement in prices, which dealers claim are low here, cost at most sources of supply considered. No. 1 Wrought Scrap, \$16 @ \$17 net ton; Wrought Turnings, \$12.50 @ \$13.50; Old Car Axles, \$22 @ \$23; Cast Borings, \$10.50 @ \$11.50, gross; Old Car Wheels, \$14.50, gross; Crucible Scrap Steel, \$20 @ \$21, net ton; Open-Hearth do., \$16 @ \$16.50, gross.

Window Glass.—At a meeting between the conference committees on Saturday the wage scale was settled, the workers agreeing to accept substantially the terms of the manufacturers. No change in price. Discounts on Single-Strength, in car lots and upward, 70 and 10¢; Double-Strength, 75 and 5¢.

Coke.—This interest has been devoid of new features for some time past. Trade only fair; prices unchanged. Blast-Furnace Coke, \$1.20 per ton, free on cars at ovens.

Chicago.

Office of The Iron Age, 36 and 38 Clark St., Cor. Lake St., CHICAGO, October 5, 1888.

Hardware.—The closing week in the month has been rather disappointing to jobbers here. The dullness experienced during the week previous was attributed to the warm weather, and a portion of the falling off in demand last week to the closing of the month, which is always less active; but, after making due allowance for these causes, trade was very much more quiet than can be satisfactorily accounted for. Notwithstanding this condition of the market, prices have ruled firm, and manufacturers continue to ask higher prices and change price lists to correspond with the general tone of all lines of business. Jobbers are in no way disturbed by the letting up in trade, believing it to be only a temporary lull which will be followed by another active month. Builders' Hardware is the only line in which the demand has been sustained. Cutlery has slightly improved over what it was several weeks ago. Wagon Material and Heavy Hardware do not increase in demand, as was expected. Carriage Bolts are less called for since the advance in price to 75¢ off to the general trade and 80¢ off to the larger dealer.

Barb Wire.—There appears to be no material change in the market. Heavy buyers having contracted for pretty nearly all they shall want, trade consists almost exclusively of those who buy a few tons at a time. Quite a number of inquiries were made during the week about prices on Wire to be delivered next spring, but very little satisfaction could be given, as mills decline to quote prices so far ahead. Jobbers have not changed their prices on Painted Wire, which is quoted at \$3.50, and Galvanized at \$4.50. Manufacturers' prices in large lots for immediate delivery are from 1/4¢ to 1/2¢ less, but they claim that they are not seeking orders and have all they can attend to for the present.

Nails.—The Nail market stands just about in the same position that it was a week ago. Jobbers are quoting \$2.50 @ \$2.60 for Iron Nails and \$2.65 @ \$2.75 for Steel Nails in small lots. The higher price is only demanded where an order is made up almost entirely of sizes which are short or where the order calls for nothing except Nails. Consumers are almost indifferent as to the price, because they are frequently compelled to obtain Nails at almost any figure. If the area of territory did not increase as the stock of Nails diminished, it might be said that the demand was somewhat lighter during the last week than it has been for 30 days. Jobbers, however, are now receiving orders for Nails from sections of the country which are entirely out of their district, and the shorter the supply becomes the greater the distance whence they come. Orders for Nails sometimes include orders for Hardware, with the hope of obtaining that which they most need. They find themselves, however, better able to supply this demand, because it has been gradually changing into smaller sizes, so that Lathe, Finishing and Case Nails are now the heavier portions of the orders. Stocks are pretty full in these numbers and can be had at a trifle less from mill. Then, too, the mills that are running have been devoting most of their time to cutting the smaller sizes, on which the new feeders are said to be the most successful.

American Pig Iron.—The demand during the week has been largely in carload lots. These have been quite numerous, which keeps the aggregate tonnage up to a fair average compared with the last 60 days. Dealers, speaking of the market, say that many of the cross-road buyers who have not taken anything but carload lots for years are one after another placing orders for 50 to 200 tons, to be delivered as they may need it, some of them paying as much as \$1 a ton advance on the price they paid 60 days ago. Furnacemen and sellers vary considerably in

Bar Iron.—Some of the mills are attempting to obtain better prices, but this is not an easy matter; people have confidence at the old figures, but not very much in the new, and it will take some time to educate them up to them. Pig Iron, to which we have to look for any permanent improvement in the general line, is scarcely any stronger, although an advance of 50¢ a ton is claimed by the sellers. Large contracts have undoubtedly been made, but they were readily taken by the furnaces to assure them full occupation. In short, any idea of a boom is pretty much abandoned by such as held it, and we must draw on our stock of patience still further. **Hoops and Bands.**—The manufacturers of these specialties claim to have large orders and have succeeded in establishing an advance of about \$2 per ton. Sheet is in more abundant supply, particularly the light numbers, but there is no excess of the article in general; in fact, the mills seem to have hard work to supply the immediate demands for general assortment. **Nails.**—As we mentioned above, the condition of Nail is still interesting. The production of both Iron and Steel is so very limited as to afford little relief to a bare market. Still prices have not advanced inordinately, as the Southern mills are all busy, and the Eastern mills delivering their product in fair quantities. A number of parties holding Nails are now realizing on them, which goes to ease the market, and buying is reduced to the absolute necessities of the hour. **Wire.**—Notwithstanding the flourish of trumpets about the reduction of discounts made by the New York meeting, the indications are not such as to encourage faith in much of an advance. There is a small one, but it has resulted in little more than taking up what slack there was in the market before. Instead of large sales that were hoped for, there is barely more than make a good jobbing movement. Recent rains, though needed in the agricultural districts, have been so continuous and bountiful that they have done much to retard the free movement of goods. A few days of dry weather may do much to give a different color to our reports.

GEORGE H. HULL & Co., of Louisville, report to us as follows, under date of October 6, 1885: **Pig Iron.**—The market continues very firm. Many furnaces are sold so far ahead that they have declined to sell some grades further unless at an advance of 25¢ @ 50¢. Some sales have already been made at the advance, though we do not raise quotations, as other furnaces are selling at prices current last week. We quote for cash in round lots as below:

Southern Coke, No. 1 Foundry.....	\$16.00	@	\$17.00
" " " " " " " " " " " " " " " "	17.00	@	18.00
" " " " " " " " " " " " " " " "	14.00	@	15.00
Drying Rock Coke, No. 1 Foundry.....	15.75	@	16.25
Drying Rock Charcoal, No. 1 Foundry.....	19.00	@	20.00
Southern Charcoal, No. 1 Foundry.....	17.00	@	18.00
Silver Gray, different grades.....	14.00	@	15.50
Southern Coke, No. 1 Mill, Neutral.....	13.50	@	13.75
" " " " " " " " " " " " " " " "	12.50	@	13.00
" " " " " " " " " " " " " " " "	12.50	@	13.00
Southern Charcoal, No. 1 Mill.....	16.00	@	17.00
White and Mottled, different grades.....	11.00	@	12.25
Southern Car-Wheel, standard brands.....	28.00	@	24.00
Southern Car-Wheel, other brands.....	18.00	@	20.00
Blasting Rock, different grades.....	23.00	@	24.00
Warinblast.....	18.00	@	20.00

Old Material.—The market for Scrap Iron continues quiet, but with more demand and without change in price. We quote for cash in round lots as below:

Sheels, per ton.....	\$16.00	@	\$16.50
Rheels, per ton.....	13.00	@	14.00
Country Wrought, per 100.....	.50	@	.70
Country Wrought, per 100.....	.50	@	.60
Cold Cast, per 100.....	.50	@	.55
Oilers, cut, per 100.....	.60	@	.65
Oilers, uncut, per 100.....	.40	@	.45
Iron Ties and Rails, per 100.....	.80	@	.85
Turned Scrap, per 100.....	.30	@	.30

Detroit.

CHARLES HIMROD & Co., dealers in Pig iron, Detroit, Mich., report, under date of October 5, 1885, as follows: The most noticeable feature in the market last week as the effort on the part of the Southern men to maintain an advance, they claiming to be pretty well sold up for all their furnaces can make during the present year, but notwithstanding these facts it leaked out that they were making contracts at market prices for delivery extending in some cases for 12 months. Our Jackson County friends, who have a large hold on the Stove trade here, have not yet found the bottom, and lower offers seem to be made now than 30 days ago. The best brands of Mahoning Valley Iron have advanced 50¢ per ton, and make no deviation from these prices. No. 1 ones are particularly short in supply. The majority of the Standard Lake Superior charcoal brands maintain their high attitude that is, in proportion to what the market forced to be through the efforts of a number of furnaces who are compelled to realize—and there is not so much actual accumulation among the high-priced furnaces as one would be led to believe, and frequently sales are made at from \$1 to \$1.50 above what is generally accepted as market price. Demands for Old Rails as winter is approaching seem to have increased, and we predict a gradual advance on this class of material. For rounds on four months' time we present the following:

No. 3 Superior Charcoal, Nos. 1, 2 and 3.....	\$19.75	@	\$20.25
No. 3 Superior Charcoal, Nos. 4, 5 and 6.....	20.00	@	21.00
Standard Superior Coke All Ore.....	19.00	@	19.75
No. 3 Superior Coke, Cinder Mixed.....	17.00	@	17.50
Standard Ohio Blackband.....	19.00	@	19.75
Southern No. 2.....	16.50	@	17.25
Southern Silvery, Open.....	16.25	@	16.50
Southern Silvery, Closed.....	15.50	@	16.00
Jackson Co. (Ohio) Silvery.....	17.50	@	18.00
1 Southern Mill.....	13.00	@	14.00
American Rail, Iron.....	18.50	@	19.00
Wheels.....	15.00	@	16.50

A dispatch from Pittsburgh states that an excellent Chinaman from San Francisco had gone to the Connellsville coke regions to negotiate for the employment of Chinese labor at that district. He is one of a committee of five appointed at a recent meeting in San Francisco to visit the various industrial centers throughout the country to establish Chinese colonies. The movement grows out of the late Wyoming massacre. He reports coming met with fair success at Cincinnati and other localities visited,

Trade Report.

General Hardware.

The changes in price during the past week have not been many, but several lines give indications of a firmer feeling. Manufacturers of many leading goods which have been very low are withdrawing their extreme quotations, and in some cases asking higher prices. So that the market, with some announced advances, is characterized by a good tone and a hopeful feeling that with the continuance of a fair demand the present improvement may be held, and may lead to a still more satisfactory condition of things.

BARB WIRE.

The market has been quiet and steady during the past week. Reports from the South and the Southwest show the continuance of a heavy demand in that quarter. We quote for carload lots of licensed Galvanized Four-Point Barb Wire 4.35 cents to 4.40 cents, and 4.55 cents to 4.60 cents for small lots.

NAILS.

Nails are getting decidedly scarce, and the assortments are not full, and notably 20d., being in short supply. The demand, which is moderate for the season, is for small lots to cover immediate requirements exclusively. We quote \$2.30 @ \$2.40 for store, the former for large and the latter for small lots. The features affecting the market remain the same. In the West the situation is apparently the same, though the demand from that quarter is expected to show some decline, since recent shipments were heavy in anticipation of an advance in freight rates. The situation in the West, as it existed a week since, is admirably summarized by a manufacturer in the following letter:

The Western Nail manufacturers have a question of vastly greater interest at stake in the present labor contest than that of the number of machines operated or the comparative product of Nails per machine, as between the product of the new nailers and the old nailers, or even the supply of the trade. The discrimination between the labor paid by Nail manufacturers east and west of the Alleghany Mountains has assumed such proportions as to compel the Western manufacturers to demand an approximate equalization of and in all similar classifications of labor performed. This is the question that must of necessity be determined either by an advance of labor East or a reduction of labor West, the difference in the cost of labor East and West at present per keg of 10d. Nails being actually 25 cents in favor of the Eastern Nail manufacturer. There are at present 31 Nail works west of the Alleghany Mountains, representing 2950 Nail machines, and one Nail works destroyed by fire, not yet rebuilt, having 44 machines. One Nail works, the Bellaire, of Bellaire, Ohio, having 114 machines, are running; they signed the 21-cent scale in June, carrying out an arrangement entered into last January with their nailers, by which the move then made of demanding an advance of 20 per cent. for cutting Steel Nails over prices paid for cutting Iron Nails was defeated. Four other small factories not co-operating with the Western Nail Association, operating a total of 135 machines, none of which have signed the 21-cent scale, are running their machines. This leaves 26 Nail works in the West, not including the five above referred to. Ten of the 26 mills are now being operated on the manufacturers' compromise—scale basis of 17 cents per keg for cutting 10d. Nails. These 10 mills represent 1272 machines, 400 of which are being operated, producing 85 per cent. of former work done by old nailers. These 10 mills are increasing product as men can be had to work on manufacturers' scale. Seven of these 10 mills are operating their heating furnace and rolls, while the remaining 16 Nail works, representing 1342 machines, are idle, and will remain so until the present contest is ended, which is not likely to occur until the manufacturers' scale is adopted.

Among the works running non-union are the Centralia Iron and Nail Works, of Centralia, Ill. Among those operating some machines with feeders are the Belfont Iron Works Co., of Ironton, Ohio, and the Norton Iron Works, Ashland, Ky. Associated Press dispatches state that P. L. Kimberly & Co., of Sharon, operating 40 machines, have conceded the 21 cent basis. This statement is as yet unconfirmed.

As we go to press a dispatch is received from our Philadelphia correspondent announcing that the card rate for Nails has to-day been advanced to \$2 50.

CORDAGE.

The manufacturers of Cordage have, under date October 5, 1885, issued the following revised list, in which it will be perceived that an advance of 1/2 cent per pound is made in the price of Sisal Rope, there being the usual discount to the trade of 1 cent per pound:

Manila Rope.	Cts. per lb.
1 1/4 inch cir. and upward.....	13 1/2
12 thread, or 3/4 inch diameter.....	14
6 and 9 thread, or 1/2 and 5/8 inch diameter.....	14 1/2
Hay Rope, 2, 3, 4 or 5 thread.....	15 1/2
Bolt and Point Rope.....	15
Tarred Rope and Lath Yarn.....	13
Stave, Leather and Hop Twine.....	14
Sisal Rope.	
1 1/4 inch cir. and upward.....	9
12 thread, or 3/4 inch diameter.....	9 1/2
6 and 9 thread, or 1/2 and 5/8 inch diameter.....	10
Hay Rope, 2, 3, 4 or 5 thread.....	9
Tarred Rope.....	8 1/2
Single-Ply Lath Yarn.....	8
Russia Hemp.	
White Rope.....	17
Tarred Rope and Ratline.....	11
Spun Yarn.....	10 1/2
Bolt Rope.....	18
Marline, Houseline, Rounding and Hambro-line.....	15
Packing.....	16

American Hemp.	
White Rope.....	18
Tarred Rope and Ratline.....	12 1/2
Spun Yarn.....	12
Lath Yarn.....	12 1/2
Packing.....	17
Marline, Houseline, Rounding and Hambro-line.....	16
Sash and Bell Cord.....	25 to 35

Italian Hemp.	
Packing.....	20
Tarred Rope.....	16
Jute.....	
Rope and Packing.....	8
Oakum.....	
Best Oakum.....	8
U. S. Navy.....	7 1/2
Navy.....	6 1/2

MISCELLANEOUS PRICES.

James Hill, Providence, R. I., whose branch office is 97 Chambers street, New York, under the management of E. A. Bolmes, has issued a price list of Star Ash Cans, Garbage Cans and Star Galvanized Pails, the latter giving the weight per dozen. Of the Star Galvanized Pails two qualities are made, the difference being that the Patent Heavy Pail is made with an additional hoop spun on inside the bottom, 1 1/2 x 1/2 inch band iron, and that the bails, bodies and ears are heavier than in the Light Pails. These Pails are made either with enameled wood handles or without, and with ears above or below the rim, prints which could be specified in ordering. The list is as follows, subject to a discount of 45 per cent.:

Light Weight.			
Quarts.....	10	12	14
Weight per dozen.....	34 lbs.	37	40
Price per dozen.....	\$5.00	5.25	6.00
Heavy Weight.			
Quarts.....	10	12	14
Weight per dozen.....	35 lbs.	39	48
Price per dozen.....	\$5.50	5.75	6.50

Most of the manufacturers of Seythes have issued price lists in conformity with the recently-established prices, which it is expected will be adhered to by all. The association includes all the manufacturers in this line of any importance, and is understood to be in successful and harmonious operation.

The price of Screws is decidedly firm, the late advance being well maintained. The fact that it was made by the concerted action of the leading manufacturers is regarded as indicating the cessation of the extreme competition that has prevailed, and a disposition to maintain remunerative prices.

The market for Wire is firm, the recent advance having given it a much better tone. Another conference of the manufacturers was held in this city yesterday, when in addition to reaffirming the prices adopted at the former meeting, an advance was made in the price of Strand Wire for barbing.

At a meeting of the Bright Wire Goods Association, recently held in this city, it was decided to make an advance in the price of the goods, the discount of 70 and 5 per cent. and an additional 10 per cent. for cash in 30 days, to take the place of the former discount of 70 and 10 per cent. Action was also taken looking to the maintenance of the advanced quotations, which will probably be as well adhered to as the former prices. The increased cost of Wire is referred to as one of the causes leading to this advance.

The St. Louis Shovel Co., St. Louis, Mo., under date September 28, issue a notice of the withdrawal of all previous quotations for their manufactures, with the request that their customers, when in the market for this class of goods, will correspond with them and receive their lowest prices.

The manufacturers of Green Wire Cloth report an unusually active and early demand for next season, some of them having booked orders for nearly their entire production. There has been no important change in price, but it is not unlikely that if Wire maintains its advance higher figures will prevail for the Cloth.

COAL HODS.

We give below the lists and discounts on Coal Hods of Sidney Shepard & Co., the Central Stamping Co. and the Iron Clad Mfg. Co., which will be of service to our readers as giving information on this seasonal line.

Sidney Shepard & Co., Buffalo, N. Y., issue the following list on these goods, which is subject to a discount to the retail trade of 45 and 10 per cent.:

Open—Plain.				
Inches.....	15	16	17	18
Black, per doz.....	\$4.50	4.85	5.50	6.00
Inches.....	15	16	17	18
Galvanized, per doz.....	\$6.50	7.00	8.00	8.50
Open—Bronzed Bands.				
Inches.....	15	16	17	18
Black, per doz.....	\$3.25	3.50	4.25	4.50
Funnel—Plain.				
Inches.....	16	17	18	19
Black, per doz.....	\$6.75	7.25	7.75	8.25
Inches.....	16	17	18	19
Galvanized, per doz.....	\$9.25	10.00	10.50	11.00
Funnel—Bronzed Bands.				
Inches.....	16	17	18	19
Black, per doz.....	\$7.50	8.00	8.50	9.00
Funnel—Fancy—Bronzed Bands.				
Inches.....	16	17	18	19
Black, per doz.....	\$12.75	13.25	13.75	14.25
Helmet—Bronzed Bands.				
Inches.....	17	18	19	20
Black, per doz.....	\$8.00	8.50	9.00	9.50
Helmet—Fancy—Bronzed Bands.				
Inches.....	17	18	19	20
Black, per doz.....	\$13.25	13.75	14.25	14.75
Covered—Fancy—Bronzed Bands.				
Black, 18 inches, per doz.....	\$27.00			

The Iron Clad Mfg. Co., 22 Cliff street, New York, are selling Coal Hods from the following list, which is subject to a discount of 70 per cent.:

The Langtry Coal Hod.				
Japanned.	Per doz.	Galvanized.	Per doz.	
15-inch.....	\$8.25	15-inch.....	\$11.50	
16-inch.....	8.75	16-inch.....	12.50	
17-inch.....	9.50	17-inch.....	13.50	
18-inch.....	10.00	18-inch.....	14.50	

The Langtry Funnel Coal Hod.				
Japanned.	Per doz.	Galvanized.	Per doz.	
15-inch.....	\$13.00	15-inch.....	\$15.00	
16-inch.....	13.00	16-inch.....	16.00	
17-inch.....	14.00	17-inch.....	18.00	
18-inch.....	15.00	18-inch.....	20.00	

The following Hods are described as made of their old pattern Iron Clad, and of 23 gauge Iron, and weighing 50 per cent. more than the Langtry. They are intended for hotel, restaurant, railroad and steamship use. The list prices are subject to a discount of 50 per cent.:

Iron Clad Coal Hods.—Extra Heavy.				
Japanned.	Per doz.	Galvanized.	Per doz.	
15-inch.....	\$8.25	15-inch.....	\$11.50	
16-inch.....	8.75	16-inch.....	12.50	
17-inch.....	9.50	17-inch.....	13.50	
18-inch.....	10.00	18-inch.....	14.50	

The Funnel Hods named below are subject also to a discount of 50 per cent.:

Iron Clad Funnel Coal Hods.—Extra Heavy.				
Japanned.	Per doz.	Galvanized.	Per doz.	
16-inch.....	\$13.00	16-inch.....	\$15.00	
17-inch.....	14.00	17-inch.....	16.00	
18-inch.....	15.00	18-inch.....	18.00	
19-inch.....	16.00	19-inch.....	22.00	

A discount of 70 and 10 per cent. is made on the following, which are described as measuring 1 inch larger than they are marked:

Ladies' Favorite, Improved.				
Japanned.	Per doz.	Galvanized.	Per doz.	
15-inch.....	\$15.00	15-inch.....	\$19.00	
16-inch.....	16.00	16-inch.....	20.00	
17-inch.....	18.00	17-inch.....	22.00	
18-inch.....	20.00	18-inch.....	25.00	

The Central Stamping Co., New York, issue the following list, which is subject to a discount of 10 per cent.:

Galvanized.		Galvanized Funnel.	
15 in.....	\$4.00	16 in.....	\$5.15
16 in.....	4.30	17 in.....	5.50
17 in.....	4.50	18 in.....	5.65
18 in.....	4.80	19 in.....	6.00
Galvanized Oriental.		Japanned.	
15 in.....	\$6.10	15 in.....	\$2.50
16 in.....	7.00	16 in.....	2.60
17 in.....	7.30	17 in.....	2.75
18 in.....	7.50	18 in.....	3.00
Japanned Oriental.		Japanned Open Filled.	
15 in.....	\$4.30	15 in.....	\$3.25
16 in.....	4.00	16 in.....	3.40
17 in.....	4.15	17 in.....	3.60
18 in.....	4.50	18 in.....	3.80
Japanned Half Covered, Fancy.		Japanned Funnel Hods.	
15 in.....	\$8.75	16 in.....	\$9.35
16 in.....	9.00	17 in.....	9.40
17 in.....	9.50	18 in.....	9.60
18 in.....	10.00	19 in.....	9.80
Japanned Oriental, Fancy Ornamented.			
15 in.....	\$6.50		
16 in.....	7.00		
17 in.....	7.50		

They allude to these Hods as made after a new and improved pattern, whereby room is saved in packing, and strength and durability secured.

WHAT THE TRADE SAY.

The following letter is from a gentleman representing a very large jobbing house who has a wide acquaintance in the trade, and whose views and observations are entitled to weight:

I am gratified indeed to see that the effort that was made to injure *The Iron Age* on account of its publication of its Trade Report and Price Current has fallen flat. From the standpoint of a salesman I always prefer to "talk business" to a merchant who is posted, and I find that constant readers of our trade papers are the most intelligent class of trade and the most satisfactory to have business transactions with. Trade in this section is fair at present, but the outlook is most encouraging indeed. The corn crop was never surpassed, and the past two weeks of beautiful weather have put it out of the reach of frost. Merchants and farmers are all good-natured and I feel assured that our fair trade will be good, and that after the turn of the year there will be a turn upward in prices and an increase in the volume of trade. This I hear talked on all sides and by men of observation and good judgment.

The matter of so-called wholesale houses selling to consumers and interfering with regular retail trade is attracting some attention, and many of our correspondents allude to it. A house in Pennsylvania who referred to the matter before says:

I wrote you some time since in regard to would-be wholesale men that do a regular retail trade. I had not read or seen anything in regard to it from any one else, so I supposed it was local, but I now find it is getting more general. I am heartily glad that others are awaking up to the situation. I said then and say now that these retailers who are trying to do a wholesale business are a great injury to the manufacturer as well as the retailer, and until quantity discounts are made for such an amount that they cannot have the goods this eternal cutting and slashing will continue. Every town of 3000 inhabitants in this part of the country has its retailers that have one man on the road wholesaling, and then they cut and slash the retail trade all to pieces. I hear day after day from customers that so and so offers to sell them goods cheaper than any one else in town, saying that he can make his living from his wholesale trade, and is willing to sell cheaper than any one else. How do manufacturers expect retailers to make a living? Those very men that hawl the most and find the most fault with trade papers for giving prices to retailers are just those would-be wholesalers that want every one else to be kept in the dark, and no one protected but themselves. Now, if manufacturers expect good wholesale houses to maintain prices as long as such things occur they will be disappointed. Their best trade comes from the retailers who have to do business alongside of these would-be jobbers, and, if they do not sell to us on such terms that we can realize a profit and hold our own, how are we to do business?

The following reference to trade comes to us from one of our subscribers:

Traveling men have nothing of encouragement to give in the way of reporting improvement in trade, but seem to go, as the wandering Jew, from necessity. I have been surprised to see how few goods I have had to

buy to keep up my assortment for the last few months. It is true sales have been small in quantity and volume, and I am inclined to think that I have been carrying too large a stock. This experience may have come to others with equal advantages, and this knowledge will be of future service to them.

A manufacturer making a line of goods of acknowledged excellence, referring to the volume of business at the present time as light, says:

One reason which we assign for this is that the jobbers are buying no matter what as long as it is cheap, taking the word cheap in all its varied meanings, and that we cannot follow some of our competitors to the bottom of the ditch. The class of goods which we make is acknowledged to be superior to others. This superiority means money, time and labor to make them so, and hence we cannot compete with every one in price. Our retail trade, however, is highly satisfactory, because the consumers find that it pays to buy direct from the manufacturer, and our extensive advertising is bringing us our share of the business.

ITEMS.

Dame, Stoddard & Kendall, Boston, Mass., issue their 1885-86 catalogue of Winslow Skates and Forbes Patent Acme Club Skates. A full line of the Winslow Ice Skates is given, with illustrations and list prices. Among these is the new Lever Ladies' Skate, made under a recent patent. The Acme Club Skates, so well known to our readers, are also described, and a line of the Vineyard Roller Skates.

The advertisement of Farley & Hoffman, successors to the Stein Showcase Works, Rochester, N. Y., will be found on page 6, from which it will be seen that they are making a full line of Showcases, concerning which they will be pleased to give definite information to those desiring it.

Nash & Bro., Millington, N. J., issue a pamphlet on "How to Avoid Difficulties of Climate," in which they allude to the special features and advantages of the Acme Pulverizing Harrow.

The advertisement of Dame, Stoddard & Kendall, Boston, in which they illustrate the Kemper Roller Skate, will attract the attention of our readers, who will note the novelty and convenience of the construction of this Skate, and especially its duplex adjustment.

The Triumph Wringer Co., Keene, N. H., have removed to more commodious quarters, where, with the addition of new machinery recently purchased, they will be able to handle their business with greater convenience and dispatch. Their Wringer, our readers will observe, is illustrated on page 7.

The Yazoo Sentinel, Yazoo, Miss., refers in a recent issue to the enterprise and growth of Crane Brothers & Co., the extent of whose business is alluded to editorially, and whose varied line of goods is indicated in the advertising columns of the paper. The same paper also contains a good deal of matter in regard to the business interests of Yazoo County and Yazoo City.

Our readers will observe the advertisement of Sidney Shepard & Co., Buffalo, N. Y., on page 32, in which they call attention to the fact that they are agents for the Chesapeake Nail Works, a line on which they solicit correspondence.

The Goodell Co., Antrim, N. H., during the summer built an addition to their shop at Bennington, N. H., where their heavy work, such as cutting up steel, forging and grinding, is done, and also erected a 2-story brick building at Antrim, to be used as a storehouse. New machinery has been put in, and they advise us that they are now able to turn out nearly double the quantity of goods they could a year ago, and are at present employing about 200 hands. This indicates a very satisfactory condition of things in what has been with many an apparently quiet season. Much of their work is done on patented machines invented in their shops, and they refer to the advantage these goods have, not only in the quality of the work, but also the rapidity with which it is turned out. They refer especially to the favor with which the Eureka Apple Parer, Corer and Slicer, of which we gave a description some time ago, is being received by the trade and those in the evaporating industry.

Peabody & Parks, of Troy, N. Y., who for several years past have been the authorized Eastern agents of W. J. Clark & Co., of Salem, Ohio, for the sale of their well known Family Oil Cans, have recently made arrangements by which for the future they will manufacture their own goods. The Cans produced, while embodying the essential features of the goods made in the Salem shops, will have some peculiarities of their own in style and character. The manufacture was commenced during the past summer, and in fitting up their factory for the purpose the firm spared no expense in machinery or appliances. Among the recent improvements they have made in the Cans they call attention to more perfect pumps, a more convenient method of filling and a more substantial jacket than was formerly employed. The Plain Cans are lacquered, thus improving their appearance and avoiding the danger of rust, while Cans made of Crystallized Tin are handsomely decorated by hand painting.

The Knapp & Cowles Mfg. Co., successors to the Cowles Hardware Co., Bridgeport, Conn., in their new catalogue represent the line of their goods with which the trade is familiar, with some additions, and in a convenient and attractive form. In their introductory circular they refer to the fact that they have built a new and commodious fac-

tory during the last year and moved their entire business to Bridgeport, Conn., where water and rail freights are advantageous for quick delivery. They have also added new and improved machinery and increased their line of goods. They call attention especially to their Screw Drivers and Mining Knives, alluding to them as having been on the market for 50 years, and also to their Hercules Door Spring and their Double and Single Acting Spring and Blank Butts as embodying a new principle which is highly indorsed by their patrons. They mention also their complete line of Brace Screw Drivers, Reamers and Countersinks, and call attention to their addition to their line of Household Goods and their specialties in Hardware.

The Concord Axle Co., Penacook (Concord), N. H., have recently issued a catalogue of their Axles, in which the various styles they make are illustrated, with list prices. Among the different goods which they thus bring to the attention of the trade are the Original Concord Axles and the Concord Express Axles. The former they allude to as the well-known reliable loose collar Axle, and the latter as the latest improved form of solid collar Axles, and as an especially desirable article. They also describe in a special circular Brown's Improved Collings Axle, which is made under a recent patent and intended for fine carriages and coaches. It has double washers at each end of box for the purpose of insuring efficiency in retaining oil and excluding dust, but to its special features we shall call the attention of our readers hereafter.

The John Fearnley Mfg. Co., Cincinnati, Ohio, having unfortunately lost their new factory by fire, as we announced last week, advise us that a large force of men was immediately employed and have since been at work, so that it is expected that manufacturing will be resumed in a week or two. The fire found them, they advise us, behind their orders and with a steady demand, the prospects for fall trade being unusually good. But it is expected that they will soon be in a position to take care of their customers.

The Clement Mfg. Co., Northampton, Mass., advise us that they are now making an addition of Solid Steel Handle Cutlery of a fine grade, of Rubber-Handled Knives, and also a new Druggist's Spatula, with patent rest and balance.

The Rochester Kerosene Burner Company, 419 E. Main street, Rochester, N. Y., are manufacturing the Shaffer Perfection Burner, which they describe as simple in construction and easily managed. The Burners use flat wicks, and are so constructed that they receive an inside draft of air through the Burner itself, which arrangement the manufacturers refer to as producing a more perfect combustion, and consequently a greater illumination, from the same quantity of oil burned.

Morehouse, Wells & Co., Decatur, Ill., issue a series of circulars and price lists relating to goods which they sell. The articles mentioned are the "Favorite" Stove-Pipe Damper, the Corrugated Stove-Pipe Elbow, Spool Wire of various sizes and kinds, "Black Lustre" Stove Polish, the "Lustro" Metal Polish, &c.

SHEFFIELD VS. AMERICAN CUTLERY.

A letter recently appeared in the London *Ironmonger* from Sheffield, giving the views of their correspondent, who had recently returned from the United States, in regard to the relative position in this country of American and English Cutlery. His representations were to the effect that the American manufacturers of Table Cutlery were doing an exceedingly limited business, their trade being in large measure taken from them by the sale of imported goods, which were alluded to as occupying the market almost to the exclusion of those made here. This statement, which will be recognized by all our readers as inaccurate and evidently written under strong prejudice or very partial information, was controverted by the correspondent in this city of the paper in which it was published. This called out a reply from the Sheffield writer, from which we take the following extracts as giving his argument on the question, and which will be of some interest as relating to the whole matter as seen from the English standpoint:

I said, writing on June 13, that "the improvement in the orders for Cutlery from the States was more or less maintained," and that it seemed to be less the result of an increased consumption than of the recent collapse of several of the American Cutlery companies. I am told that there has been no improvement in the orders for Cutlery from the States "for many years." Well, that is open to question, as I will show in a moment by figures. But anybody who reads my weekly letter knows that in speaking of an "improvement" in American orders I was speaking relatively, and subject to the great depression which has for at least two years curtailed the trade with the States, as with other markets. Soon after the installation of President Cleveland there was a certain increase in the orders which came in from America, though it was nothing like sufficient to restore the demand to its normal limits. But when your correspondent declares that there has been no improvement in orders from the United States "for many years," he makes a premature dash for a position which I may as well secure against him at once. The returns of the Cutlery exports from Sheffield to the States for a series of years ending with September 30, 1884, are as follows: 1876, \$658,885; 1877, \$706,671; 1878, \$729,550; 1879, \$808,119; 1880, \$1,161,173; 1881, \$1,359,704; 1882, \$1,332,674; 1883, \$1,251,584; 1884, \$953,402. Now these figures are simple and eloquent

terminate talk. They show that the Sheffield manufacturers have increased their Cutlery trade with the States at such a rate during the last 10 years that in 1881 and 1882 their exports were more than double what they were in 1876. Two years ago the contracted consumption of goods of all kinds caused the demand to decline, but surely that is not enough to bear out the statement that there has been no improvement in American Cutlery orders "for many years."

He says that, "so far as Table Cutlery is concerned, the business is so restricted as to amount to practically nothing;" that "there is a limited demand for certain high-grade goods" (due to prejudice); that Rodgers' Carvers and a few others sell in America, "but not in increasing amounts," thanks to "sharper native competition, and that he doubts whether any set of Carvers was ever produced in Sheffield which for quality, finish, or intrinsic value could not be equaled by the product of American works." Now, if these statements and suggestions mean anything, they mean that the American Cutlery companies have wrested a large trade in high class goods from the hands of the Sheffield makers, and that they could take the rest if mere quality had fair consideration. Upon these assumptions I have a question or two to put. Of what does the great increase in the Cutlery exports from Sheffield between 1876 and 1882 consist? What has caused the 50 Ivory-Handled Table-Knife cutlery who were formerly employed by the Meriden Company to dwindle to two or three? and how is it that there is now in the cellars of Sheffield firms Ivory which has crossed the Atlantic twice, having been bought in the first instance for American Cutlery firms, and subsequently reshipped to Liverpool on finding that the Ivory-Handled Cutlery trade of the States had become too impoverished to absorb it? As to the ability of American makers to produce Carvers equal to those of Sheffield, I will relate an incident which occurred not long ago in a local Cutlery establishment. An American workman, through whose hands the best work of a large American firm passes, strolling through the warehouse, picked up a Two-Pair Case of Ivory Carvers of the commoner class, with the remark, "I suppose you do not make many of these?" "Oh, yes, many a hundred cases," was the answer. "They belong to a class which we send over to the States at 36¢ a case, whereas our best qualities run up to 60¢ and 70¢ a case." The visitor was surprised, and dropped the subject with the remark, "Well, we cannot touch these." If it be really true that American consumers are paying fancy prices for Cutlery which the home manufacturers can "equal" and do equal in all respects at lower rates, all that can be said is that the citizens of the Republic are much less practical people than we have given them credit for. But I take leave (with all respect to the opinion of your New York representative, whose weekly letters have gained for him a flattering reputation among local readers of the *Ironmaster*) to doubt it, and for this reason, among others, that, while your correspondent seems to ascribe the supposed success of the American makers to the fact that "American Steels" are "more popular" than English Steel, the American companies take care to advertise that their best Cutlery is made from the finest Sheffield Double-Shear Steel.

I saw yesterday a label taken from a parcel of American Cutlery, the most prominent line on which was to the effect that the goods were manufactured from the best Sheffield Steel, and I know that, notwithstanding the great decrease in the demand for English Bessemer, the consumption of Sheffield Crucible Steel in the States has only been curtailed by the shrinkage in production, caused by the depression, to which reference is so frequently made in the New York letter of July 8. I have passed over without remark the absurd contention, insinuated rather than plainly asserted, at a substantial portion of the Sheffield trade with America consists of "Carvers with Iron blades and imitation buck-horn handles." If American makers cannot, with their mechanical resources and abundant material, produce these things for themselves, their powers of competition must be poor indeed. The great bulk of the Sheffield business, and the class of trade which has largely increased and is increasing—at the expense, as I contend, of the American manufacturers—consists of the higher qualities of Cutlery, namely, best and medium makes of the Ivory grade, and superior common of the Ebonite-Haft type. At a lower ebb than this local firms cannot with the present tariff compete. They cannot and do not attempt to run Shell-Bolster and similar styles against the American makers. This, despite the curious contention put forward that the competition between English and American Cutlery is "not a matter of price," is distinctly a matter of price, and of price only. If it be true that "the American manufacturers have in few, if any, instances gone into the manufacture of cheap goods," it becomes an interesting question as to where the cheap goods consumed in the States come from. They do not go from Sheffield, as is shown by the following extract from a report of the American consul at Sheffield: "The high price of Ivory is greatly hampering the Sheffield Cutlery trade with America, especially as that trade is now largely restricted to the higher classes, in which Ivory is alone used." It is possibly true, as your correspondent says, that the American firms can produce "the most beautiful styles made anywhere," but beautiful style and sterling quality may be different things, as the Germans are constantly showing the world. But I would in return respectfully offer to him a word of caution as to his informants. He speaks of the "importers of English Hardware" as saying that and that with regard to Sheffield Cutlery. They are not the best judges, nor am I sure that they are quite unbiased ones. The Sheffield houses who do the bulk of the Cutlery trade with America transact their business through their own agents, and these are the persons best qualified to gauge the extent and character of the competition that is going on.

This called out a reply from the New-York correspondent of the paper, which appears

in its issue of the 12th inst., and from which we make these extracts:

The figures of the Sheffield Cutlery imports into the United States which he publishes show that in 1876 the shipments were valued at \$658,885. This I consider a small trade. In 1887 they were very little more, being only \$706,671. In 1878 they had increased to \$729,550. These three years cover a period of considerable trade depression. In 1879, when we began to feel the effects of revival, the Cutlery imports from Sheffield reached a total of \$805,110. The next few years covered the period of the "boom," as it is called, when all kinds of imports were brought into the country in excess of the legitimate requirements of consumption, and to the great embarrassment of manufacturers and traders. In 1880 the Sheffield Cutlery imports were \$1,161,173. In 1881 they were only a little greater, being \$1,359,704. In 1882 they declined to \$1,332,674. In 1883 they showed a further decline to \$1,251,584. In 1884 they fell to \$953,402. These comparisons show that since 1881 Sheffield Cutlery imports into the United States have steadily declined, and I have no present reason for believing that the total for 1885 will be even as large as for 1884. Your correspondent says: "These simple figures are eloquent; they clear the ground of a good deal of indeterminate talk." They show that, comparing 1884 with 1876, the total gain has been only about \$300,000, which is not in ratio proportionate to the increase of population or the general expansion of domestic trade. These figures show to my mind very conclusively that what I said about the relative importance of Sheffield Table Cutlery in this market was well founded. Permit me, however, to remind my Sheffield friend and others that it is scarcely fair to include in comparative statistics as bearing upon the subject immediately under discussion the figures comprising all forms of Pocket Cutlery. My remarks were specifically addressed to the subject of Table Cutlery, and, although, I have forgotten exactly the form of words used, I believe I distinctly stated this fact in my first presentation of the case. I do not think that the American Pocket Cutlery manufacturers have thus far successfully competed with Sheffield. I know as a matter of fact that a nonng buyers of Pocket-Knives in this country Sheffield makes have a decided preference. There is a considerable domestic manufacture of Pocket Knives, but only a comparatively small part of the production is first class. The average American Pocket-Knife will rate about midway between the best and the cheapest. I must decline, however, to concede the justice of the general accusations of your correspondents, "H. H." and "Trinchante," respecting the quality of American Table Cutlery. As a matter of fact, I know that leading jobs of New York and Philadelphia find American patterns much more saleable than English, and that consumers have no fault to find with quality, and they buy makes for which excellence of quality is claimed. Styles are, of course, largely a matter of taste. I presume that Sheffield manufacturers prefer their own shapes, and I judge from letters of your correspondents that it is scarcely worth while to discuss this question.

Since the receipt of your August 15 issue I have shown the articles on this subject contained in it to a number of representative Hardware merchants of New York, both importers and jobbers of domestic goods. They have been read with interest, but in every case have called out the comment that the statements were mostly erroneous. They find particularly amusing the statement of your Sheffield correspondent that importers of English Hardware in this market are not good authority with regard to the popularity of and demand for Sheffield Cutlery. This may be so, but I fail to see where better authority could be obtained than among men who handle all the English Cutlery that comes to this market, and who are brought into daily competition with domestic makers.

But in the last issue of our London contemporary, which has come to hand since the above was written, we find the following letter from Newcastle, N. S. W., which will be of interest in this connection:

I have been led to pen this through reading the controversy on English vs. American cutlery. In those letters some of our English writers have said some hard things of our neighbors. Being a cutler myself and a seller of Cutlery, and having just visited Sheffield and America, and belonging to neither, I would most likely be an impartial witness. With regard to Table Cutlery, I saw that class of goods equal to anything made in Sheffield for style, finish and quality. The Plated Knife used in hotels is of good quality; the plating is done to save labor, for servants do not like the job of cleaning Knives, and this does away with it. One correspondent, speaking of Pocket Knives, said they were as hard as flint, and the next as soft as lead and the steel bad. Now this is hardly a likely story, when we know that our friends make Axes, Saws, Sheath Knives, Butchers' Knives and Table Knives, and all kinds of Carpenters' Tools—in fact, Edge Tools of all kinds that are not to be surpassed in the world; and to be told they cannot harden and temper the blades of a Knife is nonsense. However, I leave that to your readers to judge. With regard to Butchers' and Sheath Knives, the Americans have established a reputation for shape and excellence of quality. The American Green River Sheath Knife is known to sailors all over the world for excellence, and it is so well known that Sheffield makers stamp "Green River" on the blades of their Knives and try to sell them as American. So you see Sheffield makers can be guilty of little frauds, like other people. Then, with regard to stamping the word "Sheffield" on American-made articles, this is the last thing Americans would need to do, as the excellence of their own goods is so well known that they need not do this. We all know that "Sheffield" is not a hall-mark or a guarantee of excellence.

I will give you a couple of specimens of English brag, or ignorance, I do not know which. A gentleman in one of the Sheffield houses, speaking of Cutlery, said: "You see

they cannot make Cutlery anywhere else like Sheffield, as our water is peculiarly adapted to this purpose. Now, if I sent this Steel and workmen to London and hardened and tempered it, then we could not depend on it." In another house, in speaking of Cutlery, a gentleman said: "They try to make Cutlery over in America, but they cannot compete with us." He spoke of the water also, but went a little further and said: "One of our Sheffield men can do as much in four days as they can do in six in America." Now, this does not agree with what I heard from English workmen in that land. They complained of having to work much harder than in Sheffield. One writer says he never knew a Yankee to come to Sheffield to work. Not likely, when in Sheffield houses that had 20 grinders only keep four now. In conclusion, whatever may be said or written on this subject, any person conversant with the trade knows it has left England forever—that is, the bulk of the Cutlery trade.

Coal Market.

The firmness of prices in the Anthracite Coal trade noted one week ago is still a feature in the market and in strong contrast with the situation previous to September. The recent advance, our wholesale dealers and operators affirm, is fully realized, at least as to the sizes most in demand, such as Egg and Stove, though, of course, the principal movement is on account of old orders. Dealers in the best brands of Lehigh are quite independent, claiming that they have no more Coal to deliver; otherwise, that their orders are up to their present capacity. Pittston is also in good demand. Reading has issued a new circular, as follows: Broken and Egg, \$3.50, f.o.b., at Elizabethport, free-burning white ash; Stove, \$4.10; Chestnut, \$3.40; Pea is about \$2.50. The general quotation for free-burning is about \$3.25 for Broken, \$3.35 for Egg, \$3.85 for Stove and \$3.25 for Chestnut. For the East there is more inquiry and freights are quoted higher. It is remarked that the Delaware and Hudson Canal Co., after a period of unusual dullness, are now forwarding Coal as rapidly as their facilities will permit. The attitude of the Pennsylvania Railroad Co. as concerns rivals in the trade remains unchanged.

The total amount of Anthracite Coal sent to market for the week ending September 26 was 758,579 tons, compared with 859,432 tons in the corresponding week last year. The total amount of Anthracite mined thus far in the year 1885 is 21,547,582 tons, compared with 22,110,734 tons for the same period last year, a decrease of 563,152 tons. The total amount of Bituminous sent to the Eastern markets thus far in the year 1885 is 4,241,515 tons, compared with 4,532,576 tons for the corresponding period last year, a decrease of 291,061 tons.

A meeting representing 80% of the vessels in the Atlantic coasting trade was held in Boston on the 1st inst., and a form of bill of lading adopted advancing the rate of discharging Coal to 150 tons per day after 24 hours' notice to consignee of arrival of vessel; vessels to be discharged in turn; rate of demurrage reduced to 6¢ per ton, in lieu of 8¢, as now charged. Another meeting will be held on the 15th inst. for the purpose of conferring as to a minimum rate of freight for the coming year on Coal carried by sailing vessels from the various Coal-shipping points to points north and east of the Capes of the Delaware.

Foreign Markets.

FRANCE.

PARIS, September 24, 1885.—Metals.—Business in general, and in Metals in particular, has been flat, owing to the proximity of the general elections. Copper has again gone lower, Tin has improved, Lead is steady and Spelter higher. We quote toward the close: Copper—Chili Bars, 106.25 @ 110; Ingots and Slabs, 115; Best Selected, 118, and Pure Corocoro Ore, 112.50 francs @ 100 kg. Tin—Banca, 348.75; Billiton, 348.50; Straits, 247; Australia, 247.50, and English, 240. Lead—38.50 @ 39.50, and Spelter, 38 @ 39. Iron.—In this city the situation continues deplorable, in consequence of the competition between dealers, less and less so, we may say, the price for Merchant and Flooring being barely maintained at 13 francs. At the North there is little doing, works usually taking stock there at this time of the year, which affords them a good pretext during these dull times for stopping work for a week or two. In the Meurthe and Moselle the little business in Pig there might be absorbed by our neighbors the Belgians under bidding thereon. There is a good deal of complaint in the Ardennes; makers there complain that the many public works contemplated in this city are delayed, and that they are the main sufferers from the stagnation. In the Haute-Marne, and notably the Champagne, all combinations have proved futile; business remains stagnant at 14 @ 14.50 francs for Coke Merchant; Mixed sells at 15 @ 16; Machine do, at 16.50 @ 17. Wire Nails are weak at 24 @ 24.50, No. 15 and Chains are selling at the low figure of 23, Nos. 22 and 23. Coal—Gradually revives.—*Moniteur des Interêts Matériels.*

BELGIUM.

BRUSSELS, September 24, 1885.—Iron.—In spite of rather better advice since the beginning of the month from the United States and England, weakness and irregularity are still the predominant features in the iron situation in Belgium in general, but in Liège at least some larger orders have dropped in during the week. At Charleroi, on the other hand, there seems to be no bottom to prices. Merchant No. 1 selling below 10 francs. Even at such ruinously low prices there seems to be a lack of work in that district, several large works lying idle during several days in the week. Foundry Belgium Luxembourg Iron sold as low as 22.50, and Pudding do, at 23.50. In the Haute-Marne were done as low as 25.50, and Sheets at 13 francs. At Charleroi in particular makers are alarmed and afraid of difficult times during the coming winter. Much will depend, of course, upon the turn which matters will take in Germany. If an agreement can be arrived at there between Westphalia and Silesia to curtail production materially we shall feel the effect of it soon so that the dull winter season may then be bridged over better than is apparent at present. Meanwhile English Pig has been much firmer at Antwerp at 4.65 @ 4.70. We are glad to mention the very important commands which have reached this country to supply the Panama Canal Co. with dredges, of which 30 altogether have now been ordered. Coal.—The Government has obtained its Coal very low—say at 4 francs, and since then there is greater steadiness at 4 @ 6.65 francs for Steam Coal.—*Moniteur Industriel.*

GERMANY.

HAMBURG, September 24, 1885.—Iron.—In sympathy with the better feeling in England and

America for a month past, there has been an undercurrent, a greater strength, both in Rhinish Westphalia and Upper Silesia, the more so as there is now some prospect of arriving at an agreement between both iron districts to curtail production, negotiations about which are still in progress. The only serious obstacle has so far been the Wrought-Iron Pipe interest claiming too many special privileges and indemnities considered rather unreasonable. Meanwhile quite a number of blast furnaces have been blown out in Upper Silesia, where pig iron has, therefore, a better tendency, and would indeed have improved but for the large stocks still in dealers' hands. Puddling Pig has been quite firm at Siegen, while Bessemer and Foundry have been weak there, and while Luxembourg has been shaded from the syndicate figure of 43 francs. As for Finished Iron in Rhinish Westphalia, it has been much more active, but ill-sustained, by virtue of the great competition among makers. Structural has done tolerably well, building still going on briskly in the large cities. While Coarse Sheets remain neglected, Thin Sheets are in continued good request, with some improvement in prices. Boiler Sheets and Wire Rods are still dropping, and are comparatively idle in all but Car-Wheels and Axles. Great activity prevails among machine shops and foundries, with orders largely booked ahead; this may also be said of Locomotive shops, less so of Car works. Metals.—Both Lead and Copper are weaker; Spelter steady, under a good demand.—*Borsenhalle.*

HOLLAND.

ROTTERDAM, September 22, 1885.—Tin.—Without displaying much activity, the market has risen 3/6 @ 3/8 guinea @ 50 kg., Banca being worth 55.35 @ 55.50, and Billiton, 55; while in Amsterdam, September sale, Banca Tin is offering at 55; Billiton, do, and spot at 54 1/2; December, 54 1/2, and January, 54 1/2.—*Kock & Vletterboom.*

AUSTRIA.

VIENNA, September 24, 1885.—Iron.—The iron markets here and elsewhere in Austria-Hungary have relaxed into dullness; even the speculation for a rise in the shares of iron works on change, alluded to in former reports, has subsided. Meanwhile ironmasters, who met at Pesth, where some plan may possibly be arrived at to place production on a sounder basis. Our market has been steady and firm, with an undercurrent of confidence in the near future, the argument being that, with the extraordinary harvest in Austria-Hungary this year, iron, hardware and tools can hardly fail to speedily give signs of decided improvement. We quote Pig, 47 @ 50; Merchant, 106 @ 125; Sheets, 160 @ 175, and Beams, 105 @ 115 forling @ ton.—*Austrian Trade Journal.*

AUSTRALIA.

SYDNEY, N. S. W., September 19, 1885.—Iron and Hardware.—The market continues dull and heavy, the demand for consumption being light and dealers not feeling disposed to operate unless it be at a material decline. Meanwhile importers show little inclination to yield; hence the stagnation.—*Per cable via London.*

CHILI.

VALPARAISO, August 7, 1885.—Copper.—The exchange market tending downward and producers being free sellers, a large business has been done; later on the exchange market recovered slightly and cable news from England quoted Copper lower, causing part of the advance to be lost. At one time Copper reached to \$18.10, but closes at \$18.30. This, with 30/ freight, equals £43 in England. Week's sales meanwhile sum up 47,500 quintals. Nitrate—Soon after the departure of the last fortnightly mail the price advanced to \$4.05 @ \$4.10 for 95.5, but the cable reporting a very quiet market on the other side, ours became sluggish. Yet the outside figure was nevertheless sustained to the close, which is equal to 10/9 1/2 in England, with a freight rate of 30/4. Sales sum up 532,500 quintals. Since August 21 some 13,500 tons were chartered for Europe. Coal has been inactive at 24 @ 26 for West Hartley and 19 @ 22 for Australian. Exchange—90 days, 35 1/2.—*Weber & Co.*

EAST INDIES.

PENANG, August 21, 1885.—Tin.—The market opened a fortnight ago at \$38.50, but subsequently rose to \$39.10, 6000 tons being taken by Europeans and 4000 for China, the receipts amounted to as much. Total shipments since January 1, 98,372 piculs to England, 10,088 to the United States, and 490 to the Continent. Exchange—four months, bank, 8 1/2.—*Schmidt, Kustermann & Co.*

The Experiments on Illuminants for Lighthouses.

The Trinity House Committee's report on the experiments made at South Foreland on the relative merits of lighthouse illumination has just been made, and is of great interest. The three experimental lighthouses erected at the South Foreland—one for electricity, one for gas, one for oil—have already been fully described. The effects of the respective lights have been observed, not only by eye, but also by photometric apparatus. The distant effects have been measured chiefly by the Elder Brethren afloat, by officers on board light vessels in the vicinity and within range of the lights, by merchant officers in passing ships, sometimes by eye and sometimes by instruments. Observations were also taken at huts at measured distances, and at the coast-guard and other stations on land. Tabulated statements and analyses of all these observations are given in the report. One or two examples of the observations will form an epitome of the whole series, and for this end are selected the observations on May 17 and on June 25. On both days there was thick, dense fog, and the three illuminants were tested under different conditions and very trying circumstances. On May 17 the electric light was shown in triforium series—that is, three electric of equal power superposed in the lantern; the gas in quadrimorph series, or four sets of lights superposed, and the oil in triforium series, three superpositions in the lantern. The electric light continued throughout to exhibit the strongest and most distinct ray, and remained longest visible. The quadrimorph gas and the triforium oil remained pretty closely on a par, but with a perceptible superiority of the latter on the fog becoming denser. The gas was lost sight of at 1400 feet, the oil at 1700 feet and the electric beam at 1900 feet.

All the above were revolving lights, and the oil lights were the ordinary service six-wick burners. On June 24 the electric light was not shown in triforium series, but double power of electric current was sent through one light, thus greatly intensifying its power. Occasionally the current was sent through two lights in biform series. The quadrimorph gas remained the same as formerly. The fog was very dense, and the electric lights of the permanent lighthouses were not visible. At 700 feet the double-power single electric light was a dim star, barely visible; the quadrimorph gas (four lights of 88 burners each) was well visible. At 900 feet the observers were doubtful if the electric light was burning; the quadrimorph gas was indicated by reflection only, as also was the biform sevening oil light shown on this occasion. At 1000 feet all were invisible, only a dull radiance showing the direction of the lights. At 990 feet the biform electric and triform gas were visible, but at 1005 feet the biform electric was visible, while the triform gas had disappeared. At 1030 feet the biform electric was visible, but the quadrimorph gas, which had been seen at 1066 feet, had now

disappeared. At 1200 feet the electric had, like the rest, entirely disappeared. The single double-power electric light, through an annular lens, disappeared at 1450 feet. The above lights were all revolving.

The general conclusions arrived at by the committee are that, although so powerful an electric light as was shown in the "A" tower has never been exhibited in an actual lighthouse, it is, nevertheless, a proved working light, and will be established permanently at St. Catherine's Point, on the Isle of Wight, which in 1883 was selected for conversion to an electric station. The committee are of opinion that, for the ordinary requirements of the mariner, its lowest power, or a single current one-lens light, is even more than is wanted, but that when in haze, fog and rain its highest powers are put forth the light will be seen at distances never attempted with gas or oil. As one result the committee are agreed that there is no necessity for superposing electric lights, as increase of light can be got by increase of electrical current, and that consequently the merits or demerits of this system should be discussed on this basis—one economical advantage being that the expense is avoided of providing more than one set of lenticular apparatus and the additional lamps and fittings necessary for superposed lights. The cost of the electric station is thus brought below that of a gas station, whose chief value lies in the superposition of lights. With the electric system the lantern is clear and healthy, and there is not the undue heat of gas to affect men and apparatus alike. The experiments have shown the quadrimorph gaslight to be a little better than the triform oil, but the difference has never been so marked as to make any practical difference to the sailor.

The committee sum up their report with these conclusions: That the electric light as exhibited in the "A" experimental tower at the South Foreland has proved to be the most powerful light under all conditions of weather, and to have the greatest penetrative power in fog.

The Introduction of the Edison Light.

A striking evidence of the ever-increasing popularity of the incandescent light as an illuminant will be found in the following analysis of the business of the Edison Company in this country:

Plants Established for and Owned by Private Users.	Plants.	Lamps.
Educational institutions, public asylums and hospitals.....	26	7,173
Hotels, apartment-houses and club-rooms.....	23	11,035
Theaters and places for amusement. Banks, office buildings, stores, restaurants, &c.....	73	23,757
Newspaper and other printing offices.....	30	6,621
Sugar refineries.....	11	4,764
Hour-mills and grain elevators.....	26	1,994
Cotton, woolen and textile fabric mills.....	81	25,808
Pulp and paper mills.....	30	3,318
Refineries, distilleries, dyehouses, chemical works and meat-packing houses.....	29	3,392
Water works, rubber factories and miscellaneous manufacturing establishments.....	29	5,088
Iron works, car and machine shops.....	40	7,828
Furniture and piano-forte manufacturing and wood-working establishments.....	15	2,360
Steamships, steamers, yachts, &c.....	51	5,092
Totals.....	494	125,293

All these, it should be borne in mind, are owned and operated by the purchasers themselves.

The central lighting stations, operated by the company and devoted wholly to the work of supplying lights to the general public precisely after the manner of gas, are as follows:

	Lamps supplied.
New York, N. Y.....	13,000
Bellefonte, Pa.....	1,300
Middletown, Ohio.....	700
Williamsport, Pa.....	4,500
Piqua, Ohio.....	2,500
Newburgh, N. Y.....	3,000
Tiffin, Ohio.....	1,300
Fall River, Mass.....	3,000
Hazleton, Pa.....	1,500
Lawrence, Mass.....	2,000
Shamokin, Pa.....	3,000
Brockton, Mass.....	3,000
Circleville, Ohio.....	1,300
Cumberland, Md.....	1,300
Des Moines, Iowa.....	2,000
Appleton, Wis.....	2,000
Harrisburg, Pa.....	5,000
West Chester, Pa.....	2,000
Johnstown, Pa.....	1,300
Tamqua, Pa.....	2,000
McKeesport, Pa.....	2,000
New Brunswick, N. J.....	2,000
Boone, Iowa.....	1,000
Wilkesburg, Del.....	2,000
Total.....	51,400

This makes a grand total of 167,000 lamps; or, if the lamps actually placed in isolated plants were taken, instead of merely the dynamo capacity, a grand total of upward of 250,000 Edison lamps is shown to be in actual use in this country alone.

Ductility of Steel Boiler Plates.

The Secretary of the Treasury has issued the following circular to supervising and local inspectors of steam vessels in regard to the ductility of steel boiler plates:

It having been ascertained to the satisfaction of the department that the regulation promulgated in Department Circular No. 29, February 25, 1885, to take effect September 1, requiring a reduction of area of 53 per cent. on all steel boiler plates of 65,000 pounds tensile strength and upward, is an actual prohibition of the manufacture of such plates, said regulation is hereby modified so as to require a reduction of area as follows:

Tensile strength of 70,000 pounds, 43 per cent. reduction of area.

Tensile strength of 65,000 pounds, 50 per cent. reduction of area.

Tensile strength of 60,000 pounds and under, 55 per cent. reduction of area.

This regulation will remain in force unless otherwise ordered at the close of the next annual meeting of the Board of Supervising Inspectors.

The Board of State Equalization fixed the equalized value of the real and personal property in New York City at \$1,413,415,020, which is \$112,148,890 more than the assessed value. In Kings County they fixed the equalized value at \$309,238,510, which is \$13,482,506 less than the assessed value.



L. COES'
GENUINE IMPROVED
Knife Handle
PATENT
Screw Wrenches
MANUFACTURED BY
L. COES & CO.,
Worcester, Mass.
ESTABLISHED IN 1839.



Patented July 6, 1880. Patented July 8, 1884.
Registered March 31, 1874.

Sectional view illustrates our NEW KNIFE HANDLE, showing Malleable Iron Frame and Shank of Bar keyed into position.
Straight Bar, Extra LONG NUT FOR SCREW IN JAW.

The Best Made and Strongest Wrench in the Market.
Send for Illustrated Price List and Circular.

DURRIE & McCARTY,
NEW YORK,
Sole Agents.

NIMICK & BRITTAN MFG. CO.,
PITTSBURGH, PA.,
BUILDERS' FINE HARDWARE,
RIM AND MORTISE DOOR LOCKS WITH
BURGLAR-PROOF ATTACHMENT.
GENUINE BRONZE AND IMITATION BRONZE KNOBS, &c., &c.
Mathes' Patent Burglar-Proof Sash Locks.
PADLOCKS.
TEA, COUNTER, UNION AND PLATFORM SCALES.
Catalogues and Lists furnished on application.
JOHN H. GRAHAM & CO., Agents, 113 Chambers St., New York.

COPYING PRESSES

MANUFACTURED BY THE

ILLINOIS IRON AND BOLT CO.,

20 to 26 Main St., CARPENTERSVILLE, KANE CO., ILL.




Railroad Way-Bill Copying Press.

Finished in Black and Carmine, with Bronze Ornamentation.

ALSO MANUFACTURERS OF

Blacksmiths' Tools, Jack Screws, Thimble
Skins, Sad Irons &c.

The PHILADELPHIA NO. XX ROLLER SKATE



Has No Equal.

Showing Style of Phila. No. XX Rink Skate. Sizes running from 7 1/2 to 12 inches.

With this Skate it is possible to describe the smallest circle; do the fastest skating with greater ease than can be done upon any other skate upon the market.

AMERICAN MANUF'G. CO., Box 871, PHILADELPHIA.


(LLOYD & SUPPLIER HARDWARE CO., 625 Market Street, PHILADELPHIA.
For Sale by **DURRIE & McCARTY, 97 Chambers Street, NEW YORK.**
(LOCKWOOD, TAYLOR & CO., CLEVELAND, OHIO.)

A. E. DEITZ.



DURRIE & McCARTY, Agents,

97 Chambers & 81 Reade Sts., New York.



W. & J. TIEBOUT,

MANUFACTURERS OF

BRASS, GALVANIZED & SHIP CHANDLERY

HARDWARE.

Nos. 16 & 18 Chambers Street,
NEW YORK.



ALWAYS GIVES THE
UTMOST SATISFACTION.

Main Belting Co.,

Manufacturers of

THE LEVIATHAN

COTTON

BELTING.

Unsurpassed for

Strength, Durability and

Cheapness.

Made to any Length,

Width and Strength.

Main Driving Belts.

Guaranteed to Run

Straight, Even Through-

out.

No Cross Joints, Un-

affected by Damp.

Clings well to the Pulley,

Has no equal. In fact,

is THE BELT.

MAIN BELTING

COMPANY,

S. W. cor. Ninth and Reed

Sts., Philadelphia.


Also

248 East Randolph St.,

CHICAGO.

THE FAY SULKY SCRAPER.

AUTOMATIC, SIMPLE, STRONG, DURABLE.



The latest improved and best of all Scrapers for contractors and others. No stoppages required. Causes teams no sore necks. Greatly improved for present season. Try it and you will use no other. Agents wanted.

FAY MFG. CO., Elyria, Ohio.

FROST'S PAT. THILL SPRING.



Every Pair Warranted
for One Year and
No Rattle.

Send for Circular to

STILES FROST,

276 Devonshire St., Boston, Mass.

WHIPPLE MFG. CO.


MANUFACTURERS

Door Locks, Knobs,

BRONZE GOODS AND BUILDERS' HARDWARE.

Soft Small Gray Iron Castings a Specialty.

CLEVELAND, OHIO, U. S. A.



STAR HACK SAW

These STAR HACK SAWS are the only thing in our list for which the demand is steadily and rapidly increasing in these dull times. Every dealer who orders them is sure to increase the number in his second order. They will be in universal demand, and every store in the land can sell them at a profit, besides giving great satisfaction to their customers.

There is no risk in handling them, as we will take back every one which is not wanted, whether bought of us or some other dealer. We guarantee them to do double as much cutting as any other kind in market.

Length of Blade,	6,	7,	8,	9,	10,	11,	12,	assorted,	6 to 9.
Price per dozen,	55,	60,	65,	70,	85,	95,	105,		65 cents.

STAR HACK ★ SAW FRAMES.

WITHOUT BLADES.

No. 0 extension frame, to hold 10, 11 and 12 inch, steel polished and nicked.....	Per doz.	\$12.00
No. 1 extension frame, to hold 6, 7, 8 and 9 inch, steel polished and nicked.....		9.60
No. 2 solid frame, to hold 8 inch, steel polished and nicked.....		8.40

As seen in the cut, these frames are all made adjustable, so as to face the blades in four different directions. They also have the patent staple-shaped pins to hold the blades in the frames, which are so arranged that they cannot fall out.

MILLERS FALLS CO.,

No. 74 CHAMBERS ST., NEW YORK.



CHAMPLAIN
Forged Horse Nails.
MANUFACTURED BY THE
NATIONAL HORSE NAIL CO.,
Vergennes, Vermont.
HOT FORGED AND COLD HAMMERED POINTED. MADE OF BEST
NORWAY IRON AND WARRANTED.
WAREHOUSE
97 CHAMBERS AND 81 READE STREETS NEW YORK.
DURRIE & McCARTY, Sole Agents.

H. B. SEIDEL,
President.

W. HASTINGS,
Vice-Pres. and Gen'l Mgr.

E. T. CANBY,
Sec. and Treas.

THE SEIDEL & HASTINGS CO.,

WILMINGTON, DELAWARE,

New York Office, No. 221 Pearl, Corner Platt Street,
MANUFACTURERS OF

BEST CHARCOAL BOILER PLATES, AND PLATE IRON GENERALLY.

ALSO BEST QUALITY HOMOGENEOUS STEEL PLATES.

We ask the special attention of the trade to our C. H. No. 1 Boiler Plates, which we manufacture expressly for the Shells of Steam Boilers and stamp 50,000 pounds T. S. when desired. One hundred and sixteen tests of this iron, made during the last three years by the U. S. Inspectors of Steam Vessels, show an average tensile strength of 55,508 pounds to the sectional square inch, and an average reduction of area of the fractured section of 30% per centum. Our prices are as low as the production of a good article will admit of.

VARIETY IRON WORKS.



ALFRED C. JREX & CO.,

Manufacturers of

PATENTED HARDWARE SPECIALTIES AND NOVELTIES.

MAIN OFFICE AND FACTORY:

FRANKFORD, PHILA.

BRANCH OFFICES:

126 Chambers St., New York, Chas. E. Spier, Mgr.

and 415 Commerce St., Phila.

New Spring Specialties—King Egg Beaters, awarded medal at American Institute, New York; King Candle Lamp and Lantern, cheapest combination ever made.



ST. NICHOLAS SKATE.

SIMPLEST AND BEST.

We make the best Rink Skate

on the market.

Send for Catalogue and Price List.

St. Nicholas Toy Co.,

784 to 794 Madison St., Chicago.

PURE TURKISH EMERY.

WALPOLE EMERY MILLS,

South Walpole, Mass.

MECHANICAL.

Sulphur a Cause of Corrosion in Boilers.

Mr. W. M. Barr, in his book on "The Combustion of Coal," records an interesting case where a French commission on the inspection of boilers and the investigation of accidents resulting from their explosion, had its attention drawn to the explosion of two boilers, one at a colliery in Nièvre, and the other at the Ougrée Iron Works, in Belgium, in both of which cases the accident was attributed to the destructive effect on the metal of sulphuric acid. This, it was thought, was left by the smoke on certain parts of the sides of the boilers, and the results of an investigation were awaited with considerable interest. It was found that in both cases the iron at the parts which gave way first had been appreciably reduced in thickness, the corrosion being all on the exterior. In the case of the boiler at Nièvre it extended over the upper end on the side not exposed, and the trouble was attributed to the corrosive action of oxygen and sulphurous acid contained in the products of combustion in the presence of water coming from a fissure in the boiler above. This, having traversed the brick vaulting, fell on the reheater, wetting the upper part, which was relatively cold, being situated at the extremity of the circuit of smoke, and close to the point where the feed-water arrived. It was remarked that the water vapor contained in the smoke was liable to condense here, and that the effect of this condensation might be added to that of the infiltration and favor the oxidation of the sulphurous acid into sulphuric acid. Large scales of oxide of iron and also sulphur in some form of combination were found on the corroded parts.

The accident at the Ougrée Works presented more conclusive evidence. In this case sulphuric acid was actually found in a free state as well as in the form of sulphate of iron. The boiler was horizontal and cylindrical, with two water tubes below, and was heated from the puddling furnaces. One of the tubes was torn open, the fracture taking two courses perpendicularly, one in the iron plate itself, the other along a riveted seam. The thickness of the iron was reduced to about $\frac{1}{2}$ inch at the edges of the first rent. Two samples of the soot left by the smoke in the parts destroyed were analyzed. They gave sulphate of iron between 52 and 53 per cent., and free sulphuric acid in one sample 1.42 and in another nearly 12 per cent. Soot from other parts also contained sulphuric acid, but not enough to have any sensible result on the iron. The action was thus explained: The soot was deposited during the working of the puddling furnaces in an entirely dry state, but when the fires were put out the air, loaded with moisture, entered and converted the soot into a paste. The oxidation of the sulphurous acid then occurred, and the iron was in the best condition to be attacked. The cor-

rosive action was thus going on constantly when the boiler was not at work and in parts that could not be cleaned out, while no action occurred where the soot had been cleared away.

The Action of Springs.

Our contemporary, the *National Car Builder*, a short time ago directed attention to the fact that a new form of machine for testing car springs, different from any that are in common use, is greatly in demand. Car springs are usually tested by placing on them the weight that they are expected to carry, and then ascertaining how rapidly they will vibrate under such weight. As the load in testing usually consists of disks of iron suspended at the end of a long lever, so adjusted as to throw the desired weight upon the spring, the motion is necessarily slow. In some cases it has been estimated that the spring opens and closes at the rate of only one vibration per second. This is undoubtedly true in respect to rhythmic vibration produced by gravity. With less than the total load the speed of opening and closing seems to be almost unlimited. Whenever a wheel passes over a low point in the track the axle is forced—or, more properly, shot—down with a velocity which bears a certain ratio to the reduced resistance which the spring meets at that moment. The reaction which follows is equal, and in the opposite direction. In forcing a wheel down, the only resistance encountered is due to the inertia of the mass below the spring and the friction of the moving parts. That steel springs have a limiting speed of motion is evident from the fact that they transmit jar or tremor perfectly to the car body. Against this they seem to be altogether powerless.

liness and convenience are desirable features, the Shipman Engine, of which we present illustrations on this page, is entitled to attention. It is the invention of Mr. A. H. Shipman, of Rochester, N. Y., and is built by the Shipman Engine Mfg. Co., of that city. Although in many respects of novel construction, its successful practical application in various directions has raised it beyond the experimental stage, and its value is meeting with extending appreciation. Our engravings give a very good idea of the general appearance and arrangement of the engine, Fig. 2 representing a longitudinal section, from which, among other things, the construction of the boiler will readily be understood. This view relates to an earlier form of the engine, in which the cylinder, as shown, was completely covered by an iron casing. This detracts nothing, however, from the value of the cut for our purpose. The fuel used under the boiler is kerosene, which, by means of a steam jet, is introduced into the fire-box in the form of spray. This necessitates the use of an atomizer, and the combustion of the fuel is claimed to be so perfect that there is little or no smoke, and the full value of the heating qualities of the fuel is obtained. On the pipe furnishing steam for the atomizer is a diaphragm which may be set to carry any desired pressure in the boiler, automatically controlling the fire so that increase or decrease above or below a certain limit will extinguish or relight the fire, as the case may be. The oil tank holds about 2 gallons. This tank has a space between the oil and the fire-box, and this space is filled with water from the feed-water supply. This water is then pumped into the boiler. In this way there is a constantly changing jacket of water $\frac{1}{4}$ inch thick in front of the

oil, thus making it impossible to heat it. The water supply also is automatic. The boiler is sectional, with tubes screwed into the back. Each tube is tested before use to 400 pounds pressure to the square inch, and the boiler, when completed, is also tested to the same pressure. The pump is made of brass, in regular engine-pump form, with lift and force valves. The plunger is connected to the main shaft by an eccentric, and constantly working when the engine is in motion, and, in connection with the water regulator, keeps a uniform supply of water in the boiler. An automatic governor on the shaft maintains a uniform speed of the engine with a varying load. The cylinders are lubricated with a self-oiler. The shafts have oil cups, and the connecting rods are automatically oiled. The piston has packing rings, and all parts are provided with means of adjustment for wear.

Since this engine was first built experience, constant study, effort and taste have greatly added to its strength and durability. The changes which were made consist of about one-half increase of boiler, bearing surfaces doubled, the wrist-pin end of pitman bushed with compressed Babbitt and made interchangeable. The wrist-pins are of hardened steel. A coil-pipe heater was added, de-

doubly unfortunate, as they not only lay out a much larger amount of money than is really necessary, to begin with, but pay more money continually in running the engines afterward. A sufficiency of power is, of course, the first consideration, but it cannot be too widely known among those interested in the economical use of steam that, wherever the load to be driven by an engine is tolerably constant, there is one size of engine, and one only, which will give the best result. For every engine also there is one definite load, whether the engine be condensing, non-condensing or compound, which will give a maximum of economy in working. Any deviation from this in either direction, either by underloading or overloading, will result in a greater consumption of steam, and consequently of fuel.

The Sanderling Lubricating Devices.

The Jersey City Wheel Foundry and Machine Works, of Jersey City, N. J., are now turning out a number of Lubricating Devices for loose pulleys, car and wagon wheels, &c., designed by Mr. M. L. Sanderling. Of these we present herewith several illustrations showing sections through the principal parts. It should be remarked that Mr. Sanderling's devices are practically divided into two distinct classes—those acting by simple downward flow of oil, and those in which centrifugal force is brought into play. Fig. 1 relates to the second form of apparatus, showing an oiling arrangement for a loose pulley. The bore of the hub B, as will be seen, is made large enough to permit of the introduction of a sleeve or bushing, D, which is firmly fixed on the shaft A by a set-screw J. The pulley, instead of directly bearing on the shaft, thus turns on this bushing, and the hub B is closed at its ends by flanged caps C C. Inner flanges with which these caps are provided form the annular oil chambers G G, which contain some form of fibrous material to act as wipers for the oil tending to escape along the shaft. The outer flanges of the caps closely approach the shaft and taper inward. The sleeve D has inwardly-projecting ribs, and is bored to fit the shaft, leaving, however, an oil space, E E, from which the oil may pass through a number of holes, as shown, so as to reach the wearing surfaces. This oil space communicates with the end or cap chambers by means of grooves (F), which are better shown in Fig. 3. H H are oil-pipes projecting inward and just clear of the shaft, serving for the introduction of oil. The courses for the oil through the ribs of the sleeve D are marked I I in Fig. 2. As regards the action of this device, explanation is almost unnecessary. It will be readily understood that as the shaft, together with the sleeve D, revolves, centrifugal force will cause the oil in the chamber E E to pass through

projecting lips N N serve a similar purpose so far as the walls of the overflow chamber are concerned. The arrangement adopted is exceedingly simple in both devices, which have given highly satisfactory results in all cases. The principle underlying the attachment for lubricating car-wheels is practically the same as that just described, and differs from it mainly in some of the details.

Testing Lubricants.

It is a matter no doubt often overlooked in testing lubricants that experiments made upon the nicely fitted journal of a testing machine are not conclusive as to the fitness of a lubricant for use on a similar journal which is not well fitted. As the latter bears only in spots or along lines of contact, it is subjected on such surfaces of contact to pressures which may be enormously heavier than that affecting the same journal when wear or refitting has given it a good bearing. Could its magnitude be known, a good testing machine would determine which of our collection of oils is the best fitted for use upon it. The testing machine determines the behavior of an oil upon its own journals, and only if those on which the lubricant is to be used are similar will its behavior be the same. While the machine does not usually serve to select oils for badly-made lubricated surfaces, it exhibits the intrinsic qualities of the oils tested, and every mechanic and engineer endeavors to get all journals into as good condition as those of the testing machine, and thus fit them to do good work with good oils.

A 5-Horse Power Gas Engine.

A small vertical gas engine of the Otto type, rated at 5-horse power, is the latest addition to the list of small motors now in the market. It occupies only about 3 feet square of floor space, and is 5 feet 8 inches high, so that those who have little room to spare can fit it into almost any corner. Being so small, the gas consumption is necessarily greater than in the larger engines, but a redeeming feature is found in a sensitive governor with which the engine is




Fig. 1.—General View of Two-H. P. Engine.




Fig. 2.—Longitudinal Section.

THE SHIPMAN ENGINE, BUILT BY THE SHIPMAN ENGINE MFG. CO., ROCHESTER, N. Y.




Fig. 1.—Longitudinal Section of Lubricating Device for Loose Pulleys.




Fig. 4.—Section of Device for Wagon-Wheels.

THE SENDERLING LUBRICATING DEVICES.

the different holes in the sleeve and spread along the bearing surfaces. This arrangement is specially adapted for high speeds. Fig. 3 explains itself, showing sections through different points in the cap C. The other device, in which a downward flow of oil is secured, is shown in Fig. 4 as applied to a wagon-wheel. We have here an axle, A, similar to the ordinary form, except as regards a groove in the upper part. The axle-box B B B has a chambered end portion forming oil spaces J K M and I. C is a wooden hub secured in the ordinary manner, and D is the axle nut; E is a sealing nut to prevent escape of oil at the outer end; F is the usual metal hub band with the spoke mortises G. The projections H serve to lift the oil and direct its flow into the openings I. The channels J J permit the return of the oil escaping from the bore of the box to the main chamber, one or more being always below the overflow line; K is the overflow chamber. The grooves L prevent the oil from running along the axle or collar and escaping in this way, and the

furnished, and by means of which automatic regulation of the gas supply is secured. This is a decided departure from the plan usually followed in the construction of small gas engines, and offers advantages which users will not be slow to recognize.

An interesting feature of the exhibition of the American Institute, now in progress, is the exhibit of Baudry & Cunningham, on the east side of Machinery Hall. In a completely appointed shop they have three of their latest pattern upright power hammers, which are kept at work on the production of cutlery and other forgings. Besides their hammers, they have all the apparatus of the workshop, including forges, furnaces, anvils, &c. The Baudry & Cunningham hammers are especially adapted for accurate and fine work, having a vertical movement which insures a square and true blow upon the anvil. They work with great speed and efficiency, and at the fair they attract much attention both from mechanics and the general public.

Cotton and Linen Fish, Draper's.....dl\$ 50
Draper's Chalk.....dl\$ 60
No. 8 M. Pen. Ink.....dl\$ 75
No. 1, No. 2, \$.25; No. 4, \$.70; No. 5, \$.25, dl\$ 25
Cotton Chalk.....dl\$ 50
Listed Large Drapers' Pens.....dl\$ 50
\$ 7.00; No. 3, \$ 7.50 w gross.....dl\$ 95
Saxons' Linen, No. 34, \$1.50; No. 4, \$2; No. 4A, \$2.25;
Saxons' Cottons.....dl\$ 50
Wire Clothes, No. 18, \$3.50; No. 19, \$3; No. 20, \$2.50
Locks, Padlocks, Cabinet Locks, &c.
Door Lock List, Dec. 10, 1884. Some numbers) dl\$ 00%
changed Feb. 2, 1885.....dl\$ 62½
New York Patent Safe Co.'s Bullet Proof Locks Lbs 2-24
Headings Hardware Co., Sat Feb. 2, 1885.....dl\$ 70
Jerkins' Burglar Proof.....dl\$ 35
F. Maus' "Extension Cylinder"\$10.50 w dose net
Yale Flat Key.....dl\$ 50
Dial Flat Key.....dl\$ 50
L. & C. Flat Key.....dl\$ 50
L. & C. Flat Key Latches.....dl\$ 35+10
Yale new list.....dl\$ 40
"Morse"dl\$ 40
"Teller" or "American"dl\$ 40+10

<p>Changes made in list price of some numbers March 1, 1885.</p> <p>10, 1884, and Jan. 1, 1885.</p> <p>dis 4082 \$ 20.00</p> <p>dis 3004 40.00</p> <p>dis 3010 40.00</p> <p>dis 3011 40.00</p> <p>dis 3012 40.00</p> <p>dis 3013 40.00</p> <p>dis 3014 40.00</p> <p>dis 3015 40.00</p> <p>dis 3016 40.00</p> <p>dis 3017 40.00</p> <p>dis 3018 40.00</p> <p>dis 3019 40.00</p> <p>dis 3020 40.00</p> <p>dis 3021 40.00</p> <p>dis 3022 40.00</p> <p>dis 3023 40.00</p> <p>dis 3024 40.00</p> <p>dis 3025 40.00</p> <p>dis 3026 40.00</p> <p>dis 3027 40.00</p> <p>dis 3028 40.00</p> <p>dis 3029 40.00</p> <p>dis 3030 40.00</p> <p>dis 3031 40.00</p> <p>dis 3032 40.00</p> <p>dis 3033 40.00</p> <p>dis 3034 40.00</p> <p>dis 3035 40.00</p> <p>dis 3036 40.00</p> <p>dis 3037 40.00</p> <p>dis 3038 40.00</p> <p>dis 3039 40.00</p> <p>dis 3040 40.00</p> <p>dis 3041 40.00</p> <p>dis 3042 40.00</p> <p>dis 3043 40.00</p> <p>dis 3044 40.00</p> <p>dis 3045 40.00</p> <p>dis 3046 40.00</p> <p>dis 3047 40.00</p> <p>dis 3048 40.00</p> <p>dis 3049 40.00</p> <p>dis 3050 40.00</p> <p>dis 3051 40.00</p> <p>dis 3052 40.00</p> <p>dis 3053 40.00</p> <p>dis 3054 40.00</p> <p>dis 3055 40.00</p> <p>dis 3056 40.00</p> <p>dis 3057 40.00</p> <p>dis 3058 40.00</p> <p>dis 3059 40.00</p> <p>dis 3060 40.00</p> <p>dis 3061 40.00</p> <p>dis 3062 40.00</p> <p>dis 3063 40.00</p> <p>dis 3064 40.00</p> <p>dis 3065 40.00</p> <p>dis 3066 40.00</p> <p>dis 3067 40.00</p> <p>dis 3068 40.00</p> <p>dis 3069 40.00</p> <p>dis 3070 40.00</p> <p>dis 3071 40.00</p> <p>dis 3072 40.00</p> <p>dis 3073 40.00</p> <p>dis 3074 40.00</p> <p>dis 3075 40.00</p> <p>dis 3076 40.00</p> <p>dis 3077 40.00</p> <p>dis 3078 40.00</p> <p>dis 3079 40.00</p> <p>dis 3080 40.00</p> <p>dis 3081 40.00</p> <p>dis 3082 40.00</p> <p>dis 3083 40.00</p> <p>dis 3084 40.00</p> <p>dis 3085 40.00</p> <p>dis 3086 40.00</p> <p>dis 3087 40.00</p> <p>dis 3088 40.00</p> <p>dis 3089 40.00</p> <p>dis 3090 40.00</p> <p>dis 3091 40.00</p> <p>dis 3092 40.00</p> <p>dis 3093 40.00</p> <p>dis 3094 40.00</p> <p>dis 3095 40.00</p> <p>dis 3096 40.00</p> <p>dis 3097 40.00</p> <p>dis 3098 40.00</p> <p>dis 3099 40.00</p> <p>dis 3100 40.00</p> <p>dis 3101 40.00</p> <p>dis 3102 40.00</p> <p>dis 3103 40.00</p> <p>dis 3104 40.00</p> <p>dis 3105 40.00</p> <p>dis 3106 40.00</p> <p>dis 3107 40.00</p> <p>dis 3108 40.00</p> <p>dis 3109 40.00</p> <p>dis 3110 40.00</p> <p>dis 3111 40.00</p> <p>dis 3112 40.00</p> <p>dis 3113 40.00</p> <p>dis 3114 40.00</p> <p>dis 3115 40.00</p> <p>dis 3116 40.00</p> <p>dis 3117 40.00</p> <p>dis 3118 40.00</p> <p>dis 3119 40.00</p> <p>dis 3120 40.00</p> <p>dis 3121 40.00</p> <p>dis 3122 40.00</p> <p>dis 3123 40.00</p> <p>dis 3124 40.00</p> <p>dis 3125 40.00</p> <p>dis 3126 40.00</p> <p>dis 3127 40.00</p> <p>dis 3128 40.00</p> <p>dis 3129 40.00</p> <p>dis 3130 40.00</p> <p>dis 3131 40.00</p> <p>dis 3132 40.00</p> <p>dis 3133 40.00</p> <p>dis 3134 40.00</p> <p>dis 3135 40.00</p> <p>dis 3136 40.00</p> <p>dis 3137 40.00</p> <p>dis 3138 40.00</p> <p>dis 3139 40.00</p> <p>dis 3140 40.00</p> <p>dis 3141 40.00</p> <p>dis 3142 40.00</p> <p>dis 3143 40.00</p> <p>dis 3144 40.00</p> <p>dis 3145 40.00</p> <p>dis 3146 40.00</p> <p>dis 3147 40.00</p> <p>dis 3148 40.00</p> <p>dis 3149 40.00</p> <p>dis 3150 40.00</p> <p>dis 3151 40.00</p> <p>dis 3152 40.00</p> <p>dis 3153 40.00</p> <p>dis 3154 40.00</p> <p>dis 3155 40.00</p> <p>dis 3156 40.00</p> <p>dis 3157 40.00</p> <p>dis 3158 40.00</p> <p>dis 3159 40.00</p> <p>dis 3160 40.00</p> <p>dis 3161 40.00</p> <p>dis 3162 40.00</p> <p>dis 3163 40.00</p> <p>dis 3164 40.00</p> <p>dis 3165 40.00</p> <p>dis 3166 40.00</p> <p>dis 3167 40.00</p> <p>dis 3168 40.00</p> <p>dis 3169 40.00</p> <p>dis 3170 40.00</p> <p>dis 3171 40.00</p> <p>dis 3172 40.00</p> <p>dis 3173 40.00</p> <p>dis 3174 40.00</p> <p>dis 3175 40.00</p> <p>dis 3176 40.00</p> <p>dis 3177 40.00</p> <p>dis 3178 40.00</p> <p>dis 3179 40.00</p> <p>dis 3180 40.00</p> <p>dis 3181 40.00</p> <p>dis 3182 40.00</p> <p>dis 3183 40.00</p> <p>dis 3184 40.00</p> <p>dis 3185 40.00</p> <p>dis 3186 40.00</p> <p>dis 3187 40.00</p> <p>dis 3188 40.00</p> <p>dis 3189 40.00</p> <p>dis 3190 40.00</p> <p>dis 3191 40.00</p> <p>dis 3192 40.00</p> <p>dis 3193 40.00</p> <p>dis 3194 40.00</p> <p>dis 3195 40.00</p> <p>dis 3196 40.00</p> <p>dis 3197 40.00</p> <p>dis 3198 40.00</p> <p>dis 3199 40.00</p> <p>dis 3200 40.00</p> <p>dis 3201 40.00</p> <p>dis 3202 40.00</p> <p>dis 3203 40.00</p> <p>dis 3204 40.00</p> <p>dis 3205 40.00</p> <p>dis 3206 40.00</p> <p>dis 3207 40.00</p> <p>dis 3208 40.00</p> <p>dis 3209 40.00</p> <p>dis 3210 40.00</p> <p>dis 3211 40.00</p> <p>dis 3212 40.00</p> <p>dis 3213 40.00</p> <p>dis 3214 40.00</p> <p>dis 3215 40.00</p> <p>dis 3216 40.00</p> <p>dis 3217 40.00</p> <p>dis 3218 40.00</p> <p>dis 3219 40.00</p> <p>dis 3220 40.00</p> <p>dis 3221 40.00</p> <p>dis 3222 40.00</p> <p>dis 3223 40.00</p> <p>dis 3224 40.00</p> <p>dis 3225 40.00</p> <p>dis 3226 40.00</p> <p>dis 3227 40.00</p> <p>dis 3228 40.00</p> <p>dis 3229 40.00</p> <p>dis 3230 4</p>

INDUSTRIAL ITEMS.

MAINE.

The new Katahdin Furnace will be blown in about November 1. The capacity will be from 20 to 25 tons a day.

NEW HAMPSHIRE.

George A. Rollins & Co., builders of the Rollins automatic cut-off steam engine, at Nashua, are running their shops on full time and with their full quota of help.

MASSACHUSETTS.

Lanesboro' Furnace and one of the Richmond furnaces will go into blast shortly.

Operations at the Fall River Iron Works have been entirely suspended for some weeks, but work was resumed at the "east end" last week. The employees, on entering, found a notice that all hands would be required to remain in the mill until the regular hour of closing, instead of leaving for home a half-hour or so earlier, as the day's work of each individual was completed, which has been the custom. Quite a number of the help were offended by the notice, and left the mill, but they shortly returned and went to work. The entire works and the nail mill were in operation on Tuesday.

The Eldredge Mfg. Co., Chicopee, have recently been incorporated, with a capital stock of \$100,000, under the laws of the State of Illinois, with their headquarters at Chicago. The officers of the company are B. Eldredge, president and treasurer; F. P. Eldredge, vice-president, and Philip Goez, secretary. The new company have bought of the Ames Co. all the rights, the machinery and tools of the old Eldredge Sewing Machine Co., and will continue the manufacture of the machines. The machines will be manufactured at the Ames Co.'s shop for the present, and work is to be begun at once.

The Whitin Machine Works, Whitinsville, are running by steam on account of low water.

The molders employed in Smith & Anthony's extensive stove foundry, in Wakefield, to the number of 100, refused to go to work on Monday unless the firm gave them an increase of 15 per cent. on the present wages. The superintendent promised to lay the matter before the directors. The molders then left the foundry, and returned to their homes. It is understood that the foundry will not have to shut down on account of the action of the molders, but will be run as usual.

We learn that Mr. Roland T. Oakes, formerly connected with the Ames Co., of Chicopee, is now general manager of the Amhurst Hydraulic Motor Co., at Holyoke.

Beaudry & Cunningham, of Boston, have recently placed a 200-pound Beaudry upright hammer for drop-forging of flyers in the works of Benj. Buckley's Sons, at Paterson, N. J. This, it is said, is the only hammer that will do this work.

CONNECTICUT.

The E. Horton & Son Co., Windsor Locks, have received an order for a chuck which will be, when made, the largest in the world. It is for holding large engine driving-wheels, and will be made with two complete sets of gearing and six jaws.

The Humphreysville Mfg. Co., of Seymour, have commenced running their auger and bit shop by steam, and will continue to do so while the new water-wheel is being put in.

The Hunts-Lyman Furnace will blow in about October 15.

The Eddy Electric Mfg. Co., of Hartford, Conn., succeed A. H. Eddy, as manufacturers of the Mather dynamo-electric machines for electrotyping, electroplating, the reduction of ores, &c. The demand has necessitated increased facilities for the production of these dynamos.

NEW YORK.

The Crown Point Furnaces are both in blast. They have no iron on hand, having sold 10,000 tons at \$1 a ton higher price than the iron brought last January. The furnaces run on Bessemer pig.

Application was made on September 29 for the appointment of a receiver for the Parrott Iron Co., whose affairs will probably thus be wound up.

PENNSYLVANIA.

One of the Spearman Furnaces, at Sharon, will blow in next week.

The statement that Robert Hare Powell's Sons & Co. have discharged all the Hungarian laborers employed at their Powelton Furnace, in Bedford County, is denied by them. They discharged a few, owing to a threatened strike, but will probably replace them with others.

The Western File Works, of Beaver Falls, will start up next week.

The Etna Nail Mill, at New Castle, owned by P. L. Kimberly, which has been idle for some months, will be started up this week.

The enlarged Robeson Furnace will probably be put in blast in three weeks.

The Montgomery Furnace, at Port Kennedy, is out of blast, having chilled September 23.

The Hooven Pipe and Rolling Mill was started up September 21.

Ground has been staked off for a new forge to be erected west of Light's Rolling Mill, Lebanon, by Samuel Light.

The Lebanon Iron Co., of Lebanon, are overrunning with orders, and will soon commence running double turn.

The Lehigh Zinc Co., of South Bethlehem, contemplate building 24 new oxide furnaces, which will give employment to an increased number of men. Work will be commenced at once on the improvements.

The new pipe mill at Scottsdale is assuming shape. The pattern shop is up and the large frame of the main building will be in place this week. The contracts for the steam crane and two steam boilers, 28 feet long and 42 inches in diameter, have been

let, and a new track has been laid into the mill for convenience in loading.

The sale of the real estate belonging to the Wheeler Iron Co., at Middlesex, has been postponed until the January term of court, and it is given out by those in a position to know that all will be *in statu quo* by that time. The work of repairing Fannie Furnace is being pushed by a large force of workmen, and before 30 days she will be in all her pristine glory.

No. 2 of the Colebrook Furnaces, at Lebanon, which had been out of blast for several weeks, was blown in on Saturday last.

The usual semi-occasional rumors about starting up the Wheatland Iron Works, establishing a pipe works there, building steel works, and other similar reports, have been circulated for the past few days. The Woods heirs are credited with being the parties who are going to do these things, but the millennium will probably arrive in the meantime.—*Sharon Herald*.

The Dunmore Iron and Steel Co. have been chartered, and will do business at Dunmore, Lackawanna County. The capital is \$500,000.

There is a rumor on the streets that Boone's Iron Mill has been sold to a party in Elmira, N. Y., and that a prominent iron man of Norristown will be put at the head of the concern to run it.—*Norristown Times*.

Concord Axle Co., Penacook, N. H., are putting in a new and larger water-wheel and new machinery in several departments of their works. They report trade fair and increasing.

PITTSBURGH AND VICINITY.

By the explosion on last Friday of the mud-drum attached to a battery of boilers in the Solar Iron Mill of Wm. Clark & Co., seven workmen were fatally, and a large number seriously, injured. The explosion occurred just as the night turn was leaving the mill; otherwise, the loss of life must have been much greater. The cause of the accident was corrosion of the drum by the water used.

The Keystone Bridge Co. have received a contract for the construction of an iron bridge across the Licking River, between Newport and Covington, Ky. The bridge will be two spans of 267 feet each.

During the month of September Oliver Brothers & Phipps made 6505 tons of finished iron and steel. A large part of this was consumed by their factories and the rest was shipped as fast as made.

The Marshall Foundry and Construction Co., of Pittsburgh, were the lowest bidders for the ironwork on the roof of the public building at Peoria, Ill. Their bid was \$12,651.

OHIO.

But three of the 14 furnaces in the Hocking Valley are in blast—the Akron, Baird and Winona. One stack at the Fannie Furnaces will blow in the next fortnight, and the Bessie soon.

The Acme Cold-Polishing Shafting Works, owned by the Mahoning Valley Iron Co., Youngstown, and located near the mills, burned to the ground on October 4. The blaze broke out, it is supposed, from a lamp exploding. The company had a large number of orders on hand, and the works were operated to their full capacity. The loss will amount to \$10,000. Insured for \$4200. The company will rebuild at once.

The new Cartwright Iron Co., operating the old mill at Alikanna, just above Steubenville, started up with 60 men on September 22.

One of the Cherry Valley furnaces, at Leetonia, will blow in this week. Both stacks have been out for some time.

The new mill of the Falcon Iron and Nail Co., at Niles, will be ready to start in about two weeks.

The Champion Iron Fence Co., of Kenton, have recently been increasing their facilities by the addition of two fine punching and shearing machines made by the Long & Alstatter Co., of Hamilton, and the putting in of all necessary machinery and skilled labor for turning out jailwork according to the most approved modern plans. The company report that they have now shipped nine of an order for 24 carloads of fencing to parties in Buffalo.

ILLINOIS.

The works of J. P. Marsh & Co., Chicago, are running day and night on orders for Marsh's patent air-valves and ammonia-gauges, a single order for 100 of the latter being on the books of the firm. The recent shipments of this house include a lot of pyrometer gauges to New Zealand, and a second lot is being made ready for delivery to the Fairbanks Canning Co., Chicago.

The contract for the ironwork for the State House at Springfield has been let to H. A. Streeter, proprietor of the Globe Iron Works, Chicago, at \$27,886.51, less \$3512.83 for stylobate iron, which is conditional.

There is being built at the Chicago Die and Machine Works a new file-cutting machine, the patent for which has just been issued to H. F. W. Liebmam, of Chicago. In this machine the file-blank rests on a platform or table, the chisel is brought down to the file and given a blow by the hammer, and this process is repeated automatically, the chisel and hammer being raised sufficiently. The movement is by hand.

Klinefelter & Dillman, of Joliet, report a large number of orders for their new combined corn-planter and check-rower.

A new steel-casting plant will soon be started in Chicago. The interested parties are W. S. Brewster, Arthur Pierce and others. The works will be known as the Riverside Steel Casting Co., and will have a capital of \$200,000.

WISCONSIN.

The Northwestern Furnace will blow out shortly.

INDIANA.

The Vigo Furnace will blow in at an early date.

The Jeffersonville Plate-Glass Works assigned on September 29, and the 150 em-

ployees were notified that the works would shut down at once. Liabilities not known, but said to be largely in excess of the assets. The institution has been losing money, and the failure is said to be due to the inability to compete with other manufacturers who use gas instead of coal for fuel.

The Indianapolis Car Mfg. Co. have resumed operations. They are now filling a small contract for 40 cars. They have every prospect of continued business, and the shops that have long been idle are now a busy scene.

The Indianapolis Foundry Co. are a corporation that all parties concerned in may justly be proud of. They are the old Indiana Foundry Co. re-organized by practical men, and now stand to the front in general foundry-work. Their work is of the best, their credit is high, and they are indorsed by the best men in town.

Sinker, Davis & Co., Indianapolis, are having an unusually good business in boilers, engines and general machinery.

The Indianapolis Machine and Bolt Co. are very busy manufacturing their celebrated Fulton steel pulleys and bench-anvils. They also make a pulley with cast hub, arms and rim, and then a steel band. The cast part of this pulley being made of the best charcoal iron and the band of steel, they offer it as a piece of work almost indestructible and within the reach of all machinists.

MISSOURI.

As was reported, the Shickle, Harrison & Howard Iron Co., of St. Louis, have received a contract for cast-iron pipe aggregating about 6 miles of all sizes, for the Abilene (Tex.) Water Works. They have also taken a pipe contract of similar proportions for the proposed new water works at Paola, Kan., including the stand tower besides. At Houston, Tex., they will put up a mammoth steel water tower, to be, when completed, 30 feet in diameter and 150 feet high.

"C" Furnace of the Vulcan Steel Works, operated by the Western Steel Co. is now producing about 100 tons of iron a day. In the steel-making departments operations will probably begin in about two weeks.

A large order was placed last week by the Wrought-Iron Range Co., of St. Louis, with the St. Louis Stamping Co. The order calls for 1000 tons, or 2,000,000 pounds, of cold-rolled plates, and was awarded to the home firm in competition with a Pittsburgh bidder.

ARKANSAS.

The Keystone Manganese and Iron Co., of Johnstown, Pa., have just been chartered. The directors are James McMillon, P. E. Chapin, C. P. Sellis and John Fulton, of Johnstown; Theodore C. Bates, of Worcester, Mass.; J. King McLaughlin, of Hollidaysburg, and George W. Gregory, of Boston. The company have been organized to work manganese mines in Arkansas. The capital stock is \$500,000.

MARYLAND.

But three furnaces are in blast in Maryland, all charcoal. The stocks of pig iron are quite light.

TENNESSEE.

One of the South Pittsburgh furnaces has gone out for repairs.

ALABAMA.

The Birmingham Chronicle says that the English capitalists who recently invested largely in mineral lands in Talladega County have shipped a plant for a furnace to be erected on these lands. The same plant was recently blown out in England, so its coming to Alabama is regarded as especially significant.

It is said, on respectable authority, that the purchase made some two weeks ago by an English syndicate of 50,000 acres of coal and iron lands in West Alabama means, as one of the first results, a railroad northward from Tuscaloosa, which is at the head of navigation on the Warrior River, through those lands to the Georgia Pacific road.

The Pennsylvania and Mobile Coal Co. have been organized at Mobile, and have put \$100,000, according to newspaper reports, into Walker County coal lands. Gen. R. Coulter, president of a national bank at Greensburg, Pa., is president of the company.

There is promise of boiler works at Birmingham.

A stubbornly-contested lawsuit was decided at Birmingham on the 1st by a verdict for \$15,000 damages in favor of the Woodward Iron Co., of Wheeling, near the former place, against Witherow & Gordon, the late Pittsburgh firm, widely known as furnace builders. The ground of the suit was alleged defective construction of three Whitwell stoves and a chimney, completed by defendants for plaintiffs in the winter of 1882-83. In the fall of 1883 the brickwork began falling out, and the necessity of fixing the blame for this made the case very complicated. The complaint originally asked for \$15,000, but when the case came to trial it was amended so as to read \$40,000, to cover damages, which, it is claimed, have resulted since the suit was brought. The case engaged the Birmingham City Court for 14 days, and now goes to the State Supreme Court on appeal.

There is a promising movement for a narrow-gauge railroad from Montgomery to Hogenville, the county seat of Lowndes.

The city government of Montgomery is receiving proposals to build water works.

Birmingham is to have bridge works, with W. L. Shideler, from the Champion Bridge Co., of Wilmington, Ohio, a stockholder and manager.

The new plate and sheet mill of the Birmingham Rolling Mills was put in operation a few days ago. It rolls some 6 tons of stove-pipe iron a day.


KENTUCKY.

Mr. G. A. Millard, well and favorably known as a pig-iron salesman, has made an engagement with Geo. S. Moore & Co., Louisville.

HARDWARE NOVELTIES.

Improvement in Combination Chest Locks.

The Miller Lock Co., Philadelphia, Pa., have recently made an improvement in their Chest Locks, which is represented in the accompanying illustration, showing that the




Flush Dial Combination Chest Lock.

knob is made flush with the woodwork of the chest, and is thus protected from injury when in use or in transit. This flush dial will also be available for the locks adapted to drawers, closets and desks as well as to those for chests. The manufacturers will continue to make beveled dials as before. The flush dials, as the others, are nickel-plated, and the locks are packed with directions and screws complete.


The Perfection Whiffletree Tip.

The accompanying illustrations represent this article, which is manufactured by C. L. Bellamy & Co., Newark, N. J., for whom



The Perfection Whiffletree Tip.

Sise, Gibson & Co. are agents, 100 Chambers street, New York. It is made under a recent patent, and requires little explanation. The peculiar spiral-shaped tip is referred to as passing through a flat hole in the trace without enlarging the opening, thus avoiding stretching and tearing at the end, as in the old-fashioned tip. The ease with which the trace can be put on and taken off instantly




Pratt's Blind Opener.

by a slight movement of the hand near the end is also alluded to, as well as its security, since it is not liable to be shaken or thrown off by any movement of the horse.

The Kelpie Roller Skate.

Doty's Patent Eclipse Roller Skate, illustrated herewith, is manufactured by the Columbus Roller Skate Co., Columbus, Ohio. The principal feature of this skate is that its



The Eclipse Roller Skate.

axis of lateral motion is suspended by means of a ball-and-socket bearing at one end and a pivot bearing at the other, which the manufacturers refer to as a construction with little liability to wear, and at the same time affording an easy and free movement. The

cushion is entirely out of sight, being incased in a pressure-box which protects it from being cut or from being corroded by the oil. The tension may be regulated without removing the skate from the foot. The axles, screws and foot-plates are of steel. All parts made interchangeable and the trucks can be readily detached for the purpose of putting in new rubbers when neces-

sary or for cleaning. The finish also is referred to, the best grade being described as highly polished and nickel plated.

Pratt's Blind Opener.

The engraving below illustrates an article now being offered by the Millers Falls Co., of 74 Chambers street, New York. It is adapted to opening and shutting blinds without raising the window sash. The makers state that in its present form it is the result of long experiments with different kinds of Blind Openers. Its special advantage over others is that it is applicable to any blind without change of hinges. The plate to which the crank is shown attached is

secured to the inside casing of the window, while the second and larger plate, upon which the ratchet-wheel is shown in place, is secured to the outside casing. The wire loop to which the thumb-screw is attached is inserted in the rail of the blind, and is fastened in place by the screw. The arm extending from the ratchet-wheel passes through the loop, as represented in the en-

graving, and moves the shutter as the wheel is turned. Whatever the hinges may be on the blinds, they are not disturbed. The loop shown in the engraving may be replaced by a screw-eye or wire staple placed in the rail of the blind, and the lever works in this as well as in the special fixture shown in the cut. At any point it may be when the crank is released. Another style of blind opener made by the same company is of such a form as to occupy the place of the lower hinge on the blind. In its general features it is the same as shown in the cut. A close examination of the engraving will show the great leverage which this form of construction possesses. The wheel or disk on the end of the shaft which goes through the casing or frame is so grooved as to mesh with the teeth of the disk that forms the end of the lever or arm. There is little or no lost motion, and the action is positive at every point.

An appliance for drying and superheating steam has been devised of multitubular boilers by Max Gehe, of Hanover. As superheaters in the fire-box act unequally and are liable to great strain, the Gehe apparatus is placed in the smoke-box. The apparatus itself is traversed by tubes forming a continuation of those in the boiler, but of rather larger diameter. The steam is thus superheated by contact with the sides of the tubes and of the chest, which are continuously heated by the products of combustion.

Imports.

The following were the Imports of Hardware, Iron, Steel and Metals into the Port of New York for the week ending Oct. 7, 1885:

Hardware.		Plock & Co.	
Baldwin Bros. & Co.	Wire rods, coils, 193	Winn & Holland.	Pig, tons, 50
Barbour Bros. & Co.	Gun barrels, cs., 6	Order.	
Bellamy J. & Co.	Machinery, pkgs., 15	Pig, tons, 100	
Case, J.	Ore, bbls., 109	Rings, 8	
Roker Hermann & Co.	Fish plates, bbls., 250	Wire rods, bbls., 300	
Hdw., cutlery and guns, pkgs., 114	Connecting rod, 1	Spiegel, kg., 254,000	
Curley J. & Bro.	Fence wire rods, pkgs., 2468	Sheets, pkgs., 1934	
Downing R. F. & Co.	Ironware, cs., 12		
Drexel, Morgan & Co.	Arms, cs., 4		
Edmundson & Lapham.	Machinery, cs., 2		
Field Alfred & Co.	Mdse., cs., 26		
Folsom H. & D.	Guns, cs., 10		
Gerlan Otto.	Bundles, 221		
Graef Cutlery Co.	Cutlery, cs., 3		
Godfrey C. & Co.	Arms, cs., 4		
Hart & Graham.	Arms, cs., 6		
Hart A. H. & Co.	Machinery, cs., 3		
Knauth, Nachod & Co.	Ironware, pkgs., 29		
Lamberson, Turman & Co.	Guns, cs., 5		
Landmann O. & Co.	Cases, 3		
McCoy & Sanders.	Chains, cs., 18		
Merch. Disp. Co.	Ironware, pkgs., 1		
Moore's Sons J. P.	Arms, cs., 15		
Remson Wm.	Machinery, cs., 7		
Rotterdam S. S. Co.	Bundles, 111		
Schoverling, Daly & Co.	Mdse., cs., 14		
Sutro Bros.	Machinery, cs., 1		
Wiebusch, Hilker & Co.	Gun worms, case, 1		
Witte John G. & Bro.	Cutlery, cs., 6		
Windmiller L. & Roel.	Guns, cs., 6		
Order.			
Files, cs., 40			
Ironware, pkgs., 28			
Anvils, pkgs., 14			
Guns, 20			
Cases, 2			

The imports at this port of Hardware, Cutlery and Metals for the week ending October 2 are as follows:

	Quantity.	Value.
Anvils	148	\$1,392
Brass goods	54	5,284
Blamuth	2	2,450
Bronzes	32	4,167
Chains and anchors	41	4,461
Clocks	54	30,945
Cutlery	143	31,765
Guns	138	246
Hardware	989	14,622
Iron, pig, tons	295	39,794
Iron, sheet, tons	8,800	6,150
Iron, other, tons	1,152	45,806
Machinery	148	11,372
Metal goods	368	38,063
Nails	1	1
Needles	10	3,906
Nickel	3	800
Old metal	2	107
Plating	2	1,010
Plated ware	31	1,216
Percussion caps	10	1,511
Pins	30	3,949
Railroad bars	2,107	1,490
Regular antimony	57	8,468
Saddlery	29	4,761
Steel	59,091	49,730
Tin, boxes	24,781	106,008
Tin, 5,592 slabs; lb.	255,712	64,669
Wire	13	2,161
Zinc oxide	5	145

The following is a comparative statement of the value of metals imported at this port during the third quarter of the last three years:

	1883.	1884.	1885.
Copper and ore	\$19,957	\$37,340	\$26,777
Iron, bars	603,315	750,474	862,639
Iron, pig	1,151,841	737,064	847,168
Iron, H. & L. bars	8,842		
Iron, sheet	73,708	39,590	62,301
Lead	18,791	20,411	24,764
Sneller	40,730	41,215	30,215
Steel	876,053	879,461	926,054
Tin slabs	1,374,649	1,374,385	1,385,780
Tin plates	3,088,692	3,276,338	1,879,150
Zinc	33,388	27,917	7,905

Exports.

The following list embraces the Exports of Hardware, Machinery, Iron, Metals, &c., from the Port of New York, for the week ending October 6, 1885:

Hamburg.		Quan. Val.	
Mach'y, pkgs.	48	3,063	
Mf. iron, pkgs.	7	161	
Ag. imp, pkgs.	7	177	
Sew. ma., cs.	16	328	
Wringers, cs.	25	428	
Hdw., cs.	139	2,480	
Pumps, pkgs.	2	50	
Clocks, cs.	142	2,903	
Rifles, cs.	3	380	
Copper, pkgs.	18	4,382	
Hamburg.		Quan. Val.	
Mach'y, pkgs.	48	3,063	
Mf. iron, pkgs.	7	161	
Ag. imp, pkgs.	7	177	
Sew. ma., cs.	16	328	
Wringers, cs.	25	428	
Hdw., cs.	139	2,480	
Pumps, pkgs.	2	50	
Clocks, cs.	142	2,903	
Rifles, cs.	3	380	
Copper, pkgs.	18	4,382	

Rotterdam.		Chili.	
Copper, bars, 871	4,890	Ag. imp, pkgs.	427
Ag. imp, pkgs.	1	Saw, cs.	10
Copper, casks 371	50,888	Iron safe	1
Konigsberg.		Pumps, pkgs.	4
Mach'y, pkgs.	6	Cartridges, cs.	7
Glasgow.		Mach'y, pkgs.	5
Ag. imp, pkgs.	25	Mf. iron, pkgs.	608
Rifles, case...	1	Clocks, cs.	173
Hdw., cs.	19	Tacks, cs.	39
Clocks, pkgs.	132	Revolvers, cs.	1
Pumps, pkgs.	3	Nails, kegs...	425
Mach'y, pkgs.	4	Car wheels...	168
Mf. iron, pkgs.	1	Air brake material, pkgs.	400
Cartridges, cs.	4		
Windmills, cs.	42	Porto Rico.	
Ox. zinc, bbls.	40	Hdw., pkgs.	114
Sew. ma., cs.	361	Nails, boxes	16
Saws, cs.	16	Iron safe	10
Steel pipe, pcs.	6	Tinware, cs.	0
Bristol.		Ag. imp, pkgs.	37
Mach'y, pkgs.	1	Mf. iron, pkgs.	215
Clocks, pkgs.	11	Sew. ma., cs.	12
Liverpool.		Iron safe	2
Pig iron, tons	307	Mach'y, pkgs.	1
Hoop iron, pkgs.	43	W. cloth, roll.	1
Clocks, cs.	274	S. zinc, pkgs.	5
Br. g'ds., cs.	30	Nails, kegs.	2
Cutlery, cs.	5	Br. goods, case	1
Hdw., cs.	20		
Firearms, cs.	4	Mexico.	
Cop. ore, sks.	198	Hdw., cs.	19
Mach'y, pkgs.	47	Mach'y, pkgs.	60
Sew. ma., cs.	318	Iron, bars	20
Mf. iron, pkgs.	42	Mf. iron, pkgs.	117
Ag. imp, pkgs.	604	Blowers	2
Copper, casks	108	Windmill	1
Amsterdam.		Cartridges, cs.	7
Hdw., pkgs.	16	Sew. ma., cs.	29
Copper, casks	25	Tinware, cs.	7
Cop. ware, cs.	3	Steel, pkgs.	14
Pumps, pkgs.	1	Iron cloth, cs.	8
Sew. ma., cs.	305	Revolvers, cs.	7
Hdw., cs.	35	Cartridges, cs.	7
Firearms, cs.	3	W. clo., pkgs.	7
Copper, casks	36	Japan.	
Mach'y, pkgs.	1	Hdw., case...	1
Clocks, pkgs.	0	China.	
Pumps, pkgs.	4	Air guns, case	1
Antwerp.		Mach'y, pkgs.	1
Hdw., cs.	25	Venezuela.	
Firearms, cs.	3	Mf. iron, pkgs.	30
Copper, casks	36	Cutlery, cs.	4
Mach'y, pkgs.	1	Scalies, cs.	3
Clocks, pkgs.	0	Tinware, pkgs.	6
Pumps, pkgs.	4	Hdw., pkgs.	46
London.		Rifles, cs.	2
Mach'y, pkgs.	61	Clocks, cs.	0
Rifles, cs.	1	Sew. ma., cs.	8
Cutlery, case	1	Pumps, pkgs.	10
Ag. imp, pkgs.	2	Fountain	1
Clocks, cs.	121	Ag. imp, pkgs.	5
Saws, case	1	Brazil.	
Hdw., pkgs.	377	Scalies, cs.	31
Sew. ma., cs.	21	Cot. gins.	18
Cartridges, cs.	501	Ag. imp, pkgs.	40
Print'g mach.	1	Sew. ma., cs.	32
Pumps, pkgs.	8	Boilers	2
Hdw., cs.	3	Cartridges, cs.	16
Copper, casks	80	Revolvers, cs.	1
Cop. ware, cs.	109	Iron, cs.	10
Staws, case	1	Cutlery, cs.	4
Cartridges, cs.	501	Hdw., pkgs.	138
Print'g mach.	1	Cartridges, cs.	16
Pumps, pkgs.	8	Revolvers, cs.	1
Hdw., cs.	3	Iron, cs.	10
Copper, casks	80	Cutlery, cs.	4
Cop. ware, cs.	109	Hdw., pkgs.	138
Staws, case	1	Cartridges, cs.	16
Cartridges, cs.	501	Revolvers, cs.	1
Print'g mach.	1	Iron, cs.	10
Pumps, pkgs.	8	Cutlery, cs.	4
Hdw., cs.	3	Hdw., pkgs.	138
Copper, casks	80	Cartridges, cs.	16
Cop. ware, cs.	109	Revolvers, cs.	1
Staws, case	1	Iron, cs.	10
Cartridges, cs.	501	Cutlery, cs.	4
Print'g mach.	1	Hdw., pkgs.	138
Pumps, pkgs.	8	Cartridges, cs.	16
Hdw., cs.	3	Revolvers, cs.	1
Copper, casks	80	Iron, cs.	10
Cop. ware, cs.	109	Cutlery, cs.	4
Staws, case	1	Hdw., pkgs.	138
Cartridges, cs.	501	Cartridges, cs.	16
Print'g mach.	1	Revolvers, cs.	1
Pumps, pkgs.	8	Iron, cs.	10
Hdw., cs.	3	Cutlery, cs.	4
Copper, casks	80	Hdw., pkgs.	138
Cop. ware, cs.	109	Cartridges, cs.	16
Staws, case	1	Revolvers, cs.	1
Cartridges, cs.	501	Iron, cs.	10
Print'g mach.	1	Cutlery, cs.	4
Pumps, pkgs.	8	Hdw., pkgs.	138
Hdw., cs.	3	Cartridges, cs.	16
Copper, casks	80	Revolvers, cs.	1
Cop. ware, cs.	109	Iron, cs.	10
Staws, case	1	Cutlery, cs.	4
Cartridges, cs.	501	Hdw., pkgs.	138
Print'g mach.	1	Cartridges, cs.	16
Pumps, pkgs.	8	Revolvers, cs.	1
Hdw., cs.	3	Iron, cs.	10
Copper, casks	80	Cutlery, cs.	4
Cop. ware, cs.	109	Hdw., pkgs.	138
Staws, case	1	Cartridges, cs.	16
Cartridges, cs.	501	Revolvers, cs.	1
Print'g mach.	1	Iron, cs.	10
Pumps, pkgs.	8	Cutlery, cs.	4
Hdw., cs.	3	Hdw., pkgs.	138
Copper, casks	80	Cartridges, cs.	16
Cop. ware, cs.	109	Revolvers, cs.	1
Staws, case	1	Iron, cs.	10
Cartridges, cs.	501	Cutlery, cs.	4
Print'g mach.	1	Hdw., pkgs.	138
Pumps, pkgs.	8	Cartridges, cs.	16
Hdw., cs.	3	Revolvers, cs.	1
Copper, casks	80	Iron, cs.	10
Cop. ware, cs.	109	Cutlery, cs.	4
Staws, case	1	Hdw., pkgs.	138
Cartridges, cs.	501	Cartridges, cs.	16
Print'g mach.	1	Revolvers, cs.	1
Pumps, pkgs.	8	Iron, cs.	10
Hdw., cs.	3	Cutlery, cs.	4
Copper, casks	80	Hdw., pkgs.	138
Cop. ware, cs.	109	Cartridges, cs.	16
Staws, case	1	Revolvers, cs.	1
Cartridges, cs.	501	Iron, cs.	10
Print'g mach.	1	Cutlery, cs.	4
Pumps, pkgs.	8	Hdw., pkgs.	138
Hdw., cs.	3	Cartridges, cs.	16
Copper, casks	80	Revolvers, cs.	1
Cop. ware, cs.	109	Iron, cs.	10
Staws, case	1	Cutlery, cs.	4
Cartridges, cs.	501	Hdw., pkgs.	138
Print'g mach.	1	Cartridges, cs.	16
Pumps, pkgs.	8	Revolvers, cs.	1
Hdw., cs.	3	Iron, cs.	10
Copper, casks	80	Cutlery, cs.	4
Cop. ware, cs.	109	Hdw., pkgs.	138
Staws, case	1	Cartridges, cs.	16
Cartridges, cs.	501	Revolvers, cs.	1
Print'g mach.	1	Iron, cs.	10
Pumps, pkgs.	8	Cutlery, cs.	4
Hdw., cs.	3	Hdw., pkgs.	138
Copper, casks	80	Cartridges, cs.	16
Cop. ware, cs.	109	Revolvers, cs.	1
Staws, case	1	Iron, cs.	10
Cartridges, cs.	501	Cutlery, cs.	4
Print'g mach.	1	Hdw., pkgs.	138
Pumps, pkgs.	8	Cartridges, cs.	16
Hdw., cs.	3	Revolvers, cs.	1
Copper, casks	80	Iron, cs.	10
Cop. ware, cs.	109	Cutlery, cs.	4
Staws, case	1	Hdw., pkgs.	138
Cartridges, cs.	501	Cartridges, cs.	16
Print'g mach.	1	Revolvers, cs.	1
Pumps, pkgs.	8	Iron, cs.	10
Hdw., cs.	3	Cutlery, cs.	4
Copper, casks	80	Hdw., pkgs.	138
Cop. ware, cs.	109	Cartridges, cs.	16
Staws, case	1	Revolvers, cs.	1
Cartridges, cs.	501	Iron, cs.	10
Print'g mach.	1	Cutlery, cs.	4
Pumps, pkgs.	8	Hdw., pkgs.	138
Hdw., cs.	3	Cartridges, cs.	16
Copper, casks	80	Revolvers, cs.	1
Cop. ware, cs.	109	Iron, cs.	10
Staws, case	1	Cutlery, cs.	4
Cartridges, cs.	501	Hdw., pkgs.	138
Print'g mach.	1	Cartridges, cs.	16
Pumps, pkgs.	8	Revolvers, cs.	1
Hdw., cs.	3	Iron, cs.	10
Copper, casks	80	Cutlery, cs.	4
Cop. ware, cs.	109	Hdw., pkgs.	138
Staws, case	1	Cartridges, cs.	16
Cartridges, cs.	501	Revolvers, cs.	1
Print'g mach.	1	Iron, cs.	10
Pumps, pkgs.	8	Cutlery, cs.	4
Hdw., cs.	3	Hdw., pkgs.	138
Copper, casks	80	Cartridges, cs.	16
Cop. ware, cs.	109	Revolvers, cs.	1
Staws, case	1	Iron, cs.	10
Cartridges, cs.	501	Cutlery, cs.	4
Print'g mach.	1	Hdw., pkgs.	138
Pumps, pkgs.	8	Cartridges, cs.	16
Hdw., cs.	3	Revolvers, cs.	1
Copper, casks	80	Iron, cs.	10
Cop. ware, cs.	109	Cutlery, cs.	4
Staws, case	1	Hdw., pkgs.	138
Cartridges, cs.	501	Cartridges, cs.	16
Print'g mach.	1	Revolvers, cs.	1
Pumps, pkgs.	8	Iron, cs.	10
Hdw., cs.	3	Cutlery, cs.	4
Copper, casks	80	Hdw., pkgs.	138
Cop. ware, cs.	109	Cartridges, cs.	16
Staws, case	1	Revolvers, cs.	1
Cartridges, cs.	501	Iron, cs.	10
Print'g mach.	1	Cutlery, cs.	4
Pumps, pkgs.	8	Hdw., pkgs.	138
Hdw., cs.	3	Cartridges, cs.	16
Copper, casks	80	Revolvers, cs.	1
Cop. ware, cs.	109	Iron, cs.	10
Staws, case	1	Cutlery, cs.	4
Cartridges, cs.	501	Hdw., pkgs.	138
Print'g mach.	1	Cartridges, cs.	16
Pumps, pkgs.	8	Revolvers, cs.	1
Hdw., cs.	3	Iron, cs.	10
Copper, casks	80	Cutlery, cs.	4
Cop. ware, cs.	109	Hdw., pkgs.	138
Staws, case	1	Cartridges, cs.	16
Cartridges, cs.	501	Revolvers, cs.	1
Print'g mach.	1	Iron, cs.	10
Pumps, pkgs.	8	Cutlery, cs.	4
Hdw., cs.	3	Hdw., pkgs.	138
Copper, casks	80	Cartridges, cs.	16
Cop. ware, cs.	109	Revolvers, cs.	1
Staws, case	1	Iron, cs.	10
Cartridges, cs.	501	Cutlery, cs.	4
Print'g mach.	1	Hdw., pkgs.	138
Pumps, pkgs.	8	Cartridges, cs.	16
Hdw., cs.	3	Revolvers, cs.	1
Copper, casks	80	Iron, cs.	10
Cop. ware, cs.	109	Cutlery, cs.	4
Staws, case	1	Hdw., pkgs.	138
Cartridges, cs.	501	Cartridges, cs.	16
Print'g mach.	1	Revolvers, cs.	1
Pumps, pkgs.	8	Iron, cs.	10
Hdw., cs.	3	Cutlery, cs.	4
Copper, casks	80	Hdw., pkgs.	138
Cop. ware, cs.	109	Cartridges, cs.	16
Staws, case	1	Revolvers, cs.	1
Cartridges, cs.	501	Iron, cs.	10
Print'g mach.	1	Cutlery, cs.	4
Pumps, pkgs.	8	Hdw., pkgs.	138
Hdw., cs.	3	Cartridges, cs.	16
Copper, casks	80	Revolvers, cs.	1
Cop. ware, cs.	109	Iron, cs.	10
Staws, case	1	Cutlery, cs.	4
Cartridges, cs.	501	Hdw., pkgs.	138
Print'g mach.	1	Cartridges, cs.	16
Pumps, pkgs.	8	Revolvers, cs.	1
Hdw., cs.	3	Iron, cs.	10
Copper, casks	80	Cutlery, cs.	4
Cop. ware, cs.	109	Hdw., pkgs.	138
Staws, case	1	Cartridges, cs.	16
Cartridges, cs.	501	Revolvers, cs.	1
Print'g mach.	1	Iron, cs.	10
Pumps, pkgs.	8	Cutlery, cs.	4
Hdw., cs.	3	Hdw., pkgs.	138
Copper, casks	80	Cartridges, cs.	16
Cop. ware, cs.	109	Revolvers, cs.	1
Staws, case	1	Iron, cs.	10
Cartridges, cs.	501	Cutlery, cs.	4
Print'g mach.	1	Hdw., pkgs.	138
Pumps, pkgs.	8	Cartridges, cs.	16
Hdw., cs.	3	Revolvers, cs.	1
Copper, casks	80	Iron, cs.	10
Cop. ware, cs.	109	Cutlery, cs.	4
Staws, case	1	Hdw., pkgs.	138
Cartridges, cs.	501	Cartridges, cs.	16
Print'g mach.	1	Revolvers, cs.	1
Pumps, pkgs.	8	Iron, cs.	10
Hdw., cs.	3	Cutlery, cs.	4
Copper, casks	80	Hdw., pkgs.	138
Cop. ware, cs.	109	Cartridges, cs.	16
Staws, case	1	Revolvers, cs.	1
Cartridges, cs.	501	Iron, cs.	10
Print'g mach.	1	Cutlery, cs.	4
Pumps, pkgs.	8	Hdw., pkgs.	138
Hdw., cs.	3	Cartridges, cs.	16
Copper, casks	80	Revolvers, cs.	1
Cop. ware, cs.	109	Iron, cs.	10
Staws, case	1	Cutlery, cs.	4
Cartridges, cs.	501	Hdw., pkgs.	138
Print'g mach.	1	Cartridges, cs.	16
Pumps, pkgs.	8	Revolvers, cs.	1
Hdw., cs.	3	Iron, cs.	10
Copper, casks	80	Cutlery, cs.	4
Cop. ware, cs.	109	Hdw., pkgs.	138
Staws, case	1	Cartridges, cs.	16
Cartridges, cs.	501	Revolvers, cs.	1
Print'g mach.	1	Iron, cs.	10
Pumps, pkgs.	8	Cutlery, cs.	4
Hdw., cs.	3	Hdw., pkgs.	138
Copper, casks	80	Cartridges, cs.	16
Cop. ware, cs.	109	Revolvers, cs.	1
Staws, case	1	Iron, cs.	10
Cartridges, cs.	501	Cutlery, cs.	4
Print'g mach.	1	Hdw., pkgs.	138
Pumps, pkgs.	8	Cartridges, cs.	16
Hdw., cs.	3	Revolvers, cs.	1
Copper, casks	80	Iron, cs.	10
Cop. ware, cs.	109	Cutlery, cs.	4
Staws, case	1	Hdw., pkgs.	138
Cartridges, cs.	501	Cartridges, cs.	16
Print'g mach.	1	Revolvers, cs.	1
Pumps, pkgs.	8	Iron, cs.	10
Hdw., cs.	3	Cutlery, cs.	4
Copper, casks	80	Hdw., pkgs.	138
Cop. ware, cs.	109	Cartridges, cs.	16
Staws, case	1	Revolvers, cs.	1
Cartridges, cs.	501	Iron, cs.	10
Print'g mach.	1	Cutlery, cs.	4
Pumps, pkgs.	8	Hdw., pkgs.	138
Hdw., cs.	3	Cartridges, cs.	16
Copper, casks	80	Revolvers, cs.	1
Cop. ware, cs.	109	Iron, cs.	10
Staws, case	1	Cutlery, cs.	4
Cartridges, cs.	501	Hdw., pkgs.	138
Print'g mach.	1	Cartridges, cs.	16
Pumps, pkgs.	8	Revolvers, cs.	1
Hdw., cs.	3	Iron, cs.	10
Copper, casks	80	Cutlery, cs.	4
Cop. ware, cs.	109	Hdw., pkgs.	138
Staws, case	1	Cartridges, cs.	16
Cartridges, cs.	501	Revolvers, cs.	1
Print'g mach.	1	Iron, cs.	10
Pumps, pkgs.	8	Cutlery, cs.	4
Hdw., cs.	3	Hdw., pkgs.	138
Copper, casks	80	Cartridges, cs.	16
Cop. ware, cs.	109	Revolvers, cs.	1
Staws, case	1	Iron, cs.	10
Cartridges, cs.	501	Cutlery, cs.	4
Print'g mach.	1	Hdw., pkgs.	138
Pumps, pkgs.	8	Cartridges, cs.	16
Hdw., cs.	3	Revolvers, cs.	1
Copper, casks	80	Iron, cs.	10
Cop. ware, cs.	109	Cutlery, cs.	4
Staws, case	1	Hdw., pkgs.	138
Cartridges, cs.	501	Cartridges, cs.	16
Print'g mach.	1	Revolvers, cs.	1
Pumps, pkgs.	8	Iron, cs.	10
Hdw., cs.	3	Cutlery, cs.	4
Copper, casks	80	Hdw., pkgs.	138
Cop. ware, cs.	109	Cartridges, cs.	16
Staws, case	1	Revolvers, cs.	1
Cartridges, cs.	501	Iron, cs.	10
Print'g mach.	1	Cutlery, cs.	4
Pumps, pkgs.	8	Hdw., pkgs.	138
Hdw., cs.	3	Cartridges, cs.	

in each charge, the total scrap iron in each charge, and the grand total not only of the charges, but also of the heat. Extending across the table in the opposite direction, there are noted the cost of the coal consumed, the cost of the coke and the cost of the iron, including both pig and scrap. The total of these several items gives the total cost of material employed in producing the work which the foundry report for the same day shows has been made. This amount is then placed in the vertical column shown at the right, and to it are added items for superintendence, attendance, fixed charges, rent and power, pattern work and all other charges. Superintendence and at-

Foundry.	Labor.
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

Front. Back

ure gauge. It is hard to imagine anything more instructive to the foundry manager than a book of records of this kind, showing in a manner facilitating comparison the cost from day to day for a month or a year, or, as in this case, affording the basis of comparing individual days of one year with corresponding days of another year.

At a meeting of the Importers' and Grocers' Exchange, in this city, resolutions were passed representing the importance of regular and rapid mail communication with China, Japan and the East Indies, and the necessity of action on the part of the Government since the refusal of the Pacific Mail Steamship Co. to carry mercantile correspondence. The time now to Yokohama is 58 days instead of 26 days, as formerly,

A steel snagboat, 187 feet in length, is building in Pittsburgh for the Government. Over 300 tons of steel will be used and 46,000 pounds of rivets, of which there are two rows in each sheet.

Cost of Castings Per Pound, as Figured on Daily Foundry Report.

ROOT'S HANDY CLOTH BOUND HARDWARE PRICE CARDS, FOR EITHER WHOLESALE OR RETAIL TRADE.

COPYRIGHTED 1885.

(CARD
No. 11-A.)

THESE CARDS COVER the lines having a large variety of sizes or numbers, avoid marking each package or article, in Retail Stores, and are very convenient for use in Wholesale Sample Rooms. They secure correct and uniform selling prices, pay for themselves several times a year by saving time, and are intended for at least ten years' constant use. Hence, no Hardware Dealer can afford to do without them, or spend the time required to write and rule out something similar by hand. They are printed in very distinct type, on the best *Byron Weston's Ledger Paper*, appropriately ruled with blue ink cross-lines and red ink down rulings,

DESCRIPTIONS AND PRICES.

Card No.	Size and Price Per Card.
1	A—BAR IRON, Weight of Round, Square and Flat, per Foot, and Tire per set. Western Classification and Prices of Extras on American, Norway and Swedes. B—BAR STEEL, all Kinds and Sizes with Prices of Extras. Horse and Mule Shoes, Size, Weight, No. in Keg. Toe Calks. Cut Nails, List of Extras. 5½ x 18 in. 40c.
2	A—CUT TACKS, Exact size cuts. Length. Number in a pound. B—LARGE HEAD CARPET TACKS. Gimp and Linc Tacks. Hungarian Nails, Hob Nails, Blued and Tinned, American and Swedes. Exact size cuts shown of all the above. 3 x 13½ in. 30c.
3	A—SHOE NAILS. Cigar Box Nails. Copper Tacks, Double-Pointed Tacks and Cut. Glaziers' Points and Cuts. Barbed Blind Staples. B—PATENT BRADS. Finishing Nails. Blued Clout Nails. Tinned Clout Nails. 3 x 13½ in. 30c.
4	A—IRON WOOD SCREWS. B—IRON WOOD SCREWS (continued). Iron Machine Screws. 6 x 16 in. 40c.
5	A—STANDARD CARRIAGE BOLTS. B—STANDARD CARRIAGE BOLTS (continued). Plow Bolts. 3 x 13½ in. 30c.
6	A—MACHINE BOLTS. B—STANDARD TIRE BOLTS. Round and Flat Head Stove Bolts. 3 x 13½ in. 30c.
7	A—PHILADELPHIA CARRIAGE BOLTS. B—PHILADELPHIA CARRIAGE AND TIRE BOLTS. 3 x 13½ in. 30c.
8	A—SQUARE AND HEXAGON NUTS. Wrought Washers. Size of Bolt, size of Hole, Width, Thickness, number in 100 pounds. B—COACH OR LAG SCREWS. Superior and Norway Axle Clips. 3 x 13½ in. 30c.
9	A—BRIGHT SCREW HOOKS. Belt Hooks. Blake's Belt Studs. B—BRIGHT SCREW EYES. Gate Hooks and Eyes. Corrice Hooks and Eyes. 3 x 13½ in. 30c.
10	A—PLATE CASTERS AND BED CASTERS. B—WROUGHT HOOKS AND STAPLES. Trap Door Rings. Hasps and Staples, and Staples only. 3 x 13½ in. 30c.
11	A—SAWS, Hand, Panel and Rip. Combination and Back. Disston's and W. M. & C.'s corresponding numbers and "Our Brand." B—SAWS, Back, Compass, Pruning, Kitchen, Butcher's Bow and Blades, Framed Wood Saws and Blades. 3 x 13½ in. 30c.
12	A—CHISELS. Slicks, Socket Framing, Socket and Tanged Firmer, Corder. B—TURNING CHISELS and Gouges, Socket and Tanged Firmer Gouges. 3 x 13½ in. 30c.
13	A—Cast Steel Augers and Bits. Boring Machine Augers. Jennings' Auger Bits. B—Bit Stock Drills. Gimlet Bits, German Pattern, Double Cut and Countersink. Center Bits. Clark's Expansive Bits. 3 x 13½ in. 30c.
14	A—HAMMERS. Adz Eye, Bell Face, Joiners', Steel Face and Claw, Riveting, Farriers', Blacksmiths', Machinists', Engineers'. B—HAMMERS. Tack, Masons', Sledges, Miscellaneous. Hatchets. Shingling, Lath, Half, Claw, Broad or Bench, Hunters'. 3 x 13½ in. 30c.
15	A—FILES. Pastard, Mill, Flat, Hand, Half Round, Round, Square, Knife, Warding. Second Cut, Mill, Flat, Hand, Half Round, Smooth, Flat and Hand. B—FILES. Smooth, Half Round, Round, Cabinet, Pit Saw, Hook Tooth, Gin Saw, Band Saw, Cant, Taper, Stubb's Taper. Rasps, Cabinet, Wood, Shoe, Horse. 7 x 15 in. 50c.
16	A—Rubber and Hemp Packing. Gaskets or Rings. Rubber Hose. B—Leather and Rubber Belting. 3 x 13½ in. 30c.

SAWS.

DISSTON'S NO. 3.		PANEL, HAND & RIP.		W. M. & C. NO. 12.	
Length In.	List.	Cost.	Job.	Sell.	
16					
18					
20					
22					
26					
28					

DISSTON'S NO. 7.		PANEL, HAND & RIP.		W. M. & C. NO. 23.	
Length In.	List.	Cost.	Job.	Sell.	
16					
18					
20					
22					
26					
28					
30					

DISSTON'S NO. 8.		HAND AND RIP.		W. M. & C. NO. 26.	
Length In.	List.	Cost.	Job.	Sell.	
26					
28					

DISSTON'S NO. D 8.		HAND AND RIP.		W. M. & C. NO. 27.	
Length In.	List.	Cost.	Job.	Sell.	
26					
28					
30					

DISSTON'S NO. 12.		HAND AND RIP.		W. M. & C. NO. 27.	
Length In.	List.	Cost.	Job.	Sell.	
26					
28					

OUR BRAND.					
PANEL, HAND AND RIP.					
Length In.	List.	Cost.	Job.	Sell.	
16					
18					
20					
22					
26					
28					

SPECIAL C. S. PANEL AND HAND.					
Length In.	List.	Cost.	Job.	Sell.	
16					
18					
20					
26					

COMBINATION HAND.					
Length In.	List.	Cost.	Job.	Sell.	
26					

DISSTON'S NO. 1.		BACK.		W. M. & C. NO. 5.	
Length In.	List.	Cost.	Job.	Sell.	
10					
12					
14					
16					

for noting in pencil—List, Cost, Jobbing and Selling Prices—as in sample of Card 11-A, shown in the center of this page. Cards A and B of each number are mounted on each side of a tough, heavy card-board, especially adapted for this use, which is further protected on the four edges by being *cloth bound*. Two-thirds of them are 3 x 13½ inches. This size has been found convenient for hanging on a pilaster finish, or any other narrow surface, without hiding the goods. To hang or chain up each card there is firmly inserted through the top and center a nickel-plated eyelet about ⅜ inch inside diameter. They will be sent, *charges prepaid*, on receipt of price.

DESCRIPTIONS AND PRICES.

Card No.	Size and Price Per Card.
17	A—WINDOW GLASS. List Prices and No. Lights per Box. Also ruled columns for other Wholesale and Retail rates. B—SASH, DOORS AND BLINDS. List Prices. 6 x 18½ in. 40c.
18	A—HINGES, Strap, Light and Heavy. T, Light, Heavy and Extra Heavy. Hinge Hasps, 8 new Hook and Strap. B—SCREW HOOK AND EYE HINGES. Barn Door Hangers, Checked Back, Kidder's, Anti-Friction, Wrought Frame. Barn Door Stay Rollers, Rail, Pulls, Latches. Sliding Door Rail. 3 x 13½ in. 30c.
19	A—WROUGHT BUTTS, Narrow, Loose Pin, Light Inside Blind. B—LOOSE PIN BUTTS, Plain, Japanned and Plated Tips. 3 x 13½ in. 30c.
20	A—LOOSE JOINT BUTTS, Plain, Japanned and Plated Tips. B—TABLE HINGES, Bronzed Iron Bilal Butts. Brass Butts, Narrow, Middle, Broad and Desk. Width when open given of all. 3 x 13½ in. 30c.
21	A—DOOR BOLTS, Barrel, Square Spring, Foot, Chain. B—DOOR BOLTS, Flush, Neck and Miscellaneous kinds. 3 x 13½ in. 30c.
22	A—SCREW DRIVERS, Flat and Round Blade, Ratchet, Clark's. Screw Driver Bits. Countersinks, Reamers, Belt or Saddlers' Funches. B—RULES. WRENCHES. 3 x 13½ in. 30c.
23	A—HOOKS, Coat and Hat, Wardrobe, Schoolhouse, Harness, Clothes line. B—SHELF BRACKETS. DRAWER PULLS. 3 x 13½ in. 30c.
24	A—WOOD PLANES, Plane Irons, Cut and Double. B—PATENT PLANES. Patent Plane Irons. 3 x 13½ in. 30c.
25	A—WOODENWARE AND BASKETS. Alphabetically arranged. B—WOODENWARE (continued). Alphabetically arranged. 7 x 22 in. 70c.
26	A—PIECED TINWARE. Alphabetically arranged. B—STAMPED TINWARE. Alphabetically arranged. 7 x 22 in. 70c.
27	A—JAPANNED TINWARE. Alphabetically arranged. B—GRANITE OR AGATE IRONWARE. Plinished Ware, Stove and Hollow Ware. All Alphabetically arranged. 7 x 22 in. 70c.
28	A—MORTISE DOOR LOCKS, Latches, Knobs and Escutcheons. B—RIM DOOR LOCKS, Latches, &c. 7 x 22 in. 70c.
29	A—PADLOCKS, Japanned, Wrought Iron, Bronzed Iron, Brass and Jail. B—COMPLETE COMPARATIVE LIST OF CORRESPONDING NUMBERS OF PADLOCKS, Mallory, Wheeler Co., Wm. Wilcox Mfg. Co., Russell & Erwin Mfg. Co., Norwich Lock Mfg. Co., Nimick & Brittan Mfg. Co. Revised to July, 1885. 6½ x 22½ in. 70c.
30	A—CABINET LOCKS, Drawer, Chest, Cupboard and Trunk. Cabinet Keys. B—COMPLETE COMPARATIVE LIST OF CORRESPONDING NUMBERS OF CABINET LOCKS, Eagle, Corbin, Parker, Gaylord. Revised to July, 1885. 7 x 24 in. 70c.
31	A—Length and number of Nails to the pound. Number of feet in a bundle of Hoop, Scroll and Band Iron. Number of feet of Wire in a pound. Coil or Cable Chain, weight per 100 feet and proof in tons. Bright Coil and Halber Chain and corresponding No. of wire. Sash weights and lugs required for common sized windows. B—MISCELLANEOUS TABLES. Showing number Copper Rivets and Burs in a pound. Size of Skates compared with Shoes. Scale Beams, pole or weight needed for each. Brass Kettles, size, weight and capacity. Strap and T Hinges, weight and number packed in a barrel. Comparative Nos. of leading makers of Rules and Levels. Revised to July, 1885. Manila Rope, feet in a pound, weight of coils, breaking strain, &c. 6 x 22 in. 70c.
32	Is adapted for filling in with any line of goods. It is ruled both sides with columns headed respectively "Description," "Size or No.," "List," "Cost," "Job," "Sell." 4 x 14 in. 20c.

LESS THAN A SET PRICED AT THE ABOVE RATES.

PRICES IN SETS.

Set No. 1. Includes all the numbers, 1 to 32 inclusive	Price, \$10.00 per set.	Set No. 3. For Dealers in Tinware and House Furnishing Goods, consists of Cards Nos. 25, 26, 27.	Price, \$2.00 per set.
Set No. 2. Omits Cards Nos. 25, 26, 27, and includes all the other numbers described above.	8.00	Set No. 4. Includes the following <i>Eighteen Leading Cards</i> for Retail Trade: Nos. 2, 3, 9, 10, 11, 12, 13, 14, 15, 18, 19, 20, 22, 23, 24, 28, 31, 32.	5.00

SENT PREPAID ON RECEIPT OF PRICE BY

DAVID WILLIAMS, Publisher and Bookseller, 83 Reade Street, New York.

American Institute of Mining Engineers.

HALIFAX MEETING.

Third Notice.

Mr. Routledge's paper on the "Cape Breton Coal Fields" was read by the secretary, accompanied by explanations, with maps and geological charts. The paper was a very complete and detailed description of the fields, giving full statistics as to the workings, capacity and extent of the mines.

The secretary also read a paper by Mr. Fred. W. Gordon on the "Work of the North Chicago Blast Furnace, which we shall publish in a future issue.

Concluding Session.

The evening session was held in the Young Men's Christian Association Hall, and proved in many respects one of the most interesting of all.

The first paper read was that by Mr. Chas. A. Ashburner, geologist in charge of the Pennsylvania Survey, on the interesting topic of

THE GEOLOGY OF NATURAL GAS IN PENNSYLVANIA AND NEW YORK.

The existence of natural-gas springs in Pennsylvania and the adjoining States west of the crest of the Allegheny Mountains was known to the earliest settlers. Possibly the first gas obtained from a well was at Fredonia, Chautauque County, N. Y., where a well was sunk on the bank of Canadaway Creek, near the Main street bridge, in 1821, and sufficient gas obtained for 30 burners, the inn having been illuminated by the gas when General Lafayette passed through the village, about 1824. In 1858 another well was drilled which supplied 200 burners, and a still larger one was drilled to a depth of 1200 feet in 1871. According to Mr. E. J. Crissey, secretary of the Fredonia Natural Gas Light Co., the average monthly supply of these wells in 1880 was 110,000 cubic feet.

Since 1859, when the drilling of oil wells in Western Pennsylvania was commenced, natural gas has been obtained either in conjunction with oil or in wells which produced only a trace of oil. In most of the flowing oil wells the pressure which forces the oil up the well results from the gas contained in the oil-sand in the immediate vicinity of the well or at a considerable distance away. The gas obtained from these wells has been utilized in various ways, particularly for light and fuel at the towns and villages in the immediate vicinity of the wells, and also to a limited extent for the manufacture of lampblack—sometimes called "diamond black"—by the deposition of the carbon resulting from the imperfect combustion of the gas. A comparatively small proportion of all the gas produced in the region, however, was made use of until within two years, when the introduction of gas into the industrial establishments—principally iron, steel and glass works—in the vicinity of Pittsburgh have made its use as a fuel an important consideration in the manufacturing industries of Western Pennsylvania.

The geology of the oil regions of Pennsylvania has been carefully studied during the past 10 years by the geologists of the Pennsylvania Survey, but more particularly by Mr. John F. Carll, who since the commencement of the survey in 1874 has been in charge of the special examination of that district. The detail geology of the region has been made public through numerous State reports, which relate principally to the consideration of geological problems affecting the occurrence of petroleum; they necessarily, however, refer indirectly to the geology of natural gas, although no great attention has been directed to the latter question until the past summer, when a special survey was commenced by Mr. Carll for the State of the geology of portions of Western Pennsylvania in the vicinity of the recently-discovered oil and gas pools, more particularly the latter. Until this survey is finished and Mr. Carll's report is published our knowledge of this interesting question must be more or less incomplete.

The extensive drilling which is now being done by manufacturers, gas companies and property owners in all sections of Western Pennsylvania and contiguous areas in adjoining States, where it is thought natural gas may be obtained, has made the study of the geology of natural gas one of pressing importance as an aid to locate profitable wells.

Much is being published as the result of interviews with practical gas explorers and professional geologists on the subject, and, while I do not wish to anticipate the results of Mr. Carll's investigations, I desire to record a few general conclusions which have resulted from field observations extending over a period of 10 years, and from numerous studies made in conjunction with Mr. Carll of the results of his oil surveys, which have been more thorough, more complete and valuable than any which have been made relating to the geology of petroleum.

The general conditions upon which the occurrence of natural gas seems to depend, from a consideration of the facts at present at our command, are: (a) the porosity and homogeneity of the sandstone which serves as a reservoir to hold the gas; (b) the extent to which the strata above or below the gas-sand are cracked; (c) the dip of the gas-sand and the position of the anticlines and synclines; (d) the relative proportion of water, oil and gas contained in the gas-sand, and (e) the pressure under which the gas exists before being tapped by wells. Other conditions may still be discovered which will have as important a bearing upon the problem as these which I have stated. The oil and gas regions of Pennsylvania are one in a geological sense. The strata drilled through by the gas wells in the vicinity of Pittsburgh (now considered the most important gas district) are in a general way the same as the strata in the different parts of the Devonian and carboniferous series pierced by the oil wells at Smith's Ferry (30 miles north 60° west from Pittsburgh) and the Slippery Rock (34 miles north 20° west from Pittsburgh) districts, where in both cases heavy oil is obtained from the base of the coal measures and amber oil from the Berea Grit; in the Thorn Creek (25 miles north 5° east from Pittsburgh) and

second, upon the extent to which the rocks are cracked above the gas-sand, which would permit the gas to escape into the atmosphere and totally disappear. That the absence of both petroleum and natural gas in our plicated strata east of the oil regions is to be explained by the cracking of the rocks would seem to be evident, since the survey of the outcropping rocks and a study of the records of dry wells show that the oil and gas sands extend far beyond the limits of the area of the region in which any traces of oil or gas have ever been found. Even within the area where oil and gas wells have been found the cracking or jointing of the rocks must have a potent influence upon the amount of oil or gas obtained in certain localities. From the surveys of Mr. Ashweaver and myself in Elk County it appears that the direction of certain streams is to be attributed to their flow along joints in the rocks which have resulted from the contraction of the rocks during the process of secular cooling, and I believe that this is a measure accounts for the occurrence of gas at certain points in western Elk County and its absence at other points, the gas being obtained where the rocks are not jointed, and not being found where they are jointed.

The first necessary condition for the presence of gas, however, is dependent upon the existence of a porous rock to serve as a reservoir to hold it. A number of wells have been drilled which have found gas, but, if the drillers records are to be credited, have not pierced sand beds; in these cases the gas has been unquestionably obtained from a crack in the strata which serves as a conduit to convey the gas from its sand-bed reservoir to the well. Although the dip of the gas-sand and position of the anticlines and synclines have an important bearing upon the occurrence of gas (in many cases this would seem to be the most important consideration), yet it is not believed that natural-gas wells can be located on what has been formulated as the anticlinal theory, since all great gas wells are not found along anticlinal axes, although some of the largest and most important wells in Pennsylvania have been found in such positions, and a great many wells have been drilled in synclines which have found gas. These two statements are of great importance, since a large amount of money is now being expended in drilling wells which have been located on the basis of the anticlinal theory, so called. The following references to notable instances where gas has not been found on anticlines, and where it has been found in synclines, will serve as sufficient illustration:

Most of the saddles and basins in Western Pennsylvania have a progressive dip along their axial line toward the southwest, and a well drilled $\frac{1}{2}$ mile to the northwest or southeast of a given point on the crest of an anticline may encounter any given stratum at the same elevation as a well drilled immediately on the crest of the same anticline at a distance southwest from the given point, the distances in each case being dependent upon the intensity of the dip in the three directions. The anticlinal along which the famous Murrayville gas wells in Westmoreland County have been drilled is an instance. About 10 miles northeast of the village of Murrayville two large gas wells have been obtained about 3 miles apart, northwest and southeast, one on Beaver Run the other on Pine Run. The total dip of the Upper Freeport coal bed from the Beaver Run well to the Pine Run well is 215 feet, or at the rate of 70 feet per mile toward the northwest. The former well is found in close proximity to the anticlinal axis along which the great Murrayville wells are obtained further to the southwest, while the latter well is near the synclinal axis. The extension of the general direction of this anticlinal line to the northeast of the Beaver Run well crosses the Conemaugh River near the mouth of Roaring Run, where a well was drilled, evidently on account of the existence of the anticline at that point, but no gas was found. The Apollo well, about 3 miles northeast of the Pine Run well, along a line parallel to the structural lines of the district, found no gas. In the case of the Roaring Run and Apollo wells, it may be possible that no porous stratum which could serve as a gas reservoir was pierced by the drill; this, as already stated, is the first necessary condition of the existence of gas.

The Ridgway gas well is located in a syncline, and not on a subordinate anticline, as has been suggested, but at a point where there is a certain regular dip of about 1° toward the west, on the side of the syncline. The Kane gas wells, including the large one at Kane, which is now supplying the residents of the town with light and fuel, and the famous Kane Geyser gas well, are both in a syncline, the southeast dip in the one case and the northwest dip in the other case, toward the center of the basin, being less than 50 feet per mile, and the southwest dip along the axis of the basin being from 15 to 25 feet per mile. The great McMullen & Hallett gas well, commonly known as the "Mullen Snorter," is not in the vicinity of any anticline. The gas-sand at this well is nearly horizontal, having only a dip of about 11 feet in a direction south, 15° west.

The gas wells found in the vicinity of the city of Erie are located in a region where no anticlines or synclines have been discovered. The dip of the rocks here is toward the southwest at the rate of about 20 feet per mile, from recent surveys, or, from the geological survey as pointed out by Professor Lesley, the average dip was estimated to be 14 feet per mile. No anticlines exist in the vicinity of the Fredonia (N. Y.) wells, so far as the structure has been made out. Conversely, some of the largest gas wells have been found on the crests of anticlinal axes; among them can be enumerated the Sheffield well, about 2½ miles east of Sheffield, which was drilled in 1875. This well still supplies the town of Sheffield with light and fuel and has proved one of the largest and most remarkable gas wells ever drilled in Pennsylvania. The history of this well is interesting on account of the great pressure of the gas, which made the drilling difficult. In drilling this well a vein of salt water was passed through at a depth of 418 feet, and the gas-sand, which was 30 feet thick, was struck at a depth of 1350

feet. The water from this vein leaked into the hole and rapidly froze from the great pressure under which the gas was confined in the bed rock, and which was suddenly relieved as soon as it flowed into the well (the sudden change of the pressure of the gas absorbing the heat from the water, which rapidly froze), until the well became almost entirely stopped up by the core of ice for a distance of nearly 200 feet above the gas-sand. The Wilcox wells, 5 miles northeast of the village of Wilcox, in Elk County, are all of them located within $\frac{1}{2}$ mile of the crest of the anticlinal which separates the fifth from the sixth coal basin, the dips on either side of the axis of this anticlinal, toward the northeast and southwest, being at the rate of about 50 feet per mile. The dip of the rocks at the Sheffield gas well is not quite so great as at the Wilcox wells. The gas wells in the vicinity of Marionville, Forest County; at Tarentum, in Allegheny County; at Murrysburg, in Westmoreland County; at Cannonsburg and Hickory, in Washington County, are all located in close proximity to anticlinal axes.

An interesting fact connected with the influence of the dip of the rocks as independent of the position of the anticlines as influencing the presence of gas is to be seen in the flooding by water of the gas sand in the vicinity of Pittsburgh, as recently pointed out by Mr. Carll. A line showing the limit of the flooded rock at this point has been approximately located by Mr. Carll, and in the area included by it but little gas has been found, although the gas-sand has been pierced by the drill. The rapid diminution in the flow of the gas from the wells in the vicinity of East Liberty would seem to be due to the driving back of the gas by the flooding of the gas-sand with water.

The relative proportion of water, oil and gas in a sand bed and the pressure* under which the gas exists have an important bearing upon the occurrence of gas when considered in conjunction with the dip of the sand and the position of anticlines. If nothing but gas existed in a given sand bed from which the gas could not escape by cracks into overlying strata, and the quantity of confined gas was so great that it should fill all portions of the rock with gas under a great pressure, it must be apparent that, no matter where the gas-sand was pierced by the well, the same quantity of gas would be obtained, excepting so far as it might be influenced by the force of gravity. If petroleum, water and gas should all exist in the same sand bed, the pressure on each would necessarily be approximately the same if there was an open connection throughout the whole extent of the rock in which they occurred, but the water would seek the lowest level of the sand bed, the oil the next and the gas would be found in the highest portions. This same condition of affairs would exist where either water or oil existed in the sand with the gas to the exclusion of the other. A careful study of these facts makes it apparent that under special conditions the anticlinal theory alone will account for the existence of gas; but when, however, it is known that large gas wells have been found in synclines, it is quite certain that the occurrence of natural gas in the Pennsylvania and New York regions cannot be explained but by a careful consideration of all the geological and physical conditions under which it is obtained.

The facts relating to the geology of natural gas now in the possession of any one geologist are not sufficiently numerous or connected to permit of the acceptance of any ultimate theory; and it is only possible for the present to deduce special geotectonic conditions under which natural gas has so far been exploited. Some of these conditions are so varying and apparently antagonistic that it is only possible to differentiate any general law controlling the occurrence of natural gas by a comparison of the individual facts obtained from innumerable well drillings.

Mr. C. D. Angel, one of the most successful oil operators in the early history of petroleum mining, deduced a theory in 1867 accounting for the existence of oil in definite areas. This was known as the "belt theory," and it sought to maintain that oil would always be found along lines having a definite direction, and to this day many oil wells are located upon degree lines upon the basis of the belt theory. It has long been proved by the investigation of geologists and the results of practical drillers that within individual oil pools the most productive wells have been located along definite degree lines, yet the belt theory has long since been abandoned by the most intelligent operators as being insufficient to account for the existence of petroleum under all conditions. The history of this theory will doubtless prove analogous to the history of the anticlinal theory as accounting for the existence of gas. Many gas wells are now being located in Pennsylvania and West Virginia and Ohio on the basis of this theory, and in many cases the practical driller is rewarded by finding the object of his search, but it is quite certain that the theory as an ultimate means for the locating of gas wells is quite insufficient, and will lead to ultimate failure in special cases.

An interesting discussion ensued on the matter, in which several points were brought up. Dr. Raymond mentioned, as an illustrious instance of mineral oil which had had a very brilliant existence while it lasted, the Albertite, of New Brunswick, now all exhausted. He inquired as to the extent of the oil deposits of Canada, and asked if there was an increase of territory corresponding to the successive exhaustion of wells. Dr. Hunt was unable to furnish a detailed reply, but believed fresh oil discoveries might yet be made in Canada. The paper was supplemented by extended remarks by Dr. Sterry

*The pressure under which the gas flows from different wells varies greatly. In the Pittsburgh district it ranges on an average between 100 and 200 pounds per square inch. Mr. Carnegie reports that at their works, where the gas is used 9 miles from the well, the pressure was 75 pounds per square inch. When I visited the Bessemer Steel Co.'s works, at Homestead, the recorded pressure was 80 pounds per square inch. The highest pressure I know of being measured was 70 pounds per square inch. I believe, however, I have seen the gas coming from wells under special conditions at even a greater pressure than this.

†The pressure at the bottom of a column of water or oil which nowhere could be of any very considerable height would be slightly augmented by gravity.

Hunt, who referred to various oil wells and natural gases in different locations in Canada and the United States. He cited an instance in Ontario where a good flow of oil from a rock crevice had ceased on the earth's surface upon the drilling of a gas well, the elasticity of which, when confined, had been the cause of the oil spring.

Mr. Ashburner said that, although he had not investigated the Canada field personally, he had had about 18 months ago extensive correspondence with gentlemen interested in oil development in Ontario, from which he believed the reason of the comparatively small extent of Canada's oil resources as yet was the cheapness of the Pennsylvania article and the little encouragement there was for investment of capital. He imagined that extensive resources might yet be developed when the demand grew, and had also been informed by an experienced prospector that there were great hopes of finding oil in New Brunswick.

"A New Method for the Determination of Phosphorus" was the title of the final paper, read by its author, Mr. J. B. Mackintosh, chemist, of New York, which detailed the results of various experiments recently made by him with successful results, using oxygen in place of hydrogen gas.

As the last paper of the session the president read what was to have been the opening address, but which, as has already been stated, was deferred. It was printed in our issue of September 24.

At the close Mr. Wm. Kent moved the thanks of the Institute for the address, and his example in speaking on the subject was followed by a number of the members present.

Mr. J. D. Weeks moved that the thanks of the Institute be most cordially tendered to the people of Halifax, the committees, the citizens generally, the ladies and to all who had in any shape or form contributed to the greatly-appreciated reception and experiences of the members while there. He moved that the secretary be instructed to convey expression of said thanks, and also to the "committee of one" who had so ably, efficiently and satisfactorily looked after the weather. The motion was seconded by Mr. Collingwood, of New York, and others, and unanimously passed. The secretary said he would convey the expressions of the resolution to the "committee of one" in prayer, to the committee of citizens by letter, and to the ladies personally and individually.

The meeting then adjourned, it being 9 p. m., to the reception in the Province Building. This was an elegant entertainment. The best social element of Halifax, including the officers of the British military and naval forces, attended and showed the members of the Institute and their ladies much attention. The reception was held in the Chamber of the Legislative Council, and a fine supper was served in the chamber of the Legislative Assembly.

Next morning the members took early trains for the excursions they had selected—some to Cape Breton, some to Grand Pre, and some to Londonderry and Spring Hill. The result of a subsequent comparison of notes was that no one could be convinced that he did not choose more wisely than those who had chosen differently. Consequently, everybody had a great deal better time than anybody else, and all went home happy, with delightful memories of Nova Scotia and New Brunswick hospitality.

The Ansonia Brass and Copper Co., of Ansonia, Conn., have procured a patent for refining and preparing copper for casting. Eight pounds of zinc in the form of an oxide or carbonate are mixed with 1 bushel of ground charcoal, and are moistened, so as to make a stiff paste. This paste is portioned into, say, 24 parts, and is formed into rough balls and dried. The copper is placed into the crucible, and, when on the point of melting, one of the balls is dropped upon the copper, and gradually falls in pieces and covers the copper as it melts down, thereby excluding the atmosphere from the surface of the copper. At the same time the zinc in the mass is evolved and dispels any oxygen which may remain in the crucible. It may be supposed that the oxide of zinc will impregnate the copper, but such is said not to be the case. The charcoal coming in contact with the copper, and the oxide of zinc being volatile under the action of the heat, no combination with the copper takes place, and the zinc is volatilized and carried off through the flue, while the charcoal remains on the surface of the copper and combines with any excess of oxygen and burns, and at the same time the carbon combines with the copper sufficiently to cause it to remain solid when cast. Copper treated in this way is said to become perfectly malleable and to be thoroughly toughened.

A cupola furnace, the tuyeres of which diffuse the blast instead of concentrating it, has been patented by J. H. Whiting, of Detroit, Mich. The tuyeres occupy the usual position, but they enlarge from their inlet opening toward their discharge opening. Thus, their side walls become more or less tangential to the inner circle of the cupola. In vertical section the tuyeres are also of flaring shape, but not quite so much as in horizontal section. The inner ends of the tuyeres are shaped circularly, so as to be flush with the inner face of the cupola wall. The inventor states that, where it is an object to get iron of great fluidity that is rich in carbon, the diffusing tuyeres accomplish a better result than the tuyeres in ordinary use, which, on account of their form, are liable to concentrate the blast too much in the center of the cupola and to burn the iron—that is, to deprive it of some of its carbon.

A chimney has been recently completed for a lead-smelting works at Pueblo, Cal., which is 319 feet in height and 10 feet in diameter in the clear from the foundation up. It rests on 16 feet of smelter slag, which was poured in a liquid state in the ground 16 feet deep, and allowed to cool and solidify. On top of this and above ground is a second foundation 16 feet high, made of brick. The stack proper, which is 287 feet high, is made of iron and lined with fire-brick. It is the largest stack west of the Missouri River.

TUCKER & DORSEY MFG. CO.,

INDIANAPOLIS, INDIANA.



KRAUT CUTTERS.

No 1	1	knife, with box, 8 x 26, per dozen.
" 2	2	knives; " " "
" 3	3	" " " "
" 4	4	" " " "
" 5	3	" " 9 x 30, "
" 6	2	" " 12 x 36 each.
" 7	3	" " " "
" 8	4	" " " "
" 9	3	" " 12 x 40, "
" 10	4	" " " "



MANUFACTURERS OF

Tucker's Alarm Tills, Steak Mauls

"Daisy" Stove Trucks, Rolling Pins,

Hoosier Saw Bucks,

Kraut, Slaw and Vegetable Cutters,

Bench Stops, Towel Rollers,

Potato Mashers, &c

ASK YOUR JOBBER FOR

ALAN WOOD & CO.'S PATENT LEVEL GALVANIZED SHEET IRON,

And Have No Other.

Absolutely **FLAT** and **FREE FROM ALL BUCKLES.**

EVERY BUNDLE
BRANDED

PATENT LEVEL.

ALAN WOOD & CO., Philadelphia.

DICKSON MANUFACTURING CO.

MAKERS OF CABLE MACHINERY FOR NEW YORK & BROOKLYN BRIDGE.

LOCOMOTIVES FOR ALL KINDS OF SERVICE.

BLAST ENGINES FOR IRON & STEEL WORKS.

BESSEMER STEEL PLANT MACHINERY.

SPRING PLATE STEEL TIED CAR WHEELS. CAST CAR WHEELS. MINE CAR WHEELS.

STATIONARY ENGINES. HORIZONTAL & VERTICAL. SINGLE & IN PAIRS.

HIGH PRESSURE. CONDENSING & COMPOUND. HOISTING ENGINES.

CARRIAGES. DRUMS & MACHINERY.

COLLIERY MACHINERY.

COAL & PHOSPHATE BREAKERS WITH PATENT REMOVABLE STEEL TEETH.

SCREENS & VENTILATING FANS.

PUMPING ENGINES OF HIGH DUTY TYPES.

CORNISH PUMPING ENGINES. PUMPS. VALVES.

BOILERS OF EVERY KIND & SIZE.

HANGERS. SHAFING & PULLEYS.

GEARS BOTH CAST & CUT.

HEAVY MACHINERY OF ALL KINDS.

NEW YORK OFFICE 112 LIBERTY ST.

GENERAL OFFICE SCRANTON PA.

SOLE AMERICAN BUILDERS OF THE STOCKPORT GAS ENGINE, AND THE LIGHTFOOT DRY AIR REFRIGERATING ENGINE.

H. M. BOIES, PRES. • W. H. PERKINS, SECY & TREAS. • S. BROADBENT, GENL. SUPT. • C. W. WATTS, M. E. • E. D. LEAVITT, JR., D. M. E. CONSULTING ENGR. • GEO. B. ROSS, AGENT IN N. Y.

THE STOCKPORT GAS ENGINE

UNEQUALED

FOR
Simplicity,
Durability,
Reliability,
Economy,
Lightness
AND
General Design.




Starts with ease.
Receives an impulse at every revolution.
Runs silently.
Uses less gas per H.-P. than any other Engine.

Send for Circular giving Particulars of Sizes and Prices.

E. C. Atkins & Co., Indianapolis, Indiana.

THE FAMOUS "DEXTER."

Second only to the Silver Steel Diamond, and equal to it when made of the same class of steel, is the Patent Concave Tooth Dexter. The patent by which this saw is protected consists of a depression of the face of the cutting teeth through the centre from point to base, thus removing all friction while in use, giving strength and stiffness to the teeth and increasing threefold the durability of the "set." This saw never fails to give the best satisfaction.



Ground substantially uniform gauge on the toothed edge, and any gauge required on the back.

ATKINS' SAWS

Are Everywhere Recognized as the Standard of Excellence.



MECKLENBURG IRON WORKS, CHARLOTTE, N. C., JOHN WILKES, MANAGER.

MANUFACTURERS OF

Stamp Mills and Pumps for Gold Mines, and Mining Machinery of every description; Steam Engines, Portable and Stationary; Boilers and Saw Mills, with Ream's Patent Feed and Backing Device. Also Manufacturers of the Celebrated Centennial Cotton Press.

THAD. A. NEELY'S MUNCIE ROLLER SKATE.

MUNCIE, - - - INDIANA,

ACKNOWLEDGED SUPERIOR
TO ALL OTHERS.

SEE ILLUSTRATION IN NEXT ISSUE.

GOODELL CO.'S STAR BUTCHER KNIVES



Are not equalled in cutting qualities, shape or finish, and are fully warranted. We make seven different grades of Butchers', in all sizes, besides Hunting, Skinning, Sticking, Cheese, Steak, Shoe, Cigar, Putty, Bread Knives and Carvers in great variety, and have lately added several new patterns to our already large line of TABLE CUTLERY.

SEND FOR CATALOGUE AND PRICES.


GOODELL COMPANY, Antrim, N. H.

THE ALFORD & BERKELE CO., Agents, 77 Chambers St., New York.

P. O. BOX 2002.

THE TRIUMPH WRINGER.

PATENTED.



Galvanized Iron Frame. Steel Shafts. Automatic-Acting Springs, preventing the rolls working loose on the shafts. Easy Turning. Effective Wringing.

Send for illustrated catalogue and prices of the line of superior Wringers made by

THE TRIUMPH WRINGER COMPANY, KEENE, N. H.

"WALTHAM"

LIGHTEST

AND
Most Perfect
YET
PRODUCED.

Manufactured by
Hopkins Watch Tool Co., Waltham, Mass.

New York Office with
THE ALFORD & BERKELE CO.,
P. O. BOX 2002,
77 Chambers St., New York

Late in the Field,
But THE BEST.

PRICES:

Full and half Clamp, polished and nickel-plated, \$5.00
Full and half Clamp, blued, 5.00
Strap or Rink Skates, with wood foot-boards, 3.50
The usual discounts allowed to rinks and wholesale dealers.

THE CONNER ROLLER SKATE.


UNQUESTIONABLY THE

BEST RINK SKATE IN THE MARKET
IN WOOD OR MALLEABLE BOTTOMS.

SEND FOR CIRCULAR.

CONNER & MATHER MFG. CO.

Richmond, Ind.
Sample pair sent on receipt of \$2.50.



HUGUNIN Improved Adjustable SASH BALANCES, Mechanical Substitute for Weights, 3 Sizes.

Sashes work as with weights. No clock springs to rust out or set. No latches or attachments to the Sash. No. 1, 1 1/2 in. wide, \$1.25 per set; No. 2, 1 1/4 in. wide, \$1.00, do.; No. 3, 1 1/2 in. wide, \$1.25, do. Gray iron, screws included. Malleable, No. 1, \$1.75; No. 2, \$1.50; No. 3, \$1.75, do. per set. *Robt. J. Hugunin, Patentee and Solely Authorized Maker, is cast on the face-plate of genuine goods. The unimproved and unrecommended No. 2's have been fraudulently copied, with date of my minor patent, Nov. 6, 1877—never used on the genuine. I still sell this style at half price. The improved are made under the care of the inventor and are warranted to give satisfaction. Sample sets are sent by mail on receipt of list price only. Goods delivered in New York free. Address orders, &c., to ROBT. J. HUGUNIN, Hartford, Conn., U. S. A.*

MERIDEN MALLEABLE IRON CO.,

MERIDEN, CONN.

Manufacturers of a Full Line of the Latest Improved
Patent Adjustable Iron Planes.

THE BEST NOW IN THE MARKET.

Send for Full Descriptive Catalogue.

New York Office, 37 Barclay St. Boston Office 147 Franklin St.



"HARVARD," BEST IN THE WORLD.

Made of the very best materials: simple in construction; light and neat in appearance; noiseless in movement; easy to keep in order; finished in thorough and workmanlike manner; warranted to possess all the qualities and requirements necessary for any and all purposes where ROLLER SKATES ARE USED. Rubber Cushion held in Patent Adjustable Box; can be raised or lowered at pleasure to take up all wear. Send for Circular.

HARVARD ROLLER SKATE CO.,
237 WASHINGTON STREET, BOSTON, MASS.
AND 96 CHAMBERS ST., NEW YORK.



New York Store, 80 Chambers St.


STEPHEN'S COMBINATION RULE.

STEPHENS & CO.

RIVERTON, CONNECTICUT,

U. S. Standard Boxwood and Ivory Rules

Also, Exclusive Manufacturers of
L. C. STEPHENS' PATENT COMBINATION RULE.
Send for Price List. Established in 1854.



BUFFALO SCALE CO.,

BUFFALO, N. Y.

Manufacturers of

R. R. Track Scales, Hay Scales, Coal Scales, Grain Scales, Platform Scales, Counter Scales, &c.

Send for price list, stating what you want.

SHELF BOXES
SEND FOR CATALOGUE TO
JESSE JONES & CO.
615 Commerce St. Phila.

Wells Bros. & Co.


GREENFIELD, MASS.

Manufacturers of

"LITTLE GIANT" LABOR-SAVING TOOLS,

FOR

Blacksmiths' and Carriage-Makers' Use.




Bit Brace Taps, Dies and Collets.

OUR PRICES:

3-16 Bit Brace Tap, Die and Collet, \$1.90.
1-4 " " " " " " 1.90.
5-16 " " " " " " 1.95.
3-8 " " " " " " 2.00.
7-16 " " " " " " 2.60.

Send for 1885 Catalogue.

THE Celebrated Dangler Torch



For Oil or Gasoline, Hanging or Portable. Without Wick or Chimney. So constructed to convert the Oil or Gasoline into a Gas and to throw out 14 jets 5 inches in length, and gives a light equal to 8 Gas Jets. The light is economical, and especially adapted for Rolling Mills, Foundries, Machine and Car Shops, Round Houses, Street Venders, &c.

Price for Hanging or Wall Torch, \$2.00 each, \$18.00 per dozen; Portable, \$3.00.

Special prices to the Trade on application.

Dangler Vapor Stove & Refining Co.

CLEVELAND, OHIO.

311 State Street, Chicago.




There is not a house-keeping man, States, who, having seen these vices, have not ordered. It works automatically, instantly and grips firmly. The harder you turn, either way, the tighter becomes the grip. It weighs only about one-fifth the weight of the ordinary Vise. No. 1 weighs only 3 lbs. Price \$2.50 each. For sale by the manufacturers.

PAINE, DIEHL & CO.,

12 Bank St., Philadelphia, Pa.

Patent Lock Snap.



The neatest and safest device ever invented for hitching horses; price, \$2.50. Kennel and Leading Chain with Patent Lock, \$1.25 each. Travelers' Safety Baggage Guard, 75 cents. Bicycle Chain, 75 cents. These goods are all nickel-plated, and with keys. Sent, prepaid, to any part of the U. S. on receipt of the price.

O. A. BASSETT, Plainville, Hartford Co., Conn.

THE AMERICAN

Wire Nail and Tack Machine

(PATENTED)

Claims advantages over other machines for general simplicity, adjustment of cutters, both vertically and horizontally, greater gripping power through use of compound levers, positive adjustable knock-off, uniform feed and automatic barbing attachment.

A. R. WHITNEY & CO.,

SOLE AGENTS,

50, 58 & 60 Hudson Street, New York.

A New Ash Sifter.

We doubt if any article has been shown to the House-Furnishing Trade during the past ten years that is so much needed, so attractive at sight, so satisfactory to operate and so easy to sell as our new BLANCHARD'S ASH SIFTER. It is instantaneous, automatic, simple, convenient, durable; has no moving parts; is noiseless, dustless, economical, easy to operate and cheap! What more do you want? Samples sent to any part of New England, freight paid, on receipt of retail price. Send for descriptive Circulars to the sole manufacturers,

PORTER BLANCHARD'S SONS, Concord, N. H.

THE STRONGEST GLUE IN THE WORLD.

AWARDED GOLD MEDAL LONDON, 1883



ASK YOUR DEALER FOR

LE PAGE'S LIQUID GLUE.

If he does not keep it, send us his card with five 2-cent stamps, and we will send you a SAMPLE CAN FREE by mail.

RUSSIA CEMENT CO., Gloucester, Mass.

Sold in TIN CANS for Mechanics and Amateurs, and in BOTTLES for Family Use.

NEW YORK OFFICE, 96 Chambers St.



QEO. N. PIERCE & CO.,

BUFFALO, N. Y.,

New York Office, 195 Water Street.

MANUFACTURERS OF

BIRD CAGES and REFRIGERATORS

Send for Illustrated Catalogue and Price Lists.

ALSO FOR SALE BY

Chicago Stamping Co., Chicago, Ill.

Sickles, Preston & Co., Davenport, Iowa.

Cincinnati Tin and Japan Co., Cincinnati, Ohio.

Kennedy, Spaulding & Co., Syracuse, N. Y.


Weaver & Goss, Rochester, N. Y.

E. A. Burrows & Co., Troy, N. Y.

E. E. GARVIN & CO.

Manufacturers of Machinists' and Iron Workers' Tools, Lathes, Planers, Milling Machines and Drills.

Special Tools for all kinds of manufacturing to order.



Universal Milling Machine.

NEW UNIVERSAL MILLER

at N. O. Exposition. (See cut.)

We received Gold Medal for our

NEW UNIVERSAL MILLER

at N. O. Exposition. (See cut.)

139 to 143 Centre St., New York.

THE REIHER IMPROVED

Self-Locking Transom Lifter

answers equally well for all Transoms

Hinged at the top.

Hinged at the bottom.

Hinged at the center.

F. A. REIHER,

Manufacturer,

11 and 13 S. Canal St., Chicago.

JOHN H. GRAHAM & CO.,

Eastern Agents,

113 Chambers Street, New York

Send for catalogue.

Cut showing the parts belonging to the Transom Lifter

A. The locking-bar.

B. The self-locking adjusting block.

C. The operating rod.


D. The lower bracket.

E. The lifting arm.

F. The transverse bracket.

Coxhead's Patent Combined Saw Set and Vise. Received award of Excellence at American Institute, 1884. The only tool in the market for setting Circular, Hand and Band Saws and holding them for gluing. JOHN F. COXHEAD, Poughkeepsie, N. Y. Send for circular.

ESTABLISHED 1842.
J. BARTON SMITH CO.




THE J. BARTON SMITH CO'S PATENT SCREW TANG FILES

As a guarantee of the superior quality of all Files bearing the stamps J. B. S. & Co., for any that are found unsatisfactory as to temper, &c., we will give in exchange two for every one returned to us. Our handle will last a lifetime in constant use, making it the cheapest handle in the world.

GILBERT PARKER, President.

THE CUMMER ENGINE



Awarded Gold Medals and All Highest Premiums for BEST AUTOMATIC ENGINE at both Cincinnati and Louisville in 1883.

Send for 150-Page Illustrated Catalogue.

ADDRESS

THE CUMMER ENGINE CO., Cleveland, Ohio.



Issues Policies of Insurance after a careful inspection of the Boilers,
COVERING ALL LOSS OR DAMAGE TO
BOILERS, BUILDINGS and MACHINERY
ARISING FROM
STEAM BOILER EXPLOSIONS.

The Business of the Company includes all kinds of Steam Boilers.

Full information concerning the plan of the Company's operations can be obtained at the
COMPANY'S OFFICE, HARTFORD, CONN.,
or at any agency.


J. M. ALLEN, Pres. W. B. FRANKLIN, Vice-Pres. J. B. PIERCE, Sec.

BOARD OF DIRECTORS:

J. M. ALLEN, President.
LUCIUS J. HENDEE, President of Fire Ins. Co.
FRANK W. CHENEY, of Cheney Bros., Silk Manufg.,
Hartford and New York.
CHARLES M. BEACH, of Beach & Company
DANIEL PHILLIPS, of Adams' Express Company.
GEO. M. BARTHOLOMEW, President Holyoke Water
Power Company.
RICHARD W. H. JARVIS, President Colt's Pat. Fire
Arms Manufacturing Co.
THOMAS O. ENDERS, of the Etna Life Insurance Co.
LEVERETT BRAINARD, of the Case, Lockwood &
Brainard Co.

GEN. WM. B. FRANKLIN, Vice-President Colt's Pat.
Fire Arms Mfg. Co.
GEO. CROMPTON, Crompton Loom Works, Worcester,
Mass.
HON. THOMAS TALBOT, Ex-Governor of Massachusetts,
Lowell.
NEWTON CASE, of the Case, Lockwood & Brainard Co.
WM. S. SLATER, Cotton Manufacturer, Providence.
NELSON HOLLISTER, of the State Bank, Hartford.
CHAS. T. PARRY, of Baldwin Locomotive Works,
Philadelphia.
HON. HENRY C. ROBINSON, Attorney at Law, Hartford.

Charles Parker Co.,



Meriden,
Conn.,
Manufacturers of
Cabinet
Locks.

TOPPING & FOX,
96 CHAMBERS ST., NEW YORK.

Heavy and Marine Hardware.

PROPRIETORS OF THE

"ARROW" BRAND TACKLE BLOCKS,
Inside Iron Strapped, Rope Strapped, Heavy Tackle and Snatch Blocks, Blocks
for Rope Straps, Lignumvitæ and Iron Sheaves, &c., &c.

MANUFACTURERS' AGENTS,

REPRESENTING

P. WILSON'S SONS & CO., Cincinnati, Ohio

COIL AND LOG CHAIN, TRACES, &c., &c.

CARR & CRAWLEY, Philadelphia, Pa.

MALLEABLE IRON SHIP AND AWNING HARDWARE.

PENNA. BOLT & NUT CO., Lebanon, Pa.

MACHINE, CARRIAGE, PLOW AND TRACK BOLTS, BOILER RIVETS, HOT-PRESSED AND
COLD-PUNCHED NUTS, WASHERS, LAG SCREWS, &c., &c.

CLEVELAND BLOCK CO., Cleveland, Ohio.

IRON TACKLE BLOCKS FOR MANILA AND WIRE ROPE, GIN BLOCKS, SHEAVES, &c.

We carry a full line of the above goods in stock, also Coach Screws, Bolt Ends, Turn-
buckles, Shovels, Picks and Mattocks, Crowbars, Sledges and Hammers, Barb Wire Fenc-
ing, Ship Chandlery, Clinch Rings, Brass Grommets, Awning Hardware, Sailmakers'
Supplies, &c.

Topping & Fox, 96 Chambers St., New York.

ROLLING MILLS.	RIVET AND BOLT MACHINES.	PATENT POWER PRESSES.
WIRE MILLS.	THE Waterbury Farrel Foundry & Machine Co., MANUFACTURERS, WATERBURY, - - CONN.	DROP PRESSES.
CHILLED ROLLS.		FOOT PRESSES.
SPINNING LATHES.		DIES & PUNCHES.
TRIMMING LATHES.		GANG SLITTERS.
GRINDING MACHINES.	CARTRIDGE MACHINERY.	SCREW THREADING MACHINES.

All Kinds of Special Machinery for Sheet Metal and Wire.

J. E. QUACKENBUSH & SON,
MANUFACTURERS OF
Porcelain, Mineral & Jet Knobs & Escutcheons.
Send for Price List
and Terms.


OFFICE:
333 5th Ave., N. Y.




Rowlett's Star Roller Skate.

MOST DURABLE, ECONONICAL, LIGHTEST-RUNNING.

Gives Universal Satisfaction to Rink Owners
and Thousands of Skaters.




SEND FOR ILLUSTRATED CATALOGUE. ADDRESS



Champion Roller Skate & Wagon Co.

Nos. 1118 TO 1124 NO. E ST., RICHMOND, IND.

"LITTLE STAR" APPLE PARER, CORER AND SLICER



Patented June 9th, 1885.

This Parer is of an entirely new design. It pares, cores and slices the apple, then pushes the core from the Fork. It is so constructed that the parings fall clear from the machine. The construction of the machine is such that the Paring Knife faces the Apple when an Apple is brought against it, so that the operator is not obliged to turn the Paring Knife Holder around every time an apple is pared, or break the machine, as is the case in all other Parers. It is the simplest and most perfect Parer, Corer and Slicer in market. Every Machine Warranted. Manufactured by

C. E. HUDSON, Leominster, Mass.

THE LIVINGSTON HORSE NAIL CO., 104 Reade Street,
NEW YORK,
GENERAL AGENTS.

THE CROWN ROLLER SKATE.

IT LEADS THEM ALL.

The Only Skate in which the Tension can be Adjusted on the
Foot Without the Use of Tools.

The Only Skate which can be Taken Apart and Put Together
Again Without the Use of a Single Tool.



TRADE MARK

The Crown Skate gives universal satisfaction, and
is fast superseding the older makes of Skates.

GIVE IT A TRIAL.

For Prices and Circulars, address

Crown Roller Skate Co.,
DECATUR, ILL.

LA BELLE STEEL NAILS

OF EVERY VARIETY ARE MANUFACTURED BY THE


LA BELLE IRON WORKS.

OFFICE AND WORKS, - - - WHEELING, W. VA.


Represented in New York by SAM'L A. HAINES, 88 Chambers St.

MORRILL'S PERFECT SAW SETS AND BENCH STOP.

FOR SETTING EVERY VARIETY OF SAWS.




For price lists
and discounts
Address



CHAS. MORRILL,
64 College Place,
NEW YORK.


HAVING STOOD THE TEST OF 135 YEARS COMPETITION, THEY ARE IN HIGHER REPUTE THAN EVER.
JOHN WILSON'S CELEBRATED BUTCHERS' KNIVES & BUTCHERS' STEELS
 ARE USED IN ALL THE PRINCIPAL SLAUGHTERING AND MEAT PACKING ESTABLISHMENTS OF THE UNITED STATES OF AMERICA, & THE AUSTRALIAN COLONIES;
 AND, WITH HIS EQUALLY CELEBRATED SHOE KNIVES HAVE FOUND THEIR WAY, AND CARRY HIS INTO ALL THE COMMERCIAL MARKETS OF THE WORLD.
 BEWARE OF CLOSE IMITATIONS OF THE KNIVES; ALSO OF COUNTERFEITS OF THE MARK, AS BOTH HAVE BEEN, AND ARE, FREQUENTLY ATTEMPTED.
 WORKS:—SYCAMORE STREET, SHEFFIELD, ENGLAND. Established 1750.




SOLE CLAMP.

These are the only Skates made in which the rubber cushions in both trucks are adjusted by one and the same operation, thereby making a duplex adjustment, which can be accomplished without removing the Skate from the foot.

THE Kempster Roller Skate



ALL CLAMP.



WOOD TOP.

These Skates are constructed with a view to simplicity, and can be entirely and quickly taken apart and put together without the use of a vise or special tool of any kind.

DAME, STODDARD & KENDALL,

Successors to BRADFORD & ANTHONY,

Sole Selling Agents, 374 WASHINGTON ST., BOSTON, MASS.

Ice and Roller Skates, Cutlery and Fancy Hardware.

CATALOGUE SENT ON APPLICATION.




HASLUP'S PATENT WHEEL SCRAPER

Has great advantages over all others. It has more capacity, is easier handled by man and team, and the only Wheel Scraper made that does not make the horses' necks sore. It has all the latest improvements and excels any thing of the kind ever offered to the trade. Good on long and short hauls. Three sizes, 6, 12 and 18 cubic feet.

HASLUP'S ALL STEEL DRAG SCRAPER

Bests all others for capacity, durability, strength and light draft. Being ALL STEEL (except wood handles), are lighter, stronger and better made than any other. Three sizes. Also Township and Railroad Plows.

SIDNEY STEEL SCRAPER CO.,
 SIDNEY, OHIO, U. S. A.



The above cut represents one design of our new Hollow Handle Knife, either silver or nickel silver handles, made of a seamless drawn tube. This handle is not soldered, as is the usual method, and yet has the taper and form necessary to produce the most durable and tasteful article of its kind ever shown. Knives can be furnished either plain or ornamented handles.

R. WALLACE & SONS MANUFACTURING COMPANY,

MANUFACTURERS OF SOLID SILVER WARE GUARANTEED FINE, ALSO NICKEL SILVER HOTEL AND TABLE WARE,

Factories, WALLINGFORD, CONN.

New York House, 21 PARK PLACE.

New American File Company,

PAWTUCKET, R. I., U. S. A.



NOTICE.—Save 300 to 400 per cent. in Money and Time.

The testimonials in *Iron Age*, page 18, September 18 and 25, will convince most any one that our guarantee of this File doing the work of any two of any other brand, or money refunded, "is perfectly safe." Now, competitors who think they have made the same File for years can find out their mistake with a very little trouble, and save themselves money in advertising this File and mortification from being called stupid or otherwise. This class of File cannot be made so serviceable by any other method but one, and that one is covered by Caveat, filed by Patentee of above File.

RIPLEY MANUFACTURING CO.,
 Unionville, Conn., U. S. A.



BEST PORCELAIN-LINED LEMON SQUEEZERS
 "COMMON SENSE" MOUSE TRAPS, MALLETS BOOT JACKS,
 ROSEWOOD FAUCETS, &c. Fine Wood Turning a Specialty.

THE PHILADELPHIA DROP FORGE,

Manufacturers of Every Description of

IRON AND STEEL DROP FORGINGS,

Machine Blacksmithing, Die Sinking and Machine Jobbing,

Rear of Nos. 1227 and 1229 Callowhill St., Phila., Pa.

Samson Jack & Press Co., Black River, N. Y.


WAGON JACKS.



Made entirely of the very best Malleable Iron. Will not break, and, properly handled, will not rust. For Catalogue and Price List for Catalogue and Price

THE HP NAIL CO.

CLEVELAND, OHIO,



MANUFACTURERS OF

WIRE NAILS

OF ALL KINDS.

Barbed or Plain Steel, Iron and Brass Nails, Cast Steel Wire Brads, Cast Steel Wire Finishing Nails, Cigar Box Nails, Escutcheon Pins, Wagon Nails, Clinch Nails, Hinge Nails, Wire spikes for Track, Bridge and Dock Work, Tinned Nails, Galvanized Nails.

ALFRED F. BRAINERD,
 ANALYTICAL CHEMIST AND MINING ENGINEER,
 Birmingham, Alabama.

JOHN T. LEWIS & BROS.,
 No. 231 South Front St.,
 PHILADELPHIA.



Pure White Lead, Red Lead, Litharge, Orange Mineral, Linseed Oil, AND PAINTERS' COLORS
JOHN JEWETT & SONS
 Manufacturers of the well-known brand of **WHITE LEAD.**



ALSO MANUFACTURERS OF
LINSEED OIL.
 1181 Front Street, NEW YORK.



The Atlantic White Lead and Linseed Oil Co.,
 Manufacturers of
 White Lead (Atlantic), Red Lead, Litharge, Glass Makers' Litharge and Orange Mineral;
LINSEED OIL,
 Raw, Refined and Bofiled.
ROBERT COLGATE & CO.,
 287 Nassau St., NEW YORK

EXCELSIOR AND CLIPPER
LAWN MOWERS
 GUARANTEED THE BEST & CHEAPEST IN THE MARKET.
HAND MOWERS
 10 to 20 IN.
HORSE MOWERS
 25 to 40 IN.
CHADBORN & COLDWELL MANUF'G CO.
 NEWBURGH, N. Y.

I. S. SPENCER'S SONS,
 GUILFORD, CONN.,
 Manufacturers of
 SCALES, BUILDERS' HARDWARE, LIGHT HARDWARE
 And all kinds of
 Light Grey Iron and Brass Castings of Superior Quality and Finish.
 CORRESPONDENCE SOLICITED.

Grindstones, Emery, &c.

GEO. H. WORTHINGTON, Pres. and Treas. WM. McDERMOTT, V. Pres. and Sec.

Berea & Huron Stone Company,
 Manufacturers of

GRINDSTONES,
MOUNTED STONES,
SCYTHE STONES, &c.

OFFICE: 71 & 72 Wilshire Building, CLEVELAND, OHIO

Walter R. Wood,
GRINDSTONES,
 Berea, O., Nova Scotia & other brands

283 and 285 Front St., New York.

GEO. CHASE.

Genuine Green Paper Brand Washita Stone is the Best

OIL STONE.
 107th St., Harlem River, N. Y.

Miller, Metcalf & Parkin,
PITTSBURGH, PA..
Manufacturers of

CRESCENT STEEL,

IN BARS, SHEETS, COLD-ROLLED STRIPS, &c.
Polished, Compressed Drill Rods and Wire.
Warranted equal to any imported in quality, finish and accuracy.

Also Common Grades.

S. & C. WARDLOW SHEFFIELD, ENGLAND,
MANUFACTURERS OF THE CELEBRATED
Cast and Double Shear Steel

In Bars, Sheets and Coils, for fine Pen and Pocket Cutlery, Razors,
Table Knives, Mining Tools, Dies, Files, Clock, Watch
and other Springs, and Sole Makers of the
Special Brand "Tough" Cast Steel for
Turning and other Tools.

OFFICES AND WAREHOUSE,
95 JOHN STREET, NEW YORK.

FRANK S. PILDITCH, Agent.

JESSOP'S BEST TOOL STEEL
IN GREAT VARIETY OF SIZES.

Gold Medals awarded
at Exhibitions of
Paris, 1878, and
Melbourne, 1881.

ROCK DRILL STEEL,
in bond or duty paid.
Sheet Steel,
Best Circular
Saw Plates,
Double Shear
Steel,
Die Steel, &c.
MANUFACTURED BY
Sheffield, England.

JESSOP'S STEEL

As a SPECIALTY, we
offer our
Best Tool and
Die Steel.

ANNEALED SOFT,
Also
Annealed Die
Blocks,
from Stock or on im-
portation orders at
short notice.

Branch Warehouses
Throughout the
United States and
Canada.

WILLIAM JESSOP & SONS, LIMITED,
91 JOHN STREET, NEW YORK.

W. W. SCRANTON,
President.

WALTER SCRANTON,
Vice-President.

E. P. KINGSBURY,
Sec'y and Treas.

THE SCRANTON STEEL COMPANY,
MANUFACTURERS OF

Steel Rails and Billets.

Works at SCRANTON, PA.

NEW YORK OFFICE
47 BROADWAY.

The Indestructible Cast-Iron Furnace Lamp.
NO SOLDER.

The Best and Cheapest.

Superseding all Others wherever
Introduced.

TWO SIZES: No. 1, holding 3 Pints.
No. 2, " 2 "



TAYLOR & BOGGIS
FOUNDRY CO.,
CLEVELAND, OHIO.

Sample sent you if desired.

STEAM PUMPS
SEND FOR PRICES.
VALLEY MACHINE CO. EASTHAMPTON, MASS.

G. W. Bradley's Edge Tools.

Butchers' Cleavers,
Butchers' Choppers,
Axes and Hatchets,
Grub Hoes and Mattocks,
Mill Picks,
Box Chisels and Scrapers,
Ring Bush Hooks,
Ax Eye Bush Hooks,
Socket Bush Hooks,
Watt's Ship Carpenters' Tools,
Carpenters' Drawing Knives,
Coopers' and Turpentine Tools.

MARTIN DOSCHER, Agent, 95 Reade Street, New York.

STEEL

Gautier Steel.

SEE PAGE 3.

LABELLE STEEL WORKS.

SMITH BROS., & CO., STEEL.

MANUFACTURERS OF ALL KINDS OF

ALSO SPRINGS, AXLES, RAKE TEETH, &c.

Office and Works, Ridge, Lighthill & Belmont Sts., and Ohio River, Alleghenv.
POST OFFICE ADDRESS, PITTSBURGH, PA.

Represented at Boston by WETHERELL BROS., 31 Oliver St.; at Philadelphia by JAMES C. HAND & CO., 614
and 616 Market St.; at Cleveland by CONDIT, WICK & CO., 153 Water St.

TROY STEEL AND IRON CO.,

TROY, N. Y., Manufacturers of
BESSEMER STEEL RAILS,

Fish Plates, Bolts, Nuts, Spikes, &c. Machinery
Steel, Merchant and Ship Iron.

CHESTER GRISWOLD, Pres't, Duncan Building, 11 Pine St., N. Y. City.

FRANCIS HOBSON & SON,

97 JOHN STREET, NEW YORK.

Sole Manufacturers of "CHOICE" EXTRA CAST STEEL.

MANUFACTURERS OF

Warranted Best Cast Steel

FOR TOOLS AND DIES, AND

"CHOICE" EXTRA NEEDLE WIRE.
DON WORKS, SHEFFIELD, ENGLAND.

CHAS. HUGILL, Agent.

NEWTON & SHIPMAN,

23 JOHN ST., NEW YORK.

GENERAL AGENTS FOR

STEEL "F. W. MOSS" FILES.

AND
"MOSS & GAMBLE'S"

THE MONTOUR IRON & STEEL COMPANY,

WORKS AT DANVILLE, PA.

PIG IRON, T AND STREET RAILS.

RAIL JOINTS AND SPIKES.

Bar Iron, Mine Car Wheels, Axles and Breaker Machinery.

W. E. C. COXE, President, Reading, Pa.

P. P. HOWE, Gen'l Supt., Danville, Pa.

Pittsburgh Bessemer Steel Co.

(LIMITED.)

STEEL RAILS

LIGHT RAILS A SPECIALTY.

P. O. Address, 48 FIFTH AVE., Pittsburgh, Pa.

THE MORSE Automatic Inspirator

is acknowledged by all the leading mechanics
and manufacturers to be
The Simplest,
The Most Positive
And Most Perfect In Use.

UNSURPASSED FOR

Stationary and Portable Engines.


Send for Catalogue and Price List.

Morse Automatic Inspirator Co.,

Address all correspondence

182 BANK ST., CLEVELAND, OHIO.

TO BOILER




Perkins Improved Toe Calks.

MANUFACTURED BY

RHODE ISLAND HORSE SHOE CO.,

PROVIDENCE, R. I.

Made without
Waste,
and Sold at a
Reasonable
Price.



Prong does not
Enter
(and weaken)
the Shoe
at the crease.

FULL SIZE CUT, NO. 6 MEDIUM.

Made in three lengths, viz., Short, Medium and Long, each pattern in a variety of
sizes, both Blunt and Sharp. Patented Feb. 17, 1885. Prices quoted on application.


GLOBE MANUFACTURING CO.

Fruit Press.

926 Walnut St. Philadelphia, Pa.,

MANUFACTURERS OF

Hardware Specialties



Combined Scales and
Measures, "cissors Sharp-
ener, Toasters, Sad Iron
Heaters, Kitchen Uten-
sils, Cake Mixers.

AGENTS WANTED.

Watch Changes.

New York Office, 71 Fulton Street,

W. H. CAUGHEY, Agent.

Now is the time to make money handling these
goods. Don't wait till every store has them.

R. MUSHET'S SPECIAL STEEL

FOR

LATHES, PLANERS, &c.,

Turns out at least DOUBLE WORK by increased speed
and feed, and CUTS HARDER METALS than any other
Steel. Neither hardening nor tempering required.

SOLE MAKERS,

SAMUEL OSBORN & CO

SHEFFIELD, ENGLAND.

Represented in the United States by

B. M. JONES & CO.,

Nos. 11 and 13 Oliver Street, BOSTON.

NAYLOR & CO.,

99 John Street, NEW YORK,

IMPORTERS OF

STEEL AND IRON RAILS,

Steel Tires and Axles, Tin and Terne Plates.

Swedish and Norway Iron,

BESSEMER STEEL AND IRON WIRE RODS.

Pig Iron, Spiegeleisen, Ferromanganese,
Scrap Steel and Old Iron Rails.

SELLING AGENTS FOR

NORWAY STEEL AND IRON COMPANY, SOUTH BOSTON.

Manufacturers of

STEEL COMPRESSED SHAFTING.

"Benzon" Homogeneous Plates

FOR BOILERS, FIRE BOXES, &c.

SPRING STEEL

And all other kinds of

Martin-Siemens Steel and Iron.

The Iron-Masters' LABORATORY.

Exclusively for the

Analysis of Ores of Iron, Pig and Manu-
factured Iron, Steels, Limestones, Clays,
Slags and Coal for Practical
Metallurgical Purposes.

No. 339 Walnut St., Philadelphia.

With Branch at Warrenton, Virginia.

J. BLODGET BRITTON.

This laboratory was established in 1866, at the in-
stance of a number of practical Iron Masters, ex-
pressly to afford prompt and reliable information
upon the chemical composition of the substances
above mentioned, for smelting and refining pur-
poses, the object being to make it at once a con-
venient, practically useful, and comparatively
inexpensive adjunct to the Furnace, Forge and
Rolling Mill.



Cut one-half size.

"BRIER HILL PIG IRON."

EASTERN AGENCIES:

E. P. CUTLER & CO., No. 15 Oliver St., Boston, Mass.

GEO. W. JONES & CO., No. 4 Hanover St., New York City.

HOGAN & ELLIOTT, 413 Walnut St., Philadelphia, Pa.

The BRIER HILL IRON AND COAL CO.

YOUNGSTOWN, OHIO.

A. PARDEE, Hazleton, Pa.

J. G. FELL, Phila.

A. PARDEE & CO.,

237 South Third Street,

PHILADELPHIA.

No 111 Broadway, New York.

MINERS AND SHIPPERS OF

LEHIGH COALS

The following superior and well-known Lehigh
coals are mined by ourselves and firms connected
with us, viz.:

A. Pardee & Co.,

HAZLETON,

Pardee, Bro. & Co.,

CRANBURY,

Calvin Pardee & Co., HOLLYWOOD.

SUGAR LOAF,

Pardee, Sons & Co., MT. PLEASANT.

LATTIMER.

THOS. FIRTH & SONS, Lim'd,
SHEFFIELD,
CRUCIBLE CAST STEEL.

JERE ABBOTT & CO.,

Agents and Importers of

SWEDISH IRON,

35 Oliver St., Boston. 23 Cliff St., New York.

GUSTAF LUNDBERG,

AGENT FOR

N. M. HÖGLUND'S SONS & CO.,

OF STOCKHOLM,

Swedish & Norway Iron

38 KILBY STREET, BOSTON.

ALBERT POTTS, Philadelphia Agent, 234 & 236 N. FRONT STREET.

PAGE, NEWELL & CO.,

139 Milk Street, Boston,

IRON, STEEL AND METAL MERCHANTS,

IMPORTERS OF

SWEDISH IRON,

Including Charcoal, Siemens-Martin and Bessemer Productions, Bars, Shapes, Rods, Billets, Blooms.

DELIVERIES MADE AT ALL PROMINENT AMERICAN, CANADIAN AND PROVINCIAL PORTS.

SWEDISH IRON AND STEEL.

(NORWAY)

LEWANDER & CO.,

AGENTS FOR

BRANCH OFFICE:

154 Lake St.,
CHICAGO.

L. G. Bratt & Co., of Gothenburg, Sweden.

MAIN OFFICE:

12 Post Office Square, BOSTON, MASS.

CHEMICALS AND APPARATUS

FOR THE ANALYSIS OF

ORES, IRON, STEEL, FUEL, FLUXES, FURNACE GASES, &c.

Our Specialty. Being direct Importers and Manufacturers we can offer superior inducements.

EIMER & AMEND,

Nos. 205 to 211 Third Avenue.


NEW YORK.

Eighteenth Street Station Elevated R. R.

Illustrated Catalogue Mailed on Application.

JAY-EYE-SEE

NEW IMPROVED PATENT WIRE CURRY COMB.



Lightest and best for general use. Most durable Comb made. Most humane and only Comb fit to use on a horse's legs, shoulders and flanks. It lifts every hair and throws out the dirt. Rubs and cleans the skin, but cannot cut or scratch it. Is without a rival for cleaning a muddy or sweaty animal. A wonder on a shedding horse. It cleans itself, and has an improved attachment which cleans a brush with ease and rapidity. Send for Circulars and Prices. Sample by mail, 30 cents.

MANUFACTURED BY

MUNCIE NOVELTY CO., Muncie, Ind.

Maltby, Curtiss & Co., New York, O. S. Chamberlain,

SOLE AGENTS FOR THE

55 Dearborn St., Chicago,

Eastern, Southern and Export Trade.

Sole Agent for the West.

THE SWIFT MILL.

ESTABLISHED 1845.

The annexed cut shows one of the many styles of Coffee Mills of our manufacture, especially adapted to Grocers' use and all retailers of coffee. They are highly ornamental, and workmanship of the very best. We make more than 30 styles.

ALSO, LANE'S PORTABLE COFFEE ROASTER.

Will roast 30 to 40 lbs. at once, and can be used as a stove at other times. Send for descriptive list to Manufacturers,

LANE BROS., Poughkeepsie, N. Y.

Also Sold by Leading Wholesale Houses.

Our agents, John H. Graham & Co., 113 Chambers St., New York carry a full line of our goods, and will be pleased to serve you at factory prices.



THE ATLANTA WIND ENGINE CO.,

235 & 237 MARIETTA STREET, ATLANTA, GA.

ECLIPSE WIND MILLS,



20 SIZES.

Hand, Force and Power Pumps,

MANUFACTURERS OF CYPRESS AND YELLOW PINE

TANKS.

STEAM PUMPS for every duty. Railroad Water Supplies a Specialty.



"LONDON * IRONMONGER,"

42 CANNON STREET, LONDON, E. C., ENGLAND.

Advertisements and Subscriptions are Received at the Various Offices of "THE IRON AGE," Namely:

NEW YORK OFFICE: DAVID WILLIAMS, Publisher of "THE IRON AGE," 83 Reade Street, who will, on receipt of application, supply Specimen Copies free.

PITTSBURGH OFFICE: 77 Fourth Avenue—JOS. D. WEEKS, Manager and Associate Editor.

PHILADELPHIA OFFICE: 220 South Fourth Street—THOMAS HOBSON, Manager.

CINCINNATI OFFICE: 13 West Third Street—HENRY SMITH, Manager.

SOUTHERN OFFICE: Cor. Eighth and Market Streets, Chattanooga, Tenn.—S. B. LOWE, Manager.

CHICAGO OFFICE: 36 and 38 Clark Street, Cor. Lake Street—J. K. HANES, Manager.

WILL SHORTLY BE ISSUED,

— THE —

* IRONMONGER * DIARY, *

1886, EIGHTEENTH YEAR OF PUBLICATION.

The above important Work is now in course of preparation. All who are anxious to do business with Ironmongers, Agricultural Implement Agents, Engineers, Merchants, Shippers, &c., should make good use of this most valuable

ADVERTISING MEDIUM.

A COPY OF THIS DIARY WILL BE

PRESENTED FREE

to every subscriber to THE IRONMONGER; hence Advertisers will know that their Announcements will be all the year round under the notice of the principal Iron, Steel, Metal, Implement and Hardware men at home and abroad.

CLASSIFIED LIST OF TRADE-MARKS AND BRANDS.

In our 1884 Diary we made a beginning in this direction and received a most gratifying amount of support. The cost (10s. per square of 1 inch deep by 1½ inches wide) is so insignificant that no firm or company would be wise to be absent from the Section on that account, while there are many very sound and weighty reasons why every trade-mark, brand, special name, &c., should be registered in this manner.

◇ THE DIARY FOR 1886 ◇

will be handsomely got up, bound in Cloth, Gilt, and will contain, besides the Diary Pages proper (which are interleaved with Blotting Paper), much valuable information of special interest to Members of the Trades represented by THE IRONMONGER.

EXTRA COPIES ARE SOLD TO SUBSCRIBERS FOR 2s. 6d.

PRICE OF DIARY TO NON-SUBSCRIBERS, 3s. 6d.



LIESCHE'S

Burglar-Proof Sash Lock

AND

Automatic Window Holder.

Cheapest, Strongest and Only Practical Automatic Lock and Holder on the Market.

SAMPLES FREE TO THE TRADE.

J. R. CLANCY, Syracuse, N. Y.



JAMES HILL,

MANUFACTURER OF

GALVANIZED

BUCKETS,

AND

ASH CANS

A Specialty.

Providence, R. I. P. O. Box 770.



FRUIT WINE
& JELLY PRESS
 TWENTY DIFFERENT SIZES FROM \$2 TO \$100
 AWARDED FIRST PREMIUM EVERYWHERE
SAUSAGE STUFFER
ENTERPRISE MFG. CO.
 THIRD & DAUPHIN STS. PHILADELPHIA
Mrs. Potts
SELF MEASURING FAUCET
SELF WEIGHING CHEESE KNIFE
COLD HANDLE SADD IRONS
SOLD BY ALL HARDWARE DEALERS
SEND FOR ILLUSTRATED CATALOGUE
SMOKED BEEF SHAVES
MEAT CHOPPER
BUNG HOLE BORER TOBACCO & ROOT CUTTER


PEUGEOT FRÈRES,
 MANUFACTURERS OF
Finest Grades of Steel
 FOR WATCH, CLOCK AND OTHER SPRINGS,
 Band Steel for Saws for Metal and Wood. Steel for all Mechanical Uses. The
 "Lion" Brand of Band Saws Best and Cheapest Made.
 Correspondence Solicited.
McCOY & SANDERS,
 AGENTS FOR UNITED STATES AND CANADA
 26 WARREN STREET, NEW YORK.

BENEDICT'S PAT. WINDOW SCREEN
 is an Oil-Print Linen Gauze, plain and figured, mounted
 on a Hartshorn Spring Roller, the edges moving in
 grooved mouldings on the sides of the window.
 Flies and mosquitoes are effectually excluded.
 Either Sash may be opened or both at the same time,
 thus securing better ventilation.
 May be rolled up and left in place all winter; but if
 desirable to remove, comes out as readily as a shade.
 Costs less, will last longer and is more easily renewed
 than any other good screen.
MORE CAPITAL WANTED
 to push this invention, which is already introduced and
 is now on Exhibition at American Institute Hall, Third
 Ave., between 63d and 64th Sts., New York City.
 Illustrative cuts and prices may be obtained by ad-
 dressing
THE BENEDICT
Patent Rolling Window Screen Co.,
 Box 702. ASBURY PARK, N. J.
 State Rights for sale.
 ESTABLISHED 1887.

L. & E. J. WHITE,
 MANUFACTURERS OF
EDGE TOOLS & MACHINE KNIVES
 Coopers', Carpenters' and Ship Tools, Cleavers, &c.
 FULL LINE CHISELS.
 310, 312 & 314 EXCHANGE ST., BUFFALO, N. Y.

THE SHAW DOOR CHECK AND SPRING.
 GREAT REDUCTION IN PRICE.
 The SHAW DOOR CHECK AND SPRING CO
 have removed to their new factory, and with their
 increased facilities for manufacturing their goods
 have decided to reduce the price of each Spring \$1
 from former list, and thereby bring the machine
 within the reach of all. The SHAW CO. are the
 owners of the oldest patented device for closing
 doors noiselessly, and with their new improvement
 produce the only check and spring which the trade
 can sell as general hardware. The same spring
 can be applied to either hinge or jamb side of both
 right or left hand doors.
SHAW DOOR CHECK AND SPRING CO.
 MANUFACTURERS AND SOLE AGENTS,
 Office and Factory, 164 High St., Boston, Mass.
 BRANCH OFFICES: 77 Beade St., New York; 229 Lake St., Chicago, Ill.

GEO. M. SCOTT,
Bellows Manufacturer,
 Johnson Street,
 Cor. 22d St.,
 CHICAGO, ILL.



B. KREISCHER & SONS,
FIRE BRICK.
 BEST AND CHEAPEST.
 Established 1845.
 Office, foot of Houston Street, East River,
 NEW YORK.

NEWTON & CO.,
 ALBANY, N. Y.,
 MANUFACTURERS OF BEST QUALITY
FIRE BRICK
 AND
STOVE LININGS.
M. D. VALENTINE & BRO.,
 MANUFACTURERS OF

FIRE BRICK
 And Furnace Blocks,
 DRAIN PIPE AND LAND TILE,
 Woodbridge, - - N. J.

BORGNER & O'BRIEN,
 MANUFACTURERS
FIRE BRICK
 AND
 Edge Pressed Furnace Blocks,
 CLAY RETORTS, TILES, &c.,
 Twenty-third Street,
 Above Race, PHILADELPHIA.
 Twenty years' practical Experience.

ESTABLISHED 1848.
TROY FIRE BRICK WORKS,
 Troy, N. Y.
James Ostrander & Son,
 MANUFACTURERS OF
FIRE BRICK,
 Tiles, Blast Furnace Blocks, &c., and in a Special
 Department Linings for Stoves, Ranges and Heaters of
 superior quality. Miners of and dealers in Wood-
 bridge, N. J., Fire Clay and Fire Sand and Staten
 Island Kaolin.

ESTABLISHED 1864.
JAMES GARDNER,
 Successor to GARDNER BROS.,
 MANUFACTURER OF
"STANDARD SAVAGE" FIRE BRICK,
TILE & FURNACE BLOCKS,
 OF ALL SHAPES AND SIZES
 Miner and Shipper of "Mount Savage" Fire Clay.
 WORKS, Ellerslie, Allegheny Co., Md.
 MAIN OFFICE, Cumberland, Md., P. O. Box 93.
 BRANCH OFFICE, Pittsburgh, Pa., P. O. Box 373.
 S. M. Hamilton & Co., Agents, Baltimore, Md.

UNION MINING COMPANY.
Mount Savage Fire Brick.
EDWARD J. ETING, Agent,
 222 South Third St., Philadelphia, Pa.
BIRMINGHAM FIRE BRICK WORKS.


All dimensions constantly on hand. **Fire**
Bricks, Fire Shapes, Kaolin, Fire
Brick Cement, Fire Clay, Fire Sand
 for Furnaces; Coke Ovens, Stoves, Boilers, and
 for the Southern Trade generally.
STEVENS & FENTON, Prop'rs,
 Birmingham, Ala.

AIKIN & LIGHTON,
 Iron City Foundry and Machine Works,
 SOLE MANUFACTURERS OF
ADDON'S IMPROVED
MOUNTED
SAND MOULDING MACHINE
BIRMINGHAM, ALABAMA.
 CORRESPONDENCE SOLICITED.




AMHERST THE WATER MOTOR
 BEST.
 Parties looking for a noiseless, econom-
 ical and efficient Power will do well to send
 for descriptive Catalogue, free.
Amherst Hydraulic Motor Company,
 HOLYOKE, MASS.

Self-Binders for The Iron Age.



We are now prepared to supply our sub-
 scribers with an excellent self-binder for
 their papers, a cut of which is annexed.
 We call attention to the low prices at which
 it is offered. Address all orders to
DAVID WILLIAMS,
 53 Beade Street, New York.

New England Butt Co.



PROUTY'S PATENT
RIGID
Door Knobs
 AND
Locks
 AND OTHER

Builders' Hardware,

Catalogue Sent Free on Application.

Providence, R. I., U. S. A.

EAGLE LOCK CO.,



CABINET, TRUNK AND PADLOCKS
 MADE BY ANY ONE CONCERN IN THE WORLD
 Illustrated Catalogue Mailed to the Trade Free on Application.
 Orders for special Die and Press Work and Small Brass Castings solicited at our Terryville Works.

P. LOWENTRAUT,
 MANUFACTURER OF
MECHANICS' TOOLS, GENERAL HARDWARE, HOUSE
FURNISHING GOODS,
 36 to 64 Kent, Corner Brenner St., Newark, N. J.
"EUREKA" CLUB SKATES.



SIZES, 8, 8½, 9, 9½, 10, 10½, 11, 11½, 12 Inches.

This Skate is simple in its construction, and has many advantages over other Skates. The new
 principle of operating the clamps gives great strength to the clamping of the heel. The pressure bar
 in front of the heel has a curved form, which braces the instep of boot or shoe, and prevents the
 turning of the foot while skating. The plates are of welded steel, carefully tempered and hardened.
 The superior care in tempering and workmanship gives the "Eureka" advantages that no other
 Skate has.


WHITE MOUNTAIN FREEZER CO.,
 MANUFACTURERS OF
 Sands' Patent Triple Motion
WHITE MOUNTAIN ICE CREAM FREEZER.



The only Freezer ever made having three distinct motions,
 thereby producing finer, smoother Cream than any other Freezer
 on the market. Acknowledged by every one to be the best in
 the world. Over 500,000 in use to-day. Outside Irons Galvan-
 ized, but all inside the can coated with Pure Black Tin. Tubs
 water-proof; easily adjusted and operated. We also carry
 large stock of Packing Tubs, Packing Cans, Ice Crushers, &c.
 Send for Price List and Trade Discounts. Address

WHITE MOUNTAIN FREEZER CO.,
 101 E. Hollis St., Nashua, N. H.

McNab & Harlin Mfg. Co., MANUFACTURERS OF BRASS COCKS AND VALVES



For Steam,
Water,
and Gas.

WROUGHT IRON
PIPE & FITTINGS

Plumbers'
Materials.

Factory, Paterson, N. J.

56 John Street, N. Y.

Our new Illustrated Catalogue and Price List is now ready, and will be sent to the Trade with their first order, or by express, if desired, before ordering.

RIVETS
OF EVERY
DESCRIPTION, FIRST QUALITY

W.P. TOWNSEND & CO.
NEW BRIGHTON, PA.

ROUND HEAD, POINT HEAD, FLAT HEAD, STEEP HEAD, CONE HEAD, TRUSS HEAD, RABON BOX HEAD, BELT RIVET, COUNTERSUNK HEAD.

5/16, 7/16, 1/2, 5/8, 3/4, 1, 1 1/4, 1 1/2, 1 3/4, 2, 2 1/2, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100.

WM. H. HASKELL, President. E. S. MASON, Treasurer. D. A. HUNT, Agent.

WM. H. HASKELL CO.

MANUFACTURERS OF
GIMLET POINT

COACH SCREWS



Bolts, Cold-Punched Nuts & Washers,
SUITABLE FOR MACHINERY OF ALL KINDS.

Office and Works: 277 Main St., PAWTUCKET, R. I., U. S. A.

HENRY B. NEWHALL CO., Agents,
105 Chambers St., New York. 47 Pearl St., Boston.

Philadelphia "STAR" Bolt Works.

NORWAY IRON

FANCY HEAD BOLTS.

Carriage & Tire Bolts, Star Axle Clips, &c.

TOWNSEND, WILSON & HUBBARD, 2301 Cherry St., Philadelphia, Pa.

F. Armstrong, Bridgeport, Conn.



Water Gas
AND

Steam Fitters
Tools.

CATALOGUES AND PRICE LISTS FREE ON APPLICATION.

TENSILE STRAIN: 56,000 to 64,000 lbs.
REDUCTION OF AREA—35 to 43 per cent.

WM. McILVAIN & SONS,

MANUFACTURERS OF

BOILER PLATE

AND
CHARCOAL BLOOMS.


Locomotive, Fire Box, Flange and Shell
Iron; Plate for Bridges and Girders; Tank
and Stack Iron; Boat Plate and Iron for
Wrought Pipe; Plate Iron for Fire and
Burglar-Proof Safes.



CAPACITY: Plates 1 1/4 inch thick to No. 14.
30 feet long.
70 inches wide.

"VULCAN" POWER HAMMER

TRUE, SQUARE, ELASTIC BLOW



STEEL HELVE, RUBBER CUSHIONED

SEND FOR CIRCULAR
TO THE MANUFACTURERS

W. P. DUNCAN & CO., Bellefonte, Pa.

G. A. CROSBY & CO.
MANUFACTURERS OF
Presses, Dies,
AND
Special Machinery
FOR
Sheet Metal Workers.
259, 261 & 263
RANDOLPH ST.
Chicago, Ill.

BROCK'S PATENT DROP FORGED CHAIN PIPE WRENCH.



MADE ENTIRELY OF BAR STEEL.

Six Sizes; adapted for Pipe from 1/4 to 14 inches diameter.

Each number will fit a range of sizes equal to six or more pairs of common tongs, while it will outwear an equal number of any kind.

All parts are interchangeable, and can be readily renewed.

Jaws are hardened to a saw temper, and can be sharpened with a file.
Does not crush pipe; has a quick grip; never slips; chain will not unhitch while in use, but can be instantly released.

J. H. WILLIAMS & CO.,


Manufacturers of Every Description of Iron and Steel Drop Forgings,
9 RICHARDS ST. (Near Hamilton Ferry), BROOKLYN, N. Y.

FOX SAD-IRON CO.,

78 MAIDEN LANE,

NEW YORK.

Awarded the only Gold Medal at the New Orleans Exposition over all Sad-Iron competitors.



Our Iron does away with Hot
Kitchens.

Being reversible, one Iron does the work of an entire set (one side heats while the other is in use). It combines first-class Fluter and Polisher, also makes the best little Cooking Stove for a sick-room, &c., ever invented. Can be used with either Gas or Alcohol. Very simple and absolutely safe in handling.



HARDING'S PAT. CUSHIONED

Polishing Wheels,

an essential requisite for all METAL WORKERS.

Supersedes the Solid Wood and Leather Wheels, and for many purposes the Polishing Belt. Acknowledged superior to all others where used. Manufactured by

BYRAM & COMPANY

IRON WORKS,

435 and 437 Guila Street,
46 and 48 Wight Street. - DETROIT, MICH

THE STANDARD TOOL CO., Increase Twist Drills & Special Tools




CLEVELAND, OHIO.

P. BLAISDELL & CO.,

Worcester, Mass.,

Manufacturers of the



"BLAISDELL" UPRIGHT DRILLS

AND OTHER FIRST-CLASS MACHINISTS' TOOLS.

Send for new
Catalogue
of
Specialties.

ALFRED BOX & CO.

312, 314, 316 Green St.,
PHILADELPHIA, PA.,
Manufacturers of

Box's Pat. Double

Screw Hoists.

13,000 lb. use.


Many have done hard continuous duty 5 years without a single part being renewed. This is the key of our success. They have built up a reputation themselves that cannot be approached. Our improved Radial Drills are also assuming the same standard.



1/2 Pair Chicago Double-Acting
Spring Butts.

LIST JAPANESE.

in.	per pair, \$1.20.
1 1/2	1.50.
1 3/4	2.50.
2	5.00.
2 1/2	8.00.
3	12.00.



CHICAGO SPRING BUTT CO.,
Manufacturers of
SPRING BUTTS
and
KNUES

Chicago, Ill.

Entire New Principle and of Great Power.
Send for Catalogue and Discount.

97 Chambers St., N. Y.

167 Clark St., Chicago, Ill.

The Scientific Portable Forge.



Hand Blowers.

Entirely new in principle.

No Ratchets, Pawls or Friction
Devices.

15 styles and sizes for all kinds of
work. Fully guaranteed.
Manufactured by
The FOOS MFG. CO.
SPRINGFIELD, OHIO.

Fairbanks & Co., Agts.

311 Broadway, N. Y.

216 Main St., Buffalo, N. Y. 714 Chestnut St., Phila. Pa.
17 Light St., Baltimore, Md. 48 Wood St., Pittsburgh, Pa.
182 Broadway, Albany, N. Y. 43 Camp St., New Orleans, La.

JOHN ADT & SON,
—BUILDERS OF—
**HARDWARE MANUFACTURING
MACHINERY.**
Send for Catalogue.
NEW HAVEN, CONN., U. S. A.


HOWARD IRON WORKS,

BUFFALO, N. Y.,

Manufacturers of

BENCH VISES

Price Lists sent on application.




PITTSBURGH MFG. CO.,
Manufacturers of Nail and Spike Machines, Bolts,
Nuts, Washers, Rivets, &c. Castings, Forgings and
Blacksmith Work promptly attended to.
Office and Works Railroad St., near 20th Pittsburgh, Pa.

STOKES & PARRISH MACHINE CO., Philadelphia,

ELEVATORS,

Passenger and
Freight, Steam,
Hydraulic and
Belt Power.

HOISTING
MACHINERY

For Mines, Dock
Use and Inclined
Planes.
All kinds of
Hoisting Machinery
a Specialty.

BLAST FURNACE HOISTING ENGINES,

With Vertical or Horizontal Cylinders, for Handling Stock to Top of Stack
with One or Two Platforms.

Works and Office, 3001 CHESTNUT STREET, PHILA.

New York Office, 95 and 97 LIBERTY STREET.


E. W. BLISS,
MANUFACTURER OF CUTTING, DRAWING, STAMPING, EMBOSING, REDUCING AND PUNCHING
PRESSES AND DIES

FOR WORKING ALL SHAPES AND CLASSES OF SHEET METAL.

Double Seaming Machines for Round, Square and Oval Cans.

Hand and Power Circular Shears.

Special Machinery
For Manufacturing Sheet Metal Goods.



SQUARING
SHEARS.
FOOT AND POWER

Canners' Machinery, Engine Lathes, Shapers & Milling Machines.

20 Pearl Street, BROOKLYN, N. Y.



THE STOCK, WORKMANSHIP, DESIGN AND FINISH

IN
THESE
TOOLS
ARE
SUPERIOR
TO ALL
OTHERS,

AND WE SO WARRANT THEM.



R. H. BROWN & CO.,
New Haven, Conn.

ADJUSTABLE "DUPLEX" DIE STOCK, FOR PIPE AND BOLT.



NO NEED WORKING WITH DULL TOOLS. ONLY DIE STOCK WITH ADJUSTABLE SELF
DIES can be sharpened on Grindstones. CENTERING GUIDES.


SEND FOR CIRCULARS AND PRICES.

HART MFG. CO., Wilson Ave. & L. S. & M. S. R. R., Cleveland, Ohio.
Our Goods are Sold by the Leading Jobbers in all the Principal Cities.



C. F. RICHARDSON, ATHOL, MASS., Manufacturer of
IRON LEVELS.

Air Compressors.



THE NORWALK IRON WORKS CO., South Norwalk, Conn.

WALKER MFG. CO.

SHAFTING,
HANGERS,
PULLEYS.

Pulley Castings and
Machine-Molded
GEARING
A SPECIALTY.

Cleveland, - Ohio.

Estimates furnished. Write for
Gear and Price Lists A.



Established in 1874. 24 and 26 West Street, Cleveland, O.
101 Chambers Street, New York.
55 Queen Victoria St., London, Eng.

CLEVELAND TWIST DRILL CO.



Ludlow Valve Mfg. Co.,

OFFICE AND WORKS:

938 to 954 River St. & 67 to 83 Vail Ave., Troy, N. Y.

VALVES.

Double and Single Gate, 1/4 in. to 48 in.—outside and Inside Screws, Indicator, &c.
for Gas, Water, Steam and Oil. Yard and Wash Hydrants. Send for Circular. Also

FIRE HYDRANTS.

Morse Twist Drill and Machine Co.,

New Bedford, Mass.,

Sole Manufacturers of

Morse Patent Straight-Lip Increase Twist Drill.
Beach's Patent Self-Centering Chuck, Solid
and Shell Reamers, Bit Stock Drills,
DRILLS FOR COES, WORCESTER, HUNTER AND OTHER HAND DRILL
PRESSES. BEACH'S PAT. SELF-CENTERING CHUCKS, CENTER AND
ADJUSTABLE DRILL CHUCKS, SOLID AND SHELL REAMERS,
DRILL GRINDING MACHINES. TAPER REAMERS, MILLING
CUTTERS AND SPECIAL TOOLS TO ORDER.

All Tools exact to Whitworth Standard Gauges.

GEO. R. STETSON, Supt.

EDWARD S. TABER, Treas.

MANNING, MAXWELL & MOORE,


Sole Sales Agents for THE MORSE TWIST DRILL AND MACHINE CO.'S



Manufacture of Patent Machine Relieved Nut, Hand,
Blacksmith and Machine Screw Taps, Screw Plates, Tap
Wrenches and Patent Relieved Pipe Taps and
Pipe Reamers; also of Solid Bolt and Pipe Dies.
Furnished in V, U, S. Standard and Whitworth
shape of threads.



111 Liberty Street, NEW YORK.



PRENTISS' PATENT VISES,

ADJUSTABLE JAW,

Stationary or Pat. Swivel Bottoms,

Adapted to all Kinds of Vise Work, also

"PEERLESS" SWIVEL PIPE GRIP,

FITS ANY VISE. SOLD BY THE TRADE.

PRENTISS VISE CO.,

23 De St., New York,

SOLE PROPRIETORS. SEND FOR CIRCULAR.

BORAX.

CHARLES PFIZER & CO.,

81 Maiden Lane New York,

Manufacturers of Refined and Dealers in Concentrated Borax.




RELiance HYDRAULIC JACKS,

SUPERIOR TO ANY JACK NOW MADE.
Absolute in its actions in any position.
Under complete and instantaneous control.



MADE IN FOUR SIZES,
15, 20 and 30-ton capacity, to lift 12 or 18
inches. Broad Base or throwed Lift.

DIENELT & EISENHARDT,
Makers,
1308 Howard Street, Philadelphia.



A. H. MERRIMAN,
MERRIDEN, CONN.,
Manufacturer of all Descriptions of
PRESSES.

WORKSHOPS

WITHOUT
STEAM POWER
SHOULD HAVE

BARNES'

Patent Foot Power Machinery. COMPLETE
Outfits for actual workshop business.
With them Builders, Cabinet
Makers, Metal and Wood Work-
ers compete with steam power.
Machines on trial if desired.
Proof of value, prices, full
detail, illustrated catalogue, free.
W. F. & John Barnes Co.,
Rockford, Ill.
Address No. 69 Ruby St.
Dealers send for discount sheet.

C. F. DEWICK & CO.,

Manufacturers of

PATENT STEEL
Toe Calks.

360 Dorchester Avenue, Boston, MASS.

NEW ENGLAND SPECIALTY CO., North Easton, Mass.



MANUFACTURERS OF
Leavitt's Improved Screw Driver (Patent Ap-
plied for). Leavitt's (Pat.) Common Sense
Can Opener. Sheet Metal Punching
of all Kinds to Order.

Machinery, &c.

Hydrostatic Machinery,

JACKS, PRESSES, PUNCHES, ACCUMULATORS, PUMPS, VALVES, FITTINGS, &c.

POLISHING AND BUFFING MACHINERY,
WOOD WHEELS, &c.
Patent Punches and Shears.

WATSON & STILLMAN, 470 B Grand St., N. Y.

THE MACKENZIE PATENT CUPOLA & BLOWER.

SEND FOR CIRCULAR TO
SMITH & SAYRE MFG. CO.,
PROPRIETORS,
245 Broadway, New York.

This Cupola has made a great revolution in melting iron. It differs from all others in having a **CORTEXED TUBE**—or, in other words, the blast enters the fuel at all points. Above one ton capacity per hour, they are made **oval** in form. This brings the blast to the center of the furnace with the least resistance and smallest possible amount of power, and in combination with the continuous Tuyere causes complete diffusion of the air throughout the furnace, and uniform temperature, melting ten or fifteen tons an hour with the pressure of blast required to melt two or three tons in an ordinary Cupola. It also enables us to save very largely in time and fuel, the experience of our customers showing a gain of twenty-five to fifty per cent. in time and twenty-five to forty per cent. fuel over the ordinary Cupola, and a better quality of casting, especially in light work. This is due to the thorough diffusion of the air and more perfect combustion, extracting less carbon from the iron, making a softer and tougher casting.

We manufacture these Cupolas of any desired capacity, numbered from 1 to 20, inclusive, the numbers indicating the melting capacities in TONS PER HOUR—No. 1, one ton; No. 2, two tons; No. 3, three tons per hour, and so on up to 15 or 20 tons. We have improved the construction of these Cupolas in every way, have increased their strength and durability, and sought to make them as convenient for working and repairs as our own and the experience of our customers could suggest.

MORSE ELEVATOR WORKS.

MORSE, WILLIAMS & CO.

Successors to CLEM & MORSE.

Manufacturers and Builders of all kinds of PASSENGER and FREIGHT

ELEVATORS.

OFFICE: 411 Cherry Street. Works: Frankford Ave., Willey and
PHILADELPHIA. Shickamaxon Streets,
New York Office: 108 Liberty Street.

"ECLIPSE"

Pipe-Cutting Machines,

PANCOAST & MAULE.

243 & 245 South Third St.,
PHILADELPHIA.

ARE
EFFICIENT,
POWERFUL,
CHEAP

Send for Circular and Price-List.

No. 1.—Hand Pipe-Cutting Machine, cuts 1/4 to 4 inches.
No. 2.—Hand Machine, cuts 1/4 to 4 inches.
No. 3.—Power Machine, cuts 1/4 to 4 inches.
No. 4.—Cutting-Off Machine, cuts 1/4 to 4 inches.

THE CLERK GAS ENGINE.

Highest Award for Gas Engines at American Institute Fair, New York, 1882.

Makes an ignition at every revolution of the Fly Wheel. Is started with ease, and gives full power immediately. No danger from fire; no extra insurance nor skilled engineer required. Runs perfectly steady; only uses gas when required. Workmanship of the best description and guaranteed. Indicated power considerably larger than in any other Gas Engine of the same size, each Engine giving from 1 H.P. to 4 H.P. more than named. Is unsurpassed by any other Gas Engine for running any kind of machinery or electric light, arc or incandescent. Has means for regulating to suit any coal or water gas.

No Boiler, Coal, Ashes or Engineer. Made in Sizes of 4, 8, 10, 15 and 25 H.P.
THE CLERK GAS ENGINE CO., 1012-1016 Filbert St., Philadelphia.
Branch Offices: 142 Chambers New York; 4 West 14th St., New York; 76 Dearborn St., Chicago.

DEAN BROS.' STEAM PUMP WORKS.

BOILER FEEDER, BREWERS' AIR PUMP, FIRE PUMP, VACUUM PUMP.

INDIANAPOLIS, IND. SEND FOR CATALOGUE AND PRICES.

IRON ROOFING.

Extra quality. Best plan in use. (Sold as low as any other)

MANUFACTURED BY
T. C. SNYDER & CO., Canton, Ohio.
Cheap, strong and durable. Does not get out of repair. Every roof sold in even years satisfactory. Any mechanic can apply it. Circular and sample free. Also manufacturers of the best and cheapest Metallic Paint in use.

Double Acting Spring **BUTTS**
SABIN'S LEVER DOOR SPRINGS,
Coil, and Sabin's Volute Springs
For various purposes made to order.
SABIN MACHINE CO., Montpelier, Vt.

Machinery, &c.

William Sellers & Co.,

ENGINEERS.

PHILADELPHIA,

MAKERS OF

MACHINE TOOLS

FOR WORKING IRON AND STEEL.

Steam Hammers; Riveting, Bending and Plate
Planing Machines; Punches and Shears; Lathes; Drilling,
Boring, Slotting, Shaping and Planing Machines, &c., &c.

Improved System of Shafting for Transmitting Power.

Specifications, Photographs and Prices Furnished
on Application.

BRANCH OFFICES.

79 Liberty Street, New York City,
Colorado Springs, Colorado.

Southwark Foundry and Machine Co.,

ENGINEERS AND MACHINISTS.

430 WASHINGTON AVENUE, PHILADELPHIA, PA.

PORTER-ALLEN and SOUTHWARK ENGINES,

BLOWING ENGINES, PUMPS, GAS APPARATUS,
SUGAR MACHINERY, HYDRAULIC MACHINERY, &c., &c.

PRESSED WROUGHT IRON.



THE BEST AND CHEAPEST

Made by
CLEVELAND CITY FORCE & IRON CO.,
Cleveland, Ohio.

"OTTO" GAS ENGINE,

Over 15,000 IN USE. Guaranteed to consume 25 to 75 ANY OTHER GAS ENGINE PER HORSE-POWER.

TWIN ENGINES IMPULSE EVERY REVOLUTION. The Steadiest-running Gas Engine yet Made.

ENGINES AND PUMPS COMBINED For Hydraulic Elevators, Town Water Supply, or Railway Service.

SPECIAL ENGINES FOR ELECTRIC LIGHT WORK.

Unexcelled for running Elevators, Wood-Tools, Printing Presses, or any kind of Machinery. SIZES: 1 to 25 HORSEPOWER.

SCHLEICHER, SCHUMM & CO.,

Thirty-third & Walnut Sts., Philadelphia. 214 Randolph St., Chicago.

A few Good Second-hand Engines on Offer, taken in Exchange for larger sizes.

BOILERS

BOILERS REPAIRED, ENLARGED, STATIONARY or PORTABLE. HARRISON SAFETY BOILER WORKS. GRAYDON & BENTON, 600 N. 3rd St., PHILA. PA.

NEW CHAMPION FORCE PUMP

Vacuum Chamber and Air Chamber,

Producing a continuous flow of water, both in suction and discharge. Works smoother and easier than any other force pump in the market. Has Seamless Drawn Brass Cylinders and no stuffing boxes. Never freezes in winter, and is not liable to get out of order. With Hose Attachment it is valuable as a fire protection, and for sprinkling lawns, gardens, &c. It is specially adapted for all kinds of wells—dug, drilled or driven—and for pumping water long distances from springs.

CLARK'S IMPROVED Ratchet Stocks, Dies & Pipe Vises

FOR USE BY Plumbers, Gas Fitters and Pump Dealers.

With the Ratchet Stock pipe can be threaded in a corner, down in wells, or in positions that would be inaccessible with other tools. Send for Circulars and Price Lists to

CLARK BROTHERS, Mfrs., Belmont, N. Y., U. S. A.

THE NEW GIANT DRILL CHUCK.

Holds a Drill With the Grip of a Giant. All Steel.

Parts interchangeable. SIMPLE IN CONSTRUCTION.


EASY TO TAKE APART AND CLEAN. BEST OF WORKMANSHIP AND VERY CHEAP. Manufactured and sold by

THE SMITH & EGGE MFG. CO., Bridgeport,

Machinery, &c.

CORLISS ENGINE BUILDERS

"ECONOMY & DURABILITY"



MACHINISTS IRON FOUNDERS BOILER MAKERS
ROBT WETHERILL & Co.
CHESTER, PA.

Stow Flexible Shaft Co., Limited,

15th & Pennsylvania Ave., PHILA., PA.

Manufacturers of

PORTABLE DRILLING, TAPPING, REAMING & BORING MACHINES.

Also, Tools for Emery Wheel Grinding, Metal and Wood Polishing, Cable Brushing and Clipping, &c.

Gen'l European Agents

Billing & Lowe,

2 Lawrence Pountney Hill,

LONDON, ENG.

PHILA. SHAFTING WORKS,

GEO. V. CRESSON,

18th & Hamilton Sts., PHILA.

SHAFTING

A SPECIALTY.

Manufacturers of Shafting, Pulleys and Hangers, Couplings and every apparatus used in the Transmission of Steam Power.

LATHE & MORSE TOOL CO.,

Manufacturers of Engine Lathes, Planers, Chucking Lathes, Hand Lathes and Machinists' Tools Generally.

Worcester, Mass., U. S. A.



Established 1845.

Send for Catalogue.

E. Harrington, Son & Co.,

Established 1867.

MANUFACTURERS OF PATENT EXTENSION AND SCREW CUTTING

LATHES

Iron Planers, Radial, Upright, Suspension Multiple and Lever

DRILLS,

and a variety of other MACHINISTS' TOOLS

Patent Double Chain Screw Pulley Blocks, Unriveted for Durability, Safe and Powerful.

Patent Double Chain Quick-Lift Hoists, with brake for quick and easy lowering.

Circulars furnished.

WORKS AND OFFICE,

Cor. N. 14th and Penna. Ave., Philadelphia, Pa., U. S. A.

Represented by J. G. MAY, N.Y., 13 Cortland St., N.Y.

C. E. KIMBALL, 101 High St., Boston.

W. L. RICEY, 115 Main St., Cincinnati.

DILLON NUT LOCK

PATENTED ENTIRELY NEW

The Dillon Nut Lock is based on Mechanical Principles. Can be used in any place where a pin or nut lock is needed. For full information and prices, address

DILLON NUT LOCK CO., 185 W. Pearl St., Cin'ti, O.

U. S. & CAN.

DILLON NUT LOCK CO., 185 W. Pearl St., Cin'ti, O.

THE HUMPHRIES MFG. CO.,

MANSFIELD, OHIO,

Manufacturers of

Iron, Brass and Brass-Cylinder Clatern, Pitcher, Well and Force

PUMPS,

Windmill, Boiler Feed Horizontal and Rotary

Pumps.

Hydraulic Rams, Iron and Brass

CYLINDERS

of every description, and other

HYDRAULIC MACHINERY.

G. E. BRETTTELL,

Water Street, Rochester, N. Y.

Improved Planers a Specialty; 20 x 20, 22 x 22, 24 x 24

any desired length. Send for Description and Prices before purchasing.

Mrs. J. Agt. for other Tools

THE SMITH & EGGE MFG. CO., Bridgeport,

THE SMITH & EGGE MFG. CO., Bridgeport,

THE SMITH & EGGE MFG. CO., Bridgeport,

THE SMITH & EGGE MFG. CO., Bridgeport,

THE SMITH & EGGE MFG. CO., Bridgeport,

THE SMITH & EGGE MFG. CO., Bridgeport,

THE SMITH & EGGE MFG. CO., Bridgeport,

THE SMITH & EGGE MFG. CO., Bridgeport,

THE SMITH & EGGE MFG. CO., Bridgeport,

THE SMITH & EGGE MFG. CO., Bridgeport,

THE SMITH & EGGE MFG. CO., Bridgeport,

THE SMITH & EGGE MFG. CO., Bridgeport,

THE SMITH & EGGE MFG. CO., Bridgeport,

TUBAL SMELTING WORKS

760 and 762 Broad Street, - - PHILADELPHIA.

PAUL S. REEVES,

MANUFACTURER OF

Genuine Babbitt Metal

AND ALL GRADES OF

ANTI-FRICTION METALS.

ESTABLISHED:

Spring Making, 1842

Steel Making, 1845.

Norway Iron, 1871 (Re-Rolled).

WM. & HARVEY ROWLAND,

MANUFACTURERS OF

Springs, Steel, Re-Rolled Norway
Iron & Slit Norway Nail Rods.

ADDRESS:

FRANKFORD P. O., PHILADELPHIA.

EAGLE FILE WORKS.

ESTABLISHED 1857.

Madden & Cockayne File Co.,

MANUFACTURERS OF THE OLD AND WELL-KNOWN

"WHEELER, MADDEN & CLEMSON"
BRAND OF

FILES.

Middletown, Orange Co.,

New York.

Buyers who appreciate the highest class of goods will do well to give this brand a trial.

EXTRA
SUPERIOR
CAST
TOOL
STEEL

STEEL TUBES

WELDLESS
COLD DRAWN
SMOOTH INSIDE AND OUT

JOHN S. LENG, 4 FLETCHER ST. NEW YORK.

PITTSBURGH STEEL CASTING CO.,

26TH AND RAILROAD STS., PITTSBURGH, PA.

MANUFACTURERS OF


Refined Bessemer Steel; Improved Steel Castings
UNDER HAINSWORTH'S PATENTS.

We are now prepared to fill orders for refined BESSEMER BILLETS or BLOOMS of any desired carbon and a uniform quality.
We would call attention of consumers to the fact that we use good material, and produce a steel pronounced by competent judges equal to the best English or German spring and soft steel.
Having had twelve years' experience in the making of STEEL CASTINGS, we are able to refer to our customers in all parts of the United States and Canada as to the quality of our work in this line. We make castings of steel practically free from blow holes, as soft and easily worked as wrought iron, yet stiff, strong and durable, with a tensile strength of not less than 65,000 pounds to the square inch. In short, our castings unite the qualities of steel and wrought iron.
Wheels, Pistons, Cranks, Dies, Hammer Heads, Engines and Machinery Castings of all descriptions, Railroad Frogs and Crossings, Plowshares, Moldboards and Landslides.
Special attention given to Heavy Castings. We use no cast-iron in our Castings. Send for circular.

POP HAMMERS.

Punching Presses.
DIES AND OTHER TOOLS
FOR THE MANUFACTURE OF ALL KINDS OF
SHEET METAL GOODS,
DROP FORGINGS, &c.
Stiles & Parker Press Co.,
MIDDLETOWN, CONN.

Branch Factory and Office, 59 DUANE STREET, NEW YORK.



Patent Bench Hook

MANUFACTURED BY


E. C. STEARNS & CO.,

Syracuse, N. Y.

This Hook is easily attached, quickly
adjusted and reversible. The head is of
solid steel. It commends itself to every
woodworker.

BRADLEY'S

UPRIGHT CUSHIONED HELVE HAMMER



Combines all the best elements essential in a first-class Hammer.

Has more good points, does more and better work and costs less for repairs than any other Hammer in the world.

(ESTABLISHED 1839.)

BRADLEY & COMPANY,

SYRACUSE, N. Y.

STANLEY G. FLAGG & CO.,

PHILADELPHIA, PA.

Office and Works,
N. W. Cor. 19th St. and Pennsylvania Ave.

MANUFACTURERS OF

STEEL CASTINGS.


A Substitute for Steel and Wrought Forgings.

Circulars Sent on Application.

STEEL CASTINGS

Railroad and Machine Castings,
by lb. to 10 tons. Locomotive Cross
Heads and Gearing a Specialty

Eureka Cast Steel Co.,
307 Walnut St., PHILADELPHIA.



DRILL BRACE.

This is a 10-inch sweep Ratchet Bit Brace, with a gear wheel, speeded about three to one, to be used for drilling iron. When not needed for drilling, this gear wheel can be taken off in one second. This Bit Brace is made of steel, highly polished and heavily nickel-plated, with a cocobola handle and lignumvitum head. It has two sets of forged steel jaws, which will hold square and flat shank tools of all shapes and sizes, and round twist drills from 7-16 to 1-32 inch in diameter. The ratchet attachment enables the Brace to be used in places where there is not room to revolve the sweep. Many attempts have been made to imitate the outside appearance of our Barber Improved Braces, but no one dares to use our Patent Jaws, as seen in this cut, and no brace is good without them. We guarantee these tools to be perfect in every respect, and that they will give great satisfaction to all who use them. Hardware dealers will furnish them on demand at our price, which is Three Dollars each.

MILLERS FALLS CO.,

74 CHAMBERS ST., NEW YORK.

Boring
AND
Turning
Mills

48 & 72 IN. SWING.
UPRIGHT
DRILLS
ALL SIZES.

H. BICKFORD,
CINCINNATI,
OHIO.

COLUMBIA
THE POPULAR STEEDS
OF TODAY

COLUMBIA TRICYCLES

FOR LADIES
AND
GENTLEMEN

ILLUSTRATED CATALOGUE
SENT FREE.

THE POPE MFG. CO.
597 WASHINGTON STREET.
BOSTON.

BRANCH HOUSES
12 WARREN ST. NEW YORK
15 WABASH AVE. CHICAGO

ANNOUNCEMENT.

The Clayton Air Compressor Works, of Brooklyn, have opened an office at No. 43 Dey Street, New York, for the sale of the Clayton Improved Air Compressors, Rock Drills, Mine Pumps, Hoisting Engines, Rock Crushers, Blasting Batteries, Wire, Fuse, and Mining Machinery in General. For Catalogue—August 1888—estimates and general information call upon or address, Clayton Air Compressor Works, Office, 43 Dey Street, New York.

(From the Engineering and Mining Journal, Aug. 6, 1888.)
The Clayton Air Compressor Works have issued a New Illustrated Catalogue and Price List. Every Mine Manager and Engineer should have a copy for reference, for none can afford to be without the information there given concerning the unsurpassed Clayton Air Compressors and other Machinery.

A. G. PECK & CO.
Cohoes, N. Y.,
MANUFACTURERS OF

**AXES, ADZES,
BROAD AXES,
HATCHETS.**

Send for Catalogue and Price List.

SCRANTON BRASS & FILE WORKS.
J. M. EVERHART,
Manufacturer of

BRASS WORK

For Water, Gas and Steam.
Exhaust Steam Injector, using waste Steam only, returning it to Boiler with water at 150 degrees.

Also PATENT
CUT FILES.

Scranton Pa.

RUSSELL, BURDSALL & WARD,

PORTCHESTER, N. Y.,

MANUFACTURERS OF

CARRIAGE,
TIRE,

BOLTS

PLOW,
STOVE, &c.


Carriage Bolts made from Best Square Iron a Specialty.

F. W. WURSTER,
IRON FOUNDRY
AND AXLE WORKS,
130 to 149 First St.,
Brooklyn, N. Y.

AXLES

SUPERIOR
WAGON, CART AND
CARRIAGE AXLES.

Our facilities enable us to quote the
trade lower prices than any other
manufacturer. Send for price list.



BLACKSMITHS' TAPS.

Manufactured by

J. M. CARPENTER,

Pawtucket, R. I.

FOOT-POWER SCROLL SAWS.




For the Workshop or Amateur.

MANUFACTURED BY

SENECA FALLS MFG. CO. 255 Water St., Seneca Falls, N. Y.

**SOLID
STEEL
CASTINGS,**



FROM CRUCIBLE and OPEN HEARTH.

HYDRAULIC CYLINDERS AND GEARING SPECIALTIES.

CUN METAL ROLLS, PINIONS and CASTINGS.

AIR-FURNACE REFINED MALLEABLE CASTINGS.

All Stock used by us is subject to Chemical Analysis in our own Laboratory.

ISAAC G. JOHNSON & CO.,

Established 1853.

SPUYTEN DUYVIL, NEW YORK CITY.

GLENN'S Patent Balanced

Hydraulic and Steam Valves.

For Controlling Machinery on Men of War, Ship Board, Docks, Elevators,
Rolling Mills and Steel Mills, &c.

For additional information and prices address

J. S. GLENN Manufacturer, 115 Fremont St., Chicago, Ill.

**BEAUDRY'S
UPRIGHT
POWER
HAMMERS.**

SIMPLE, * PRACTICAL, * LOW-PRICED.

Perfectly Square Blow. Springs of Best Rubber.


Manufacturers of all descriptions, Railroad Shops, Steel and Machine Forgers,
File and Vise Makers, Knife and Cutlery Makers, Axle, Edge Tool and Agricultural Implement Manufacturers, Carriage Builders, and all others who need a
first-class Hammer, and one of extraordinary capacity and adaptability, are
urged to examine this one before purchasing elsewhere. Every Hammer
tested and warranted.

BEAUDRY & CUNNINGHAM, Mfrs.,

Offices: 49 Dey Street, NEW YORK,
70 Kilby Street, BOSTON.

Send for circular and testimonials to P. O. Box 1218, Boston.

DECIDED SUCCESS.



Full Size, No. 80.

EVERY ONE
WANTS

Gem Wire Coat and Hat Hooks,

BECAUSE { They are Strong and Durable,
Easily put up, and
Reasonable in Price.

Four Sizes: 2, 2½, 3 and 3½ inch.

Made of Steel and Brass Wire.

Send for Catalogue of the above and a full line of Spring Hinges and
Door Springs for all kinds of Doors.

VAN WAGONER & WILLIAMS CO.,

82 Beekman Street, New York.